



Product environmental attributes - THE ECO DECLARATION

Brand *	Lenovo	Logo
Company name *	Lenovo	_
Contact information *	Alvin L Carter 1009 Think Place Building 2 / 5J3 Morrisville, North Carolina 27560 alcarter@us.lenovo.com	lenovo
Internet site *	www.pc.ibm.com/ww/lenovo/about/environmen	t t
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.						
Type of product *						
Commercial name *	ThinkCentre A55/M55e					
Model number *	odel number * 6490, 6491, 8705, 8706, 8972, 8975, 8982, 8985, 8994, 9265, 9278, 9279, 9288, 9379, 9380, 9389, 9632,					
	9637, 9648, 9649					
Issue date *	2007-04-09					
Intended market * Slobal Europe Japan U.S. Other						
Additional information						

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

The declaration may be published only when all rows and/or fields marked with a * are filled-in (n.a. for not applicable).

Quality C	ontrol Requirement met		
Item	Additional information regarding each item may be found under P14.	Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	\boxtimes	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org).		

Model number *	ThinkCentre A55/M55e Models 6490, 6491, 8705, 8706, 8972, 8975, 8982, 8985, 8994, 9265, 9278, 927, 0649, 0640	79, 9288, 9	9379, 9380, 9389, 9632,
Issue date *	9637, 9648, 9649 2007-04-09	Logo	lenovo

Product	environmental attributes - Legal requirements Requirement met			
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain lead, cadmium, mercury, hexavalent chromium, polybrominated biphenyl (PBB) and polybrominated diphenyl ether (PBDE) as specified in <i>EU</i> 2002/95/EC and its amendments	\boxtimes		
P1.2*	Products do not contain Asbestos (EU 76/769/EEC, amendment 1999/77/EC)	\boxtimes		
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),		Ħ	
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (<i>EU</i> : Regulation (<i>EC</i>) No. 2037/2000, 2038/2000, 2039/2000)			
P1.4*	Products do not contain polychlorinated biphenyl (PCB), polychlorinated terphenyl (PCT), (EU 76/769/EEC)	\boxtimes		
P1.5*	Products do not contain short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP as specified in <i>Norwegian regulation relating to restrictions</i> on the use of certain dangerous chemicals 20.12.2002			
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (EU 76/769/EEC)			
P1.7*	Textile and leather parts with direct skin contact do not contain Azo colourants that split aromatic amines as specified in EU 76/769/EEC, amendment 2003/3/EC			
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (EU 76/769/EEC)			
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations higher than specified in 76/769/EEC, amendment 94/27/EEC			
P2	Batteries			
P2.1*	If hazardous batteries (as defined in 91/157/EEC) are used in the product they are easily removable and labelled with the disposal and the substance logo (as defined in 91/157/EEC, 93/86/EEC)			
P2.2*	If batteries are used in the product they do not contain mercury in concentrations higher than specified in 91/157/EEC			
P2.3*	If batteries are permanently installed in the product, information on the environmentally hazardous substances and safe removal method is listed in the user manual (91/157/EEC)			
P3	Electrical safety, EMC and connection to the telephone network			
P3.1*	The product meets the Low Voltage Directive (LVD) regarding electrical safety (73/23/EEC & 93/68/EEC)	\boxtimes		
P3.2*	The product meets the EMC Directive regarding electromagnetic compatibility (89/336/EEC / 2004/108/EEC after June, 20th 2007			
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it meets the EU R&TTE Directive (1999/5/EC)			
P3.4*	The product is CE-marked and a Declaration of Conformity is available (93/68/EEC)	\boxtimes		
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium in concentrations higher than specified in (76/769/EEC and 91/338/EEC)			
P4.2*	If ink/toner is used in the product, it does not contain cadmium in concentrations higher than specified in (76/769/EEC and 91/338/EEC)			
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to EU Directive 1999/45/EC, and as amended, the product/packaging is labelled and a Material Safety Data Sheet (MSDS) in accordance with (99/45/EC & 2001/58/EC) is available.			
P5	Product packaging			
P5.1*	The sum of the concentration levels of lead, cadmium, mercury, and hexavalent chromium present in packaging or packaging components does not exceed 0,01% by weight (94/62/EC).			
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043.(97/129/EEC)	\boxtimes		
P5.3*	The product packaging material is free from CFC/HCFC.			
P6	Treatment information			
P6.1*	Information for recyclers/treatment facilities (e.g. as requested by 2002/96/EC) is available.	\boxtimes		

Model r	number *	ThinkCentre A55/M55e Models 6490, 6491, 8705, 8706, 8972, 8975, 8982, 8985, 8994, 9265, 9278, 927 9637, 9648, 9649	79, 9288, 9	9379, 9380, 9389, 9632,
Issue d	ate *	2007-04-09	Logo	lenovo

Product	t environmental attrib	utes - Market requirem	uirements - Environmental conscious design					
Item	*=mandatory to fill in.		tion regarding each item may be found under P14.	Yes	No	n.a.		
P7	Design Disassembly, recycl		· · · · · · · · · · · · · · · · · · ·					
P7.1*	Parts that have to be t		are easily separable					
P7.2*	Plastic materials in co				H			
P7.3*			ial or of easily separable materials.	\overline{X}	H			
P7.4*			according to ISO 11469 referring ISO 1043.	X	H			
P7.5			r have inlays that can be removed with commonly available tools.	X	H			
P7.6*			ement does not apply to safety/regulatory labels).	\overline{X}	\dashv			
1 7.0	Product lifetime	arabio. (Trilo roquii	oment about not apply to bailoty/regulatory labelley.					
P7.7*		ne e.g. with proces	sor, memory, cards or drives	\square		П		
P7.8*	Upgrading can be don	ne using commonly	v available tools		Ħ			
P7.9.	Spare parts are availa					Ħ		
P7.10	Service is available af	•						
	Material and substar							
P7.11*	Product cover/housing							
	Material type: Steel		Material type: ABS, PC/ABS Material type:					
P7.12*	Electrical cable insula	tion material of pov	wer cables are halogen free (including PVC)		\boxtimes			
P7.13*	Electrical cable insula	tion material of sig	nal cables are halogen free (including PVC)		\boxtimes			
P7.14	All cover/housing plas	tic parts >25g are	halogen free	\boxtimes				
P7.15	All printed circuit boar	ds (without compo	nents) >25g are halogen free		\boxtimes			
P7.16	Chemical specification	ns of flame retarda	nts in cover / housing plastic parts >25g according ISO 1043-4:					
P7.17	Chemical specifications of flame retardants in printed circuit boards (without components) >25g according ISO 1043-4: FR(16)							
P7.18								
P7.19	Plastic parts >25g are free from flame retardant substances/preparations above 0.1% classified as R45/46, R50/51/53 and R60/61 (67/548/EEC)							
P7.20	Light sources are free					\boxtimes		
Do.	If mercury is used specify: Number of lamps: and max. mercury content per lamp: mg							
P8 P8.1*	Batteries Product does not cont	tain batteries define	ed as hazardous according to 91/157/EEC					
P8.2*	Froduct does not com	lain batteries deilite	<u> </u>					
P8.3	Pottorios most the res	vuiromanta of the fe	Battery chemical composition:					
P9			ollowing voluntary program/s:					
9.1	Energy consumption		Is or energy consumptions have been measured:					
Mode	Power level at	Time (s) to	Mode description	Referen	ice/	n.a.		
	* 115 Volts	<mode></mode>		Standar				
On-max	231.3 W		* Max consumption	*See P1				
On-	* 98.8 W (Desktop)	to	* Desktop Idle	*See P1	14			
normal On-idle	85.4 W (Tower) W	to	*	*				
Save 1	90.5 W (Desktop)	to	* S1	*See P1	14			
Ouve 1	80.0 W (Desktop)	10	5 ,	0001	-	Ш		
Save 2	* 2.7W (Desktop) 3.0 W (Tower)	to	* S3	*See P1	14			
Off 1	* 2.9 W (Desktop) 3.1 W (Tower)	to	* S5	*See P1	14			
Off 2	W	to	*	*		\boxtimes		
No load	d * W External power supplies/charger plugged in but disconnected from the product *							
TEC	* kWh/y Typic	al Energy Consum	ption per year	*		\times		
P9.2*			on is provided with the product.	\boxtimes				
P9.3	The product meets the energy requirements of the following voluntary program/s: ENERGY STAR® 3.0 MOU Others specify:							

	ThinkCentre A55/M55e Models 6490, 6491, 8705, 8706, 8972, 8975, 8982, 8985, 8994, 9265, 9278, 927, 9637, 9648, 9649	79, 9288, 9	379, 9380, 9389, 9632,
Issue date *	2007-04-09	Logo	lenovo

Product (environmental att	tributes - Market requirements	(continuo	d) Poquiroment n	not				
Item		fill in. Additional information regar				,	Yes	No	n.a.
P10	Emissions	III III. Additional illioimation regal	ruing each i	terri may be round	runuer r 14.		163	INO	II.a.
	Noise emission – Declared according to ISO 9296								
P10.1	Mode	Mode description		Declared		d A-weighted			
			ļ.	A-weighted	sound pressur]
	,		!	sound power level L _{WAd} (B)	Operator position	Bystande	er posit	tions	
	,		!	level LWAd (D)		/	المساد		
	!		!		Desktop	(only if pro			
	ļ				or Deskside		// utto	ucu,	ا بــا
	Idle	* System is on under the W screen, no disk activities.	'indows	* 4.3		Tower)			
	Operation	* Hard disk drive is random	alız	* 5.1		Desktop) Tower)			
	Орегация	seeking by PC-Doctor.	"y	3.7		Desktop)			ш
	Other mode								1
	Measured accord	ding to: X ISO 7779 ECMA	-74						
		_	not covered	d by ECMA-74 with	h L _{pAm} measurement o	distance	m)		
P10.2	The product mee	ets the acoustic noise requiremen							
	Chemical emiss	sions from printing products							
P10.3*		according to ECMA-328 standard	d, other	specify:					\square
	The test covers:		Styrene		e ☐ TVOC ☐			_	
P10.4		ets the chemical emission require						П	\Box
	Electromagnetic	<u> </u>	Miorite 5	lo lonoming rotaling	dry program, s.				
P10.5		y meets the requirement for low t	frequency 6	electromagnetic fie	elds of the following vo	oluntary			
	program/s:	,				,		ш	
P11		aterials for printing products							
P11.1*	A Material Safety (see P4.3).	y Data Sheet (MSDS) is available	e for the ink	/toner preparation	, even if not legally re	equired			
P11.2*		g recycled fibres that meets the re	equirement	s of EN12281 can	be used.				X
P11.3*	2-sided (duplex)	printing/copying is an integrated	product fur	nction.				\sqcap	$\overline{\boxtimes}$
P12	Ergonomics for	computing products							
P12.1*	The computer sy	stem meets the ergonomic requi 06-2 for flat panel displays.	irements of	EN 29241-3, -7, -8	8 for CRT displays				
P12.2*		board meets the requirements of	ISO 9995 a	and EN 29241-4.					
P12.3*	The computer in	put device meets the requiremen	nts of ISO 9	241-9.					
P13	Packaging and	documentation							
P13.1*	Product packagir	ng material type(s): Corrugated	cardboard						
		ng material type(s): EPO			20 (Desktop), 0.304 ((Tower)	_		
P13.2*		ng material type(s):	:-~ D\(C)	weight (kg):				_	$\overline{}$
		packaging is halogen free (includi		to a disconnection				Ц_	4
P13.3*	· · · · · · · · · · · · · · · · · · ·	et documentation do not contain o		ached paper				<u> </u>	Щ
P13.4*	·	ct documentation contain recycled	d paper						
P14	Additional infor				···	or im	allad I		Um m
		upplier makes no representations contained in this document. All inf							
		able at the time of completion, an							
	•	approximate and provided for inf			•				
	information.			<u> </u>					
P7.17		does not contain free TBBPA in			_,				
P9.1		' STAR Program Requirements rel at 230 Volts	for Compu	uters (Version 3.0	<i>)</i>)				
	roweriev		Save 1 (S1)	Save 2 (S3)	Off 1 (S5)				
	Desktop:	248.4W 98.6W	90.3W	2.9W	3.0W				
	Tower:	248.4W 82.7W	85.5W	3.3W	3.3W				