

## Product environmental attributes - THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an \* are filled-in (n.a. for not applicable).

Additional information regarding each item may be found under P14.

Brand *	ThinkCentre	Logo		
Company name *	Lenovo			
Contact information *	Lenovo Global Environmental Affairs Alvin L Carter 1009 Think Place Building 2 / 5J3 Morrisville, North Carolina 27560 alcarter@lenovo.com	lenovo		
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment.html			
Additional information				

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.			
Type of product *	Personal Computer		
Commercial name *	ThinkCentre Edge 71		
Model number *	SFF: 1578, 1583, 1652 Tower: 1577, 1579, 1607		
Issue date *	2011.06.30		
Intended market *	Global Europe Asia, Pacific & Japan Americas Other		
Additional information	GREENGUARD Certified		

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality	Control	Requireme	nt met
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration		
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org).	ol 🔀	

Model number *	ThinkCentre Edge 71
	MT's: SFF: 1578, 1583, 1652 Tower: 1577, 1579, 1607
Issue date *	2011.06.30 Logo lenovo

Product	Product environmental attributes - Legal requirements				
Item		Yes	No	n.a.	
P1	Hazardous substances and preparations				
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1)				
P1.2*	Products do not contain Asbestos (see legal reference).  Comment: Legal reference has no maximum concentration value.				
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.				
P1.4*	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference).				
P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).	$\boxtimes$			
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values.				
P1.7*	Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split aromatic amines. (See legal reference and Note B1)				
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (see legal reference).  Comment: Legal reference has no maximum concentration values.				
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm²/week (see legal reference).  Comment: Max limit in legal reference when tested according to EN1811:1998.				
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact): http://www.lenovo.com/social_responsibility/us/en/ThinkGreen_products.html#environment				
P2	Batteries				
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference)				
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)	$\boxtimes$			
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference)				
P3	Safety, EMC connection to the telephone network and labeling				
P3.1*	The product complies with legally required safety standards as specified (see legal reference).	$\boxtimes$			
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal reference).	$\boxtimes$			
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference).				
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).	$\boxtimes$			
P4	Consumable materials				
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).				
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).			X	
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).				
P5	Product packaging				
P5.1*	Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together.				
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).				
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference).  Comment: Legal reference has no maximum concentration values.				

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model number *	ThinkCentre Edge 71	
	MT's: SFF: 1578, 1583, 1652 Tower: 1577, 1579, 160	<b>07</b>
Issue date *	2011.06.30 Logo	lenovo

Produc	et environmental attributes - Market requirements - Environmental conscious design	equire	ment	met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
<b>P6</b> P6.1*	Treatment information			
P7	Information for recyclers/treatment facilities is available (see legal reference).			Щ
P/	Design Disassembly, recycling			
P7.1*	Parts that have to be treated separately are easily separable			$\overline{\Box}$
P7.2*	Plastic materials in covers/housing have no surface coating.	Ħ		Ħ
P7.3*	Plastic parts >100g consist of one material or of easily separable materials.			Ħ
P7.4*	Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043.		$\dashv$	Ħ
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	X	$\pm$	Ħ
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	X	$\overline{}$	Ħ
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	$\square$		$\Box$
P7.8*	Upgrading can be done using commonly available tools		$\overline{\Box}$	Ħ
P7.9.	Spare parts are available after end of production for: 5 years			一一
P7.10	Service is available after end of production for: 5 years			Ħ
	Material and substance requirements			
P7.11*	Product cover/housing material type:			
_	Material type: ABS Material type: ABS+PMMA Material type: Steel			
P7.12	Electrical cable insulation materials of power cables are PVC free.	Щ.		Щ
P7.13	Electrical cable insulation materials of signal cables are PVC free	Щ		Щ
P7.14	All cover/housing plastic parts >25g are free from chlorine and bromine.			
P7.15	All printed circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (See Note B2)			
P7.16	Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4: Marking:			
P7.17	Alt. 1 Chemical specifications of flame retardants in printed circuit boards >25g (without components): TBBPA (additive) , TBBPA (reactive) , Other; chemical name: , CAS #:			
	Alt. 2 Chemical specifications of flame retardants in printed circuit boards (without components) >25g according ISO 1043-4: <i>Brominated Epoxy Resin See P14</i>			
P7.18	Alt. 1 Flame retarded plastic parts >25g contain the following flame retardant substances/preparations in concentrations above 0.1%:			
	Comment: No legal limits exist, this is a market requirement.  Provide a list of all used flame retardants including MSDS for each flame retardant. The list must contain complete chemical name, CAS number and supplier.  1. Chemical name: , CAS #: , Supplier:  2. Chemical name: , CAS #: , Supplier:			
	3. Chemical name: , CAS #: , Supplier: Alt. 2 Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4:			
P7.19	Plastic parts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45, R40, R46, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)			
P7.20	Of total plastic parts' weight >25g, recycled material content is 0%			
P7.21	Of total plastic parts' weight >25g, biobased material content is 0%.			
P7.22	Light sources are free from mercury	$\boxtimes$		
P8	Batteries			
P8.1*	Battery chemical composition:			
P8.2	Batteries meet the requirements of the following voluntary program/s:			$\mathbb{N}$

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model number *	ThinkCentre Edge 71			
	MT's: SFF: 1578, 1583, 1652 Tower: 1577,	<i>1579,</i>	<b>1607</b>	
Issue date *	2011.06.30	Logo	lenovo	

Product environmental at	tributes - Market	requirements (co	ontinued)	Requirement I	met		
Item				Yes No	n.a.		
P9 Energy consumption							
	e following power lev oped w/ WOL Enable		mptions are reported	d: <b>See P14</b>			
Energy mode *	Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference / Standard for energy modes and test method *			
Category D							
Idle State - WOL Enabled	28.1 W	<b>28.1</b> W	<b>28.2</b> W	Use for Energy Star V5 registration(P <sub>idle</sub> )			
Sleep (S3) - WOL Enabled	<b>1.60</b> W	1.62W	1.81W	Use for Energy Star V5 registration(P <sub>sleep</sub> )			
Off (S5) - WOL Enabled	0.82W	<i>0.83</i> W	0.99W	Use for Energy Star V5 registration(Poff)			
Peak (On-max)	<b>80.1</b> W	<b>82.7</b> w	<b>83.0</b> w	Full load			
Category C							
Idle State - WOL Enabled	<b>23.5</b> W	23.5 W	<b>23.9</b> W	Use for Energy Star V5 registration(P <sub>idle</sub> )			
Sleep (S3) - WOL Enabled	<b>1.46</b> W	1.47W	1.89W	Use for Energy Star V5 registration(P <sub>sleep</sub> )			
Off (S5) - WOL Enabled	0.79 W	0.81W	0.95 W	Use for Energy Star V5 registration(Poff)			
Peak (On-max)	<b>77.5</b> W	<b>79.7</b> W	<b>77.4</b> W	Full load			
Category B							
Idle State - WOL Enabled	<b>22.5</b> W	<b>21.9</b> W	<b>22.5</b> W	Use for Energy Star V5 registration(P <sub>idle</sub> )			
Sleep (S3) - WOL Enabled	1.6W	1.62 W	1.81W	Use for Energy Star V5 registration(P <sub>sleep</sub> )			
Off (S5) - WOL Enabled	0.82W	<b>0.83</b> W	0.99W	Use for Energy Star V5 registration(Poff)			
Peak (On-max)	<b>71.9</b> W	<b>68.3</b> W	<b>73.5</b> W	Full load			
Category A							
Idle State - WOL Enabled	W	W	W	Use for Energy Star V5 registration(P <sub>idle</sub> )			
Sleep (S3) - WOL Enabled	W	W	W	Use for Energy Star V5 registration(P <sub>sleep</sub> )			
Off (S5) - WOL Enabled	W	W	W	Use for Energy Star V5 registration(P <sub>off</sub> )			
Peak (On-max)	W	W	W	Full load			
EPS No-load	W	W	W				
(External power supply / charger plugged in the wall outlet but disconnected from							
TEC	kWh/week	kWh/week	kWh/week				
Typical Energy Consumption							
ETEC * Annual Energy Consumption	Cat D: 103.22; Cat C 86.79; Cat B: 83.42	Cat D: 103.03; Cat C: 87.03; Cat B: 81.34	Cat D: 104.27; Cat C: 88.98; Cat B: 84.44	$E_{TEC} = (8760/1000) \times (P_{off} \times 0.6 + P_{sleep} \times 0.1 + P_{idle} \times 0.3)$			
	kWh/year	kWh/year	kWh/year				
	Poff: Off Mode(S5) -	WOL Enabled; P <sub>sleep</sub> :	Sleep Mode(S3) - WO	L Enabled; P <sub>idle</sub> : Idle State - WOL Enabled			
Display resolution : Me	egapixels						
Print Speed :	Images per minut	te					
Default time to enter energy save mode: 30 minutes							
P9.2* Information about t	the energy save fund	ction is provided with	the product.				
	the energy requirenversion: Version 5.2			's:			

Model nun	Model number * Think Contro Edge 74								
woder nun	iibei		nkCentre Edge 71						
		MT'	s: SFF: 1578, 1583, 165	2 Tower:	<b>1577, 1579,</b> 1	1607			
Issue date	*	2011.0			Logo	_	no	VO	
P10	Emissions								
		nission	- Declared according to ISO 9296						
P10.1	Mode		Mode description	Declared A-weighted		A-weighted			
				sound power	sound pressure	evel $L_{pAm}$	(dB)		
				level $L_{W\!Ad}$ (B)	Operator position	Bystand	er posi	tions	
				,,,,,,	Desktop 🔀	/amb.: 16 mm			
					or Desk side	(only if pro			
	Idle		* HDD: Idle	* 3.3 (SFF)	28 (	SFF)			1 🖂
	0 "		* 4100	3.8 (Tower)		ower)			ļ <u> </u>
	Operatio	n	* HDD: Operating	* 3.5 (SFF) 4.0 (Tower)		SFF) ower)			
	Other mo	ode		4.0 (101101)	02 (1	<u>Olici)</u>			
	Measure	d accord	ding to: ISO7779 ECMA-74						
			Other (only if not covere	d by ECMA-74 wit	th L <sub>pAm</sub> measurement di	stance	m)		
P10.2	The prod	duct mee	ets the acoustic noise requirements of the fo	llowing voluntary	program/s:				$\boxtimes$
Product 6	environn	nental a	attributes - Market requirements (co	ntinued)		Red	quiren	nent	met
Item							Yes	No	n.a.
D10.2*			sions from printing products					_	
P10.3* P10.4			according to ECMA-328 (ISO/IEC 28360) sta	andard, other	specify:				
P10.4		mission Dust	rate (print phase) is (mg/h): Ozone Styrene Benz	zene TVC	nc .				$\boxtimes$
P10.5					$\boxtimes$				
		Oust	Ozone Styrene	Benzene	TVOC			ш	
			c emissions						
P10.6	program,	/s:	y meets the requirement for low frequency of	electromagnetic fie	elds of the following volu	ntary			
<b>P11</b> P11.1*			aterials for printing products neet (SDS) is available for the ink/toner prep	paration avan if n	at locally required (age [	24.2\		_	
P11.2*			g post-consumer recycled fibers can be u				$\vdash$	₩	
P11.3*	EN1228	1.	printing/copying is an integrated product fur	·	at it meets the require	nents of	<u> Ц</u>	$\frac{\square}{\square}$	
P12			computing products	iction.				<u> Ш</u>	$\boxtimes$
P12.1*			ts the ergonomic requirements of ISO 9241	-307 for visual dis	play technologies.			$\overline{}$	$\overline{}$
P12.2*			ut device meets the requirements of ISO 99					十	+
P13		•	documentation		-			<u>—</u>	
P13.1*	Product Product	packagir packagir	ng material type(s): <b>Corrugated paper</b> we ng material type(s): <b>Arcel</b> we		1.53, SFF - 1.19 0.30, SFF - 0.18				
P13.2*			ackaging is free from PVC.	.9 (9).			$\square$	П	П
P13.3*			r user and product documentation (tick box)	:					
P13.4*			nd product documentation, please specify on only 70%)	ontained percenta	age of post-consumer re	cycled			
P13.5	User and	d produc	t documentation do not contain chlorine ble	ached paper.			$\boxtimes$		
P14			mation (See Note B4)						
D7.47	informati knowled provided informati	on contage availants here is on.	r makes no representations, guarantees, as ained in this document. All information proviable at the time of completion, and supplier approximate and provided for informational	ded by supplier in shall have no obliq purposes only. Se	this document is provid gation to update such in ee a Lenovo Account Re	ed based or formation. T	n suppl The info	lier's ormati	
P7.17 P9			ot contain free TBBPA in printed circuit land the computers for the latest infor		omponents)>25g.				
	http://www.energystar.gov/index.cfm?fuseaction=find_a_product.ShowProductGroup&pgw_code=CO								

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19