



Product environmental attributes – THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P14.

Brand *	Lenovo	Logo			
Company name *	Lenovo				
Contact information *	Alvin L Carter 1009 Think Place Building 2 / 5J3 Morrisville, North Carolina 27560 <u>alcarter@lenovo.com</u>	lenovo			
Internet site *	www.lenovo.com www.lenovo.com/social_responsibility/us/	lenovo.com lenovo.com/social_responsibility/us/en/datasheets_notebooks.html			
Additional information					

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	Personal Computer			
Commercial name *	ThinkCentre M58e/A58			
Model number *	7258, 7515, 7259, 7522, 7260, 7523, 7267, 7560, 7268, 7569, 7269, 7610, 7270, 7611, 7279, 7705, 7280			
	7706, 7290, 7715, 7296, 7717, 7297, 7718, 7298, 7719, 7303, 7721, 7304, 7749, 7306, 7773, 7307, 7774			
	7408, 7799, 7413, 7487, 7491, 7506, 7508, 7514			
Issue date *	2009-01-19			
Intended market *	🔀 Global 📃 Europe 📃 Asia, Pacific & Japan 📃 Americas 📃 Other			
Additional information	ENERGY STAR®4.0 Qualified; EPEAT GOLD Rating; GreenGuard Certification			

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality	Control	Requireme	ent met
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	\boxtimes	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org).	\square	

Model number *	ThinkCentre M58e/A58 Models: 7258, 7515, 7259, 7522, 7260, 7523, 7267, 7560, 7268, 7569, 7269, 767 7706, 7290, 7715, 7296, 7717, 7297, 7718, 7298, 7719, 7303, 7721, 7304, 7749, 7413, 7487, 7491, 7506, 7508, 7514		
Issue date *	2009-01-19	Logo	lenovo

Produc	t environmental attributes - Legal requirements	Requir	emen	t met
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain lead max 0.1%, cadmium max 0.01%, mercury max 0.1%, hexavalent chromium max 0.1%, polybrominated biphenyls (PBB) max 0.1% and polybrominated diphenyl ethers (PBDE) max 0,1% (see legal reference and ^{Note 1}).			
P1.2*	Products do not contain Asbestos (see legal reference).	\square		
	Comment: Legal reference has no maximum concentration value.			
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),			
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.4*	Products do not contain polychlorinated biphenyl (PCB) max 0.005% by weight, polychlorinated terphenyl (PCT) max 0.005% by weight (see legal reference).	\square		
P1.5*	Products do not contain short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP max 0.1% (see legal reference).	\square		
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS),			\times
	Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.7*	Textile and leather parts with direct skin contact do not contain Azo colorants that split aromatic amines max 0.003% by weight (see legal reference and Note 1).			\square
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as			\boxtimes
	pentachlorophenol and derivatives (see legal reference).			
	Comment: Legal reference has no maximum concentration values.			
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5	\boxtimes		
	microgram/cm2/week (see legal reference).			
22	Comment: Max limit in legal reference when tested according to EN1811:1998. Batteries			
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains	\square		
2.1	more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be			
	marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is			
	provided in user manual. (See legal reference)			
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)	\square		
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the			
	design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference)			
-3	Safety, EMC connection to the telephone network and labeling			
P3.1*	The product complies with legally required safety standards as specified (see legal reference).	\square		
°3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal reference).	\mathbf{X}		
>3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference).			
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).	\times		
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note 1).			\square
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).			\boxtimes
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the	— <u> </u>	Ħ	
1.0	product/packaging is adequately labeled and a Safety Data Sheet (SDS/MSDS) in accordance with these requirements (see legal reference).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain lead, mercury, cadmium and hexavalent chromium max 0.01% by weight of these together.	\boxtimes		
°5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	\square		
			1	-=-
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference).	\boxtimes		

Note 1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model number *	ThinkCentre M58e/A58		
	Models: 7258, 7515, 7259, 7522, 7260, 7523, 7267, 7560, 7268, 7569, 7269, 767		
	7706, 7290, 7715, 7296, 7717, 7297, 7718, 7298, 7719, 7303, 7721, 7304, 7749,	7306, 7773	3, 7307, 7774 7408, 7799,
	7413, 7487, 7491, 7506, 7508, 7514		
Issue date *	2009-01-19	Logo	-
			lenovo

Produ	ct environmental attributes - Market requirements - Environmental conscious design	Requirement met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes No n.a.
P6	Treatment information	
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	
P7	Design Disassembly, recycling	
P7.1*	Parts that have to be treated separately are easily separable	\square
P7.2*	Plastic materials in covers/housing have no surface coating.	
P7.3*	Plastic parts >100g consist of one material or of easily separable materials.	
P7.4*	Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043.	
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	
	Product lifetime	
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	
P7.8*	Upgrading can be done using commonly available tools	
P7.9.	Spare parts are available after end of production for: 5 years	
P7.10	Service is available after end of production for: 5 years	<u></u>
	Material and substance requirements	
P7.11*	Product cover/housing material type:	
	Material type: Steel Material type: ABS, PC/ABS Material type:	
P7.12	Electrical cable insulation material of power cables are halogen free (including PVC). (See Note 1)	
P7.13	Electrical cable insulation material of signal cables are halogen free (including PVC). (See Note 1)	
P7.14	All cover/housing plastic parts >25g are halogen free. (See Note 1)	
P7.15	All printed circuit boards (without components) >25g are halogen free. (See Note 2)	
P7.16	Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4: Marking: ISO FR(nn):	
P7.17	Alt. 1 Chemical specifications of flame retardants in printed circuit boards >25g (without components):	
	TBBPA (additive) , TBBPA (reactive) , Other; chemical name: , CAS #:	
	Alt. 2	
	Chemical specifications of flame retardants in printed circuit boards (without components) >25g according	
D7 40	ISO 1043-4: Brominated Epoxy Resin See P14	
P7.18	Alt. 1 Flame retarded plastic parts >25g contain the following flame retardant substances/preparations in	
	concentrations above 0.1%:	
	Comment: No legal limits exist, this is a market requirement.	
	1. Chemical name: , CAS #:	
	2. Chemical name: , CAS #:	
	3. Chemical name: , CAS #:	
	Alt. 2 Chamical appointions of flows raterdants in plactic parts > 35g apporting ISO 1043 4:	
	Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4:	
P7.19	Of total plastic parts' weight >25g, recycled material content is 0 %.	
P7.20	Of total plastic parts' weight >25g, biobased material content is 0 %.	
P7.21	Light sources are free from mercury	
Do	If mercury is used specify: Number of lamps: and max. mercury content per lamp: mg	
P8 P8.1*	Batteries Battery chemical composition: Lithium Manganese Dioxide	
P8.2	Batteries meet the requirements of the following voluntary program/s:	
10.2	Dattenes meet the requirements of the following voluntary program/s.	

Note 1 For cables, covers & housing plastic parts and plastic packaging materials in this standard; halogens include fluorine, chlorine, bromine, and iodine.

Note 2 In accordance with JPCA-ES-01; printed wiring boards must not contain more than 0.09% by weight (900ppm) of chlorine or bromine.

	ThinkCentre M58e/A58 Models: 7258, 7515, 7259, 7522, 7260, 7523, 7267, 7560, 7268, 7569, 7269, 761 7290, 7715, 7296, 7717, 7297, 7718, 7298, 7719, 7303, 7721, 7304, 7749, 7306, 7487, 7491, 7506, 7508, 7514		
Issue date *	2009-01-19	Logo	lenovo

	ct environmenta	al attributes - Market r	equirements (co	ontinued)		Requirement me
ltem P9	Energy concur	ntion				Yes No n.
9.1	Energy consum	the following power levels		tions have been	massured:	
-						t_
Energy	mode *	Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference / Standard for each and test method *	nergy modes
Max		95.6 W Tower 121.3 W SFF	102.6 W Tower 123.7 W SFF	103.5 W Tow 116.5 W SFI	=	n 4.0
Idle		56.9 W Tower 58.2 W SFF	57.5 W Tower 57.9 W SFF	55.1 W Tow 55.7 W SFF		n 4.0
Sleep		1.89 W Tower 1.78 W SFF	1.86 W Tower 1.78 W SFF	2.11 W Towe 1.95 W SFF		n 4.0
Off		1.82 W Tower 1.57 W SFF	1.83 W Tower 1.59 W SFF	2.04 W Towe 1.75 W SFF	er ENERGY STAR® version	
		W	W	W		
		W	W	W		
charger	al power supply / plugged in the wa ut disconnected fro		W	W		
PTEC * Typical	Energy Consumpti	ion W	W	W		
TEC *	Energy Consumpti	kWh/week	kWh/week	kWh/we	ek	
			lutes			I
P9.2*				a product		
P9.2 P9.3*		ut the energy save function ets the energy requiremen			- /	
F9.3		® version 4.0 dated July		oluntary program	<i>vs.</i>	
P10	Emissions					
		- Declared according to I	SO 9296			
P10.1	Mode	Mode description		ared	Declared A-weighte	d
			A-weighted s	sound power	sound pressure level L_{pA}	
			level L	_{WAd} (B)	1	
					(aska)	er positions
						rator attended)
	Idle	* System is on under	*M58e Tower-	25.000 27	or Desk side Ope	27
	lale	the Windows screen, n disk activities.			A58 Tower – 25; SFF –	
	Operation	* Hard disk drive is randomly seeking by PC-Doctor.	*M58e Tower - A58 Tower -		M58e Tower – 27; SFF – A58 Tower – 27; SFF – 3	
	Other mode					————
	Measured accor		ECMA-74		h la magguramant diatanag	
P10.2	The product me	Other (ets the acoustic noise requ			h L _{pAm} measurement distance)
10.2		•		stang tolantary		
P10.3*		Chemical emissions from printing products Test performed according to ECMA-328 (ISO/IEC 28360) standard , other specify:				
P10.4		rate (print phase) is (mg/				
	,, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	Dust Ozone	Styrene	Benzene	TVOC	\triangleright
	Chemical emiss				are met for :	
P10.5	P10.5 Chemical emission requirements of the following voluntary program/s are met for : Dust Dust Ozone Styrene					
P10.5		D	usi	020110		
P10.5			enzene	TVOC		
P10.5	Electromagneti	c emissions	enzene	TVOC		

Model number *	ThinkCentre M58e/A58 Models: 7258, 7515, 7259, 7522, 7260, 7523, 7267, 7560, 7268, 7569, 7269, 767 7290, 7715, 7296, 7717, 7297, 7718, 7298, 7719, 7303, 7721, 7304, 7749, 7306, 7487, 7491, 7506, 7508, 7514		
Issue date *	2009-01-19	Logo	lenovo

Produc	t environmental attributes - Market requirements (continued)	Requirer	nent	met
ltem		Yes	No	n.a
P11	Consumable materials for printing products			
P11.1*	A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3).			\boxtimes
P11.2*	Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of EN12281.			\boxtimes
P11.3*	2-sided (duplex) printing/copying is an integrated product function.			\boxtimes
P12	Ergonomics for computing products			
P12.1*	The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies.	\boxtimes		
P12.2*	The physical input device meets the requirements of ISO 9995 and ISO 9241-410.	\square		
P13	Packaging and documentation			
P13.1*	Product packaging material type(s): Corrugated cardboard weight (kg): Tower: 1.4; SFF: 1.1 Product packaging material type(s): EPS/EPE weight (kg): Tower: 0.3; SFF: 0.2 Product packaging material type(s): weight (kg): Weight (kg):			
P13.2*	Product plastic packaging is halogen free (including PVC). (See Note 1)	\boxtimes		
P13.3*	Specify media for user and product documentation (tick box): Electronic Paper Other			
P13.4*	For paper user and product documentation, please specify contained percentage of post-consumer recycled fiber. %			\square
P14	Additional information			
	NOTE: Supplier makes no representations, guarantees, assurances or warranties whether express or implie information contained in this document. All information provided by supplier in this document is provided base knowledge available at the time of completion, and supplier shall have no obligation to update such informatio provided here is approximate and provided for informational purposes only. See a Lenovo Account Represent information.	d on supplie n. The infor	er's matior	٦
P7.17	Product does not contain free TBBPA in printed circuit boards.			

NOTE

Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Note 1 For cables, covers & housing plastic parts and plastic packaging materials in this standard; halogens include fluorine, chlorine, bromine, and iodine.

Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
76/769/EEC (Marketing and Use Directive)	P1.6, P1.8, P4.2
amendment 89/677/EEC	P1.4
amendment 1999/77/EC	P1.2
amendment 2003/3/EC	P1.7
amendment 94/27/EEC	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P4.2
1999/45/EC (Dangerous Preparations Directive)	P4.3
2001/58/EC (Directive on Safety Data Sheets)	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1