

Product environmental attributes – THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P14.

Brand *	Lenovo	Logo
Company name *	Lenovo	
Contact information *	Lenovo Global Environmental Affairs Alvin L Carter 1009 Think Place Building 2 / 5J3 Morrisville, North Carolina 27560 alcarter@lenovo.com	lenovo
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment	.html
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	Personal Computer			
Commercial name *	ThinkCentre M82 SFF			
Model number *	2756,2800,2929,2932			
Issue date *	2012.06.04			
Intended market *	🔀 Global 📃 Europe 📃 Asia, Pacific & Japan 📃 Americas 📃 Other			
Additional information	ENERGY STAR® Qualified; EPEAT Gold Rating, GREENGUARD Certification, ULE certificate			

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality	Requireme	nt met	
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	\boxtimes	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality contro such as organized by IT-Företagen (see www.itecodeclaration.org).	bl 🔀	

Model nu	umber *	ThinkCentre M82 SFF MT: 2756,2800,2929,2932			
Issue da	te *		lend	DVC	
Product	t environ	mental attributes - Legal requirements	Require	ment	met
Item			Yes	No	n.a.
P1	Hazardo	us substances and preparations			
P1.1*	0.1% pol	do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium ybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal e and Note B1)	, 🔀		
P1.2*	Products	do not contain Asbestos (see legal reference). It: Legal reference has no maximum concentration value.	\square		
P1.3*	Products hydrobro trichloroe	do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), mofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- ethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum ation values.			
P1.4*	Products	do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated I (PCT) in preparations (see legal reference).	\boxtimes		
P1.5*	Products	do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).			
P1.6*	Tris-(aziı	nd leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), idinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). It: Legal reference has no maximum concentration values.			
P1.7*		nd leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split amines. (See legal reference and Note B1)			\boxtimes
P1.8*	Wooden pentachl	parts do not contain arsenic and chromium as a wood preservation treatment as well as prophenol and derivatives (see legal reference). It: Legal reference has no maximum concentration values.			\square
P1.9*	Parts wit microgra	h direct and prolonged skin contact do not release nickel in concentrations above 0.5 m/cm²/week (see legal reference). It: Max limit in legal reference when tested according to EN1811:1998.			
P1.10*	REACH	Article 33 information about substances in articles is available at (add URL or mail contact): w.lenovo.com/social_responsibility/us/en/ThinkGreen_products.html#environment	\square		
P2	Batterie	5			
P2.1*	more tha marked v	duct contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains n 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be vith the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is in user manual. (See legal reference)			
P2.2*		ells used in the product do not contain more than 2% by weight of mercury. Other batteries or ators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)	\square		
P2.3*	design o	and accumulators are easily removable by either users or service providers (as dependent on the f the product). Exception: Batteries that are permanently installed for safety, performance, medical ntegrity reasons do not have to be "easily removable". (See legal reference)			
P3	Safety, E	MC connection to the telephone network and labeling			
P3.1*	The proc	uct complies with legally required safety standards as specified (see legal reference).	\square		
P3.2*	The proc	uct complies with legally required standards for electromagnetic compatibility (see legal reference)	. 🛛		
P3.3*	with lega	t is intended for connection to a public telecom network or contains a radio transmitter, it complies Ily required standards for radio and telecommunication devices (see legal reference).			
P3.4*	The proc	uct is labeled to show conformance with applicable legal requirements (see legal reference).	\square		
P4		able materials			
P4.1*	legal refe	o conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see erence and Note B1).			\square
P4.2*	If ink/ton	er is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).			\boxtimes
P4.3*	product/	/toner formulation/preparation is classified as hazardous according to applicable regulations, the backaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these ents is available (see legal reference).			
P5	Product	packaging			
P5.1*	hexavale	ig and packaging components do not contain more than 0.01% lead, mercury, cadmium and nt chromium by weight of these together.	d 🖂		
P5.2*	Plastic p	ackaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	\boxtimes		
P5.3*	Protocol	duct packaging material is free from ozone depleting substances as specified in the Montrea (see legal reference). it: Legal reference has no maximum concentration values.	ıl 🔀		

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model n	umber *	ThinkCentre M82 SFF MT: 2756,2800,2929,2	2932				
Issue da	ite *	2012.06.04	Logo	leno	vo		
Produc	t environ	mental attributes - Market requirements - Environmental conscious de	sign F	Require	ment	met	
ltem		tory to fill in. Additional information regarding each item may be found under P14.		Yes	No	n.a	
P6		nt information					
P6.1*	Informati	on for recyclers/treatment facilities is available (see legal reference).		\square			
P7	Design Disasse	mbly, recycling					
P7.1*	Parts that	t have to be treated separately are easily separable		\boxtimes			
P7.2*	Plastic m	aterials in covers/housing have no surface coating.			\square		
P7.3*	Plastic parts >100g consist of one material or of easily separable materials.						
P7.4*	Plastic p	arts >25g have material codes according to ISO 11469 referring ISO 1043.			Ē		
P7.5	Plastic p	arts are free from metal inlays or have inlays that can be removed with commonly av	ailable tools.		Ħ		
P7.6*		re easily separable. (This requirement does not apply to safety/regulatory labels).			H		
	Product				<u> </u>		
P7.7*		ig can be done e.g. with processor, memory, cards or drives					
P7.8*		g can be done using commonly available tools			\exists		
P7.9.	10						
P7.10		arts are available after end of production for: 5 years		-			
F7.10		s available after end of production for: 5 years		-			
P7.11*		and substance requirements cover/housing material type:					
F7.11		5 H	type: Steel				
P7.12		I cable insulation materials of power cables are PVC free.	(jpc. 0 (00)		\boxtimes		
P7.13		I cable insulation materials of signal cables are PVC free					
P7.14		/housing plastic parts >25g are free from chlorine and bromine.					
P7.15	All printed circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (See						
F7.15	Note B2		249-2-21. (066				
P7.16		tarded plastic parts >25g in covers / housings are marked according ISO 1043-4:		\boxtimes			
P7.17	Alt. 1 Chemica TBBPA (Alt. 2	l specifications of flame retardants in printed circuit boards >25g (without componen additive), TBBPA (reactive) ⊠, Other; chemical name: , CAS #:					
	ISO 1043	I specifications of flame retardants in printed circuit boards (without components) >2 3-4: Brominated Epoxy Resin See P14	5g according				
P7.18		etarded plastic parts >25g contain the following flame retardant substances/ ations above 0.1%:	preparations in				
	Provide complete 1. Chem	 nt: No legal limits exist, this is a market requirement. a list of all used flame retardants including MSDS for each flame retardant. The lie chemical name, CAS number and supplier. ical name: , CAS #: , Supplier: ical name: , CAS #: , Supplier: 	st must contain	I			
	3. Chem Alt. 2	ical name: , CAS #: , Supplier: I specifications of flame retardants in plastic parts >25g according ISO 1043-4:					
P7.19		arts >25g are free from flame retardant substances/ preparations above 0.1% classif 6, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)	ied as R45,				
P7.20		lastic parts' weight >25g, recycled material content is SFF: 44.62%					
P7.21		lastic parts' weight >25g, biobased material content is 0%.					
P7.22	Light sou	irces are free from mercury				\boxtimes	
P8	Batterie						
P8.1*	,	hemical composition:					
P8.2	Batteries	meet the requirements of the following voluntary program/s:				\mathbf{X}	

Annex B of ECMA-370 4th edition, June 2009

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model number *	ThinkCentre M82 SFF MT: 2756,2800,292	9,2932	
Issue date *	2012.06.04	Logo	lenovo

Product environmental at	tributes - Market	requirements (co	ontinued)	Requirement	met		
Item				Yes No	n.a.		
P9 Energy consumption							
	The product is shipped w/ WOL Enabled.						
Energy mode *	Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	t Reference / Standard for energy modes and test method *			
Category D				· · · · · ·			
Idle State - WOL Enabled	32.29W	32.64W	31.86 W	Use for Energy Star V5 registration(P _{idle})			
Sleep (S3) - WOL Enabled	1.70 W	1.69 W	1.82W	Use for Energy Star V5 registration(P _{sleep})			
Off (S5) - WOL Enabled	0.63W	0.65 W	0.77W	Use for Energy Star V5 registration(Poff)			
Peak (On-max)	100.71W	100.012w	101.09 w	Full load			
Category C			•				
Idle State - WOL Enabled	34.27 W	32.40 W	32.14 W	Use for Energy Star V5 registration(P _{idle})			
Sleep (S3) - WOL Enabled	1.70 W	1.69 W	1.82W	Use for Energy Star V5 registration(P _{sleep})			
Off (S5) - WOL Enabled	0.63W	0.65 W	0.77W	Use for Energy Star V5 registration(Poff)			
Peak (On-max)	70.25W	69.88w	69.34w	Full load			
Category B							
Idle State - WOL Enabled	31.31W	31.95 ₩	32.26W	Use for Energy Star V5 registration(P _{idle})			
Sleep (S3) - WOL Enabled	1.71W	1.71 W	1.83 W	Use for Energy Star V5 registration(P _{sleep})	\square		
Off (S5) - WOL Enabled	0.62W	0.65 ₩	0.76W	Use for Energy Star V5 registration(P _{off})	$\overline{\Box}$		
Peak (On-max)	71.43W	70.09W	71.88W	Full load	Ē		
Category A							
Idle State - WOL Enabled	N/A	N/A	N/A	Use for Energy Star V5 registration(P _{idle})			
Sleep (S3) - WOL Enabled	N/A	N/A	N/A	Use for Energy Star V5 registration(P _{sleep})			
Off (S5) - WOL Enabled	N/A	N/A	N/A	Use for Energy Star V5 registration(P _{off})			
Peak (On-max)	N/A	N/A	N/A	Full load			
EPS No-load (External power supply / charger plugged in the wall outlet but disconnected from	W	W	W				
TEC Typical Energy Consumption	kWh/week	kWh/week	kWh/week				
ETEC * Annual Energy Consumption	Cat D: 116.92; Cat C:123.86; Cat B: 113.45; Cat A: N/A ; kWh/year	Cat D: 118.24; Cat C: 117.40; Cat B: 115.83; Cat A: N/A ; kWh/year	Cat D: 116.14; Cat C: 117.13; Cat B: 117.50; Cat A: N/A kWh/year	$E_{TEC} = (8760/1000) \times (P_{off} \times 0.6 + P_{sleep} \times 0.1 + P_{idle} \times 0.3)$			
	Poff: Off Mode(S5) -	WOL Enabled; P _{sleep} :	Sleep Mode(S3) - WO	DL Enabled; P _{idle} : Idle State - WOL Enabled			
Display resolution : M	egapixels						
Print Speed :	Images per minu	te			\boxtimes		
Default time to enter energy sa	ave mode: 30 minute	S					
P9.2* Information about	the energy save fund	ction is provided with	the product.				
•	P9.3* The product meets the energy requirements of the following voluntary program/s: ENERGY STAR® version: Version 5.2 Product category: A,B,C,D						

Model nu	^{Imber*} ThinkCentre M82 SFF MT: 2756,2800,2929,2932									
Issue dat	te* 2012.06.24 Logo			vo	Ċ.					
P10	Emissio	ons								
	Noise e	mission	- Declared according to ISO 9296							
P10.1	Mode		Mode description	Declared		Declared A	A-weighted			
				A-weighted	sound	pressure l	evel L_{pAm}	(dB)		
				sound power			-		1.000	-
				level L_{WAd} (B)	Operator pos		Bystande	rposi	tions	
					Des	sktop 🔀	(only if pro	duat i		
					or Desk	side	operato			
	Idle		* HDD: Idle	* 3.3		2	3	ano	1000)	
	Operatio	on	* HDD: Operating	*3.5		2	5			
	-									
	Other m	ode								
	Measure	ed accor	ding to: 🔀 ISO7779 🗌 ECMA-74		u					
				ed by ECMA-74 wi	th L measu	irement dis	stance	m)		
P10.2	The proc	duct me	ets the acoustic noise requirements of the fo				Starioe	<u> </u>		
-			•	<u> </u>	program/s.		Dee			
	environr	nental	attributes - Market requirements (co	ntinuea)						met
Item	a t t							Yes	No	n.a.
D40.0t			sions from printing products						_	
P10.3*			according to ECMA-328 (ISO/IEC 28360) st	andard , other	specify:					
P10.4			n rate (print phase) is (mg/h):							\boxtimes
		Dust		zene TVC						
P10.5					\boxtimes					
		Dust 🔄	Ozone Styrene	Benzene		TVOC				
	Electron	magneti	c emissions			<u> </u>				
P10.6	Compute program		y meets the requirement for low frequency	electromagnetic fie	elds of the follo	owing volu	ntary	\boxtimes	Ш	
P11	Consum	nable m	aterials for printing products							
P11.1*	A Safety	/ Data S	heet (SDS) is available for the ink/toner pre	paration, even if n	ot legally requ	ired (see F	P4.3).			\square
P11.2*	•		g post-consumer recycled fibers can be	used, provided the	at it meets th	e requirer	ments of			
P11.3*	EN1228 2-sided		printing/copying is an integrated product fu	nction.						\square
P12			r computing products							. 🗳
P12.1*			ets the ergonomic requirements of ISO 9241	-307 for visual dis	play technolog	nies.		\boxtimes		
P12.2*	•	-	ut device meets the requirements of ISO 99			,			H	┢
P13			documentation	50 and 100 5241	410.					. 🛄
P13.1*			ng material type(s): Corrugated paper	weight (kg): 1.12						
1 10.1			ng material type(s): Fabricated PE	weight (kg): 0.16						
			ng material type(s): HDPE	weight (kg):0.016						
P13.2*	Product	plastic p	backaging is free from PVC.	0 (0)				\boxtimes		
P13.3*	Specify	media fo	or user and product documentation (tick box):						Ħ
	Electron	ic 🔀. F	Paper 🔀, Other 📃	,						
P13.4*	For pape	er user a	and product documentation, please specify of	contained percenta	age of post-co	nsumer re	cvcled			
-	fiber: 0	% (Japa	an only 70%)		5 1		,			
P14			mation (See Note B4)							
			r makes no representations, guarantees, as)
			ained in this document. All information prov							
			able at the time of completion, and supplier							ion
	informat		approximate and provided for informational		ee a Lenovo A	COUTIL RE	presentative		ore	
P7.17			ot contain free TBBPA in printed circuit	boards(without c	omponents)s	25a.				
P9			RGY STAR Products) for the latest Qualif							
-			ergystar.gov/index.cfm?c=products.pr_f							

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19