

Product environmental attributes – THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P14.

Brand *	ThinkCentre	Logo		
Company name *	Lenovo			
Contact information *	Lenovo Global Environmental Affairs Alvin L Carter 1009 Think Place Building 2 / 5J3 Morrisville, North Carolina 27560 alcarter@lenovo.com			
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment.html			
Additional information				

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	Desktop PC			
Commercial name *	ThinkCentre M92/M92p Tiny			
Model number *	MT: 3229, 3234, 3225, 3236, 3237, 3238, 3240, 3242, 3243,			
	2119, 2121			
Issue date *	2012.06.04			
Intended market *	🛛 Global 🗌 Europe 🔲 Asia, Pacific & Japan 🗌 Americas 🗌 Other			
Additional information	ENERGY STAR® Qualified; EPEAT Gold Rating, GREENGUARD Certified			

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality	Requirement met		
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	\boxtimes	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality contro such as organized by IT-Företagen (see www.itecodeclaration.org).	ol 🔀	

Model number* ThinkCentre M92/M92p Tiny. MT: 3229, 3234, 3225, 3236, 3237, 3238, 3240, 3242, 3243, 2119, 2121

Issue date *

2012.06.04

Logo

lenovo

Product environmental attributes - Legal requirements **Requirement met** Item Yes No n.a. P1 Hazardous substances and preparations P1.1* Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent \square chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1) P1.2* Products do not contain Asbestos (see legal reference). \boxtimes Comment: Legal reference has no maximum concentration value. P1.3* Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), \bowtie hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values. P1.4* Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference). P1.5* Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference). P1.6* Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), \boxtimes Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values. P1.7 Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split \boxtimes aromatic amines. (See legal reference and Note B1) P1.8* Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as \square pentachlorophenol and derivatives (see legal reference). Comment: Legal reference has no maximum concentration values P1.9* Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm²/week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:1998. P1.10 REACH Article 33 information about substances in articles is available at (add URL or mail contact): \boxtimes http://www.lenovo.com/social_responsibility/us/en/ThinkGreen_products.html#environment **P2 Batteries** P2.1 If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains \bowtie more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference) P2.2* Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference) P2.3* Batteries and accumulators are easily removable by either users or service providers (as dependent on the \boxtimes design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference) **P**3 Safety, EMC connection to the telephone network and labeling P3.1* The product complies with legally required safety standards as specified (see legal reference). P3.2 The product complies with legally required standards for electromagnetic compatibility (see legal reference). P3.3* If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference). P3.4* The product is labeled to show conformance with applicable legal requirements (see legal reference). P4 Consumable materials P4.1* If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1). P4.2* If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference). \bigtriangledown If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the P4.3 product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference). P5 Product packaging P5.1 Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together. Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference). P5.2* P5.3* The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model n	umber *	ThinkCentre M92/M92p Tiny. MT: 3229, 3234, 3225,	3236	, 32,	37,
loouo da	*	<u>3238, 3240, 3242, 3243, 2119, 2121</u> 2012.06.04			
Issue da		2012.06.04 Logo	len	DVO	•
Produc	t environ	mental attributes - Market requirements - Environmental conscious design	Require	ement	met
ltem	*=manda	atory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P6		nt information			
P6.1*		on for recyclers/treatment facilities is available (see legal reference).			
P7	Design	mbly requeling			
P7.1*		mbly, recycling thave to be treated separately are easily separable			
P7.2*		naterials in covers/housing have no surface coating.			⊢⊢
P7.3*		arts >100g consist of one material or of easily separable materials.			⊢⊢
P7.4*		arts >25g have material codes according to ISO 11469 referring ISO 1043.			╞
P7.5		arts are free from metal inlays or have inlays that can be removed with commonly available tools.		- - -	⊢⊢
P7.6*	-	re easily separable. (This requirement does not apply to safety/regulatory labels).		⊢⊢	╞
17.0	Product				
P7.7*		g can be done e.g. with processor, memory, cards or drives			
P7.8*	· •	g can be done using commonly available tools		H	H
P7.9.		Ints are available after end of production for: 5 years			⊢⊢
P7.10		s available after end of production for: 5 years			⊢⊢
		and substance requirements			
P7.11*		cover/housing material type:			
		type: ABS Material type: PC/ABS Material type: Steel			
P7.12	Electrica	I cable insulation materials of power cables are PVC free.		\boxtimes	
P7.13		I cable insulation materials of signal cables are PVC free		\boxtimes	
P7.14	All cover	/housing plastic parts >25g are free from chlorine and bromine.	\boxtimes		
P7.15	Note B2		ee 🗌	\boxtimes	
P7.16	Flame re Marking:	tarded plastic parts >25g in covers / housings are marked according ISO 1043-4:	\square		
P7.17		I specifications of flame retardants in printed circuit boards >25g (without components): additive) , TBBPA (reactive) , Other; chemical name: , CAS #:			
	ISO 104	I specifications of flame retardants in printed circuit boards (without components) >25g according 3-4: Brominated Epoxy Resin See P14			
P7.18		etarded plastic parts >25g contain the following flame retardant substances/preparations ations above 0.1%:	in 🗌		
	Provide complete 1. Chem	nt: No legal limits exist, this is a market requirement. a list of all used flame retardants including MSDS for each flame retardant. The list must conta e chemical name, CAS number and supplier. ical name: , CAS #: , Supplier: ical name: , CAS #: , Supplier:	in		
	3. Chem Alt. 2	I specifications of flame retardants in plastic parts >25g according ISO 1043-4:			
P7.19		arts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45, 6, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)			
P7.20		plastic parts' weight >25g, recycled material content is Tiny: 50.21%			
P7.21		plastic parts' weight >25g, biobased material content is 0%.			
P7.22	<u> </u>	irces are free from mercury			\square
P8	Batterie				
P8.1*		hemical composition:			
P8.2	Batteries	meet the requirements of the following voluntary program/s:			\bowtie

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model number * ThinkCentre M92/M92p Tiny. MT: 3229, 3234, 3225, 3236, 3237, **3238, 3240, 3242, 3243, 2119, 2121** 2012.06.04 Issue date *

Logo

lenovo

Product environmental at	tributes - Market	requirements (co	ontinued)	Requirement	
Item				Yes No	n.a.
P9 Energy consumpt 9.1 For the product the		ale or operav consu	motions are reports	nd: See P14	
 For the product the following power levels or energy consumptions are reported: See P14 The product is shipped w/ WOL Enabled. 					
Energy mode *	Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference / Standard for energy modes and test method *	
Category D		I	I		
Idle State - WOL Enabled	N/A	N/A	N/A	Use for Energy Star V5 registration(P _{idle})	
Sleep (S3) - WOL Enabled	N/A	N/A	N/A	Use for Energy Star V5 registration(P _{sleep})	
Off (S5) - WOL Enabled	N/A	N/A	N/A	Use for Energy Star V5 registration(Poff)	
Peak (On-max)	N/A	N/A	N/A	Full load	
Category C	I	1	1	l.	
Idle State - WOL Enabled	N/A	N/A	N/A	Use for Energy Star V5 registration(P _{idle})	
Sleep (S3) - WOL Enabled	N/A	N/A	N/A	Use for Energy Star V5 registration(P _{sleep})	
Off (S5) - WOL Enabled	N/A	N/A	N/A	Use for Energy Star V5 registration(Poff)	
Peak (On-max)	N/A	N/A	N/A	Full load	
Category B					
Idle State - WOL Enabled	21.76W	21.82W	21.95W	Use for Energy Star V5 registration(Pidle)	
Sleep (S3) - WOL Enabled	3.07W	3.09W	3.20W	Use for Energy Star V5 registration(P _{sleep})	Ē
Off (S5) - WOL Enabled	0.90W	0.91W	0.97W	Use for Energy Star V5 registration(Poff)	Ē
Peak (On-max)	51.21 W	54.65W	64.15W	Full load	Ē
Category A					
Idle State - WOL Enabled	16.12W	15.98W	16.34W	Use for Energy Star V5 registration(P _{idle})	
Sleep (S3) - WOL Enabled	3.07W	3.10 W	3.20W	Use for Energy Star V5 registration(P _{sleep})	H
Off (S5) - WOL Enabled	0.90W	0.91W	0.97W	Use for Energy Star V5 registration(Poff)	Ē
Peak (On-max)	43.12W	43.12W	47.52W	Full load	F
. ,					
EPS No-load (External power supply / charger plugged in the wall outlet but disconnected from	W	0.143 W	<i>0.190</i> W		
TEC Typical Energy Consumption	kWh/week	kWh/week	kWh/week		
ETEC * Annual Energy Consumption	Cat D: N/A ; Cat C:N/A ; Cat B: 81.91 ; Cat A: 62.17 ; kWh/year	Cat D: N/A ; Cat C: N/A ; Cat B: 82.20 ; Cat A: 61.74 ; kWh/year	Cat D: N/A ; Cat C: N/A ; Cat B: 82.99 ; Cat A: 63.33 kWh/year	$E_{TEC} = (8760/1000) \times (P_{off} \times 0.6 + P_{sleep} \times 0.1 + P_{ldle} \times 0.3)$	
	Poff: Off Mode(S5) - 1	NOL Enabled; P _{sleep} : S	Sleep Mode(S3) - WOL	Enabled; P _{idle} : Idle State - WOL Enabled	
Display resolution : M	egapixels				
Print Speed :	Images per minu	te			
Default time to enter energy sa					Ē
	the energy save fund		the product.		
	the energy requirenversion: <i>Version 5.2</i>				

Model number * ThinkCentre M92/M92p Tiny. MT: 3229, 3234, 3225, 3236,						5, 3236, 3	323)	7,	
		323	8, 3240, 3242, 3243, 21	19, 2121					
Issue da	ite *	2012.0		,	Logo	leno	vo		
P10	Emissio	ons							
		missior	n – Declared according to ISO 9296	-					
P10.1	Mode		Mode description	Declared	Declared A	0		1	
				A-weighted sound power	sound pressure le				
				level L_{WAd} (B)	Operator position 🔀	Bystander pos	tions	1	
					Desktop 🔀			1	
					or Desk side 🗌	(only if product i operator atter			
	Idle		* HDD: Idle	* 3.0	22	2			
	Operatio	n	* HDD: Operating	*3.1	23	3			
	Other m	ode							
	Measured according to: ISO7779 ECMA-74 Other (only if not covered by ECMA-74 with L _{pAm} measurement distance m)								
P10.2	The proc	duct me	ets the acoustic noise requirements of the	,				\square	
Produc				<u> </u>	p	Bequire	ment		
Item	Ict environmental attributes - Market requirements (continued) Requirement me Yes No n.a								
	Chemical emissions from printing products								
P10.3*	Test performed according to ECMA-328 (ISO/IEC 28360) standard , other specify:							\square	
P10.4									
		Dust	Ozone Styrene Be	nzene TV	OC				
P10.5	Chemical emission requirements of the following voluntary program/s are met for :						\boxtimes		
	Electromagnetic emissions								
P10.6	Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary								
P11			aterials for printing products						
		concentration in the producto							

P11	Consumable materials for printing products
P11.1*	A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3).
P11.2*	Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of EN12281.
P11.3*	2-sided (duplex) printing/copying is an integrated product function.
P12	Ergonomics for computing products
P12.1*	The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies.
P12.2*	The physical input device meets the requirements of ISO 9995 and ISO 9241-410.
P13	Packaging and documentation
P13.1*	Product packaging material type(s): <i>Corrugated paper</i> weight (kg): <i>0.47</i> Product packaging material type(s): <i>Fabricate PE</i> weight (kg): <i>0.07</i> Product packaging material type(s): <i>HDPE</i> weight (kg): <i>0.01</i>
P13.2*	Product plastic packaging is free from PVC.
P13.3*	Specify media for user and product documentation (tick box):
P13.4*	For paper user and product documentation, please specify contained percentage of post-consumer recycled [] fiber: 0% (Japan only 70%)
P14	Additional information (See Note B4)
	NOTE: Supplier makes no representations, guarantees, assurances or warranties whether express or implied, regarding the information contained in this document. All information provided by supplier in this document is provided based on supplier's knowledge available at the time of completion, and supplier shall have no obligation to update such information. The information provided here is approximate and provided for informational purposes only. See a Lenovo Account Representative for more information.
P7.17	Product does not contain free TBBPA in printed circuit boards(without components)>25g.
P9	See ENERGY STAR Qualified Notebooks & Tablet Computers for the latest information: http://downloads.energystar.gov/bi/qplist/laptops_prod_list.xls

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19