

Product environmental attributes - THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable).

Additional information regarding each item may be found under P14.

Brand *	Lenovo	Logo
Company name *	Lenovo	
Contact information *	Lenovo Global Environmental Affairs Alvin L Carter 1009 Think Place Building 2 / 5J3 Morrisville, North Carolina 27560 alcarter@lenovo.com	lenovo.
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment	t.html
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	Personal Computer			
Commercial name *	ThinkCentre M93/M93p SFF			
Model number *	MTs: 10A2, 10A3, 10A8, 10A9			
Issue date *	2014-05-13			
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other			
Additional information	ENERGY STAR® Qualified; EPEAT Gold Rating, GREENGUARD Certification,			
	ULE certificate.			

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality	Control F	Requireme	nt met
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	\boxtimes	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org).		

Model number *	ThinkCentre M93/M93p SFF	MTs: 10A2, 10A3, 10A8	, 10A9
Issue date *	2014-05-13	Logo len	OVO.

Product	environmental attributes - Legal requirements	Require	ment	met
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1)			
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.			
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-			
	trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.4*	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference).			
P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).			
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.7*	Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split aromatic amines. (See legal reference and Note B1)			
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as			
	pentachlorophenol and derivatives (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm²/week (see legal reference).	\boxtimes		
	Comment: Max limit in legal reference when tested according to EN1811:1998.			
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact): http://www.lenovo.com/social_responsibility/us/en/ThinkGreen_products.html#environment	\boxtimes		
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be			
	marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference)			
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)			
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical			
	or data integrity reasons do not have to be "easily removable". (See legal reference)			
P3	Safety, EMC connection to the telephone network and labeling		_	
P3.1* P3.2*	The product complies with legally required safety standards as specified (see legal reference).	<u>X</u>	<u> </u>	<u> </u>
	The product complies with legally required standards for electromagnetic compatibility (see legal reference).			
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference).			
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).		Ш	
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).		Ш	
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).			\boxtimes
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium an hexavalent chromium by weight of these together.	d 🔀		
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	\boxtimes		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montrea Protocol (see legal reference).	al 🔀		
	Comment: Legal reference has no maximum concentration values.			

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model number *	ThinkCentre M93/M93p SFF	MTs: 10A2, 10A3, 10A8, 10A9
Issue date *	2014-05-13	Logo lenovo.

Product	environmental attributes - Market requirements - Environmental conscious design Re	quire	ment	met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P6	Treatment information			
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	\boxtimes		
P7	Design			
	Disassembly, recycling			
P7.1*	Parts that have to be treated separately are easily separable	\boxtimes		
P7.2*	Plastic materials in covers/housing have no surface coating.		\boxtimes	
P7.3*	Plastic parts >100g consist of one material or of easily separable materials.	\boxtimes		
P7.4*	Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043.		\Box	П
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.		〒	一一
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).		Ħ	Ħ
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	\square		\neg
P7.8*	Upgrading can be done using commonly available tools		∺	╫
P7.9.				-
	Spare parts are available after end of production for: 5 years			_Ц
P7.10	Service is available after end of production for: 5 years			Ш
	Material and substance requirements			
P7.11*	Product cover/housing material type:			
D7 10	Material type: ABS Material type: PC/ABS Material type: Steel Electrical cable insulation materials of power cables are PVC free.	_		_
P7.12	·	ᄴ		-
P7.13	Electrical cable insulation materials of signal cables are PVC free	<u>Ш</u>		_ <u>_</u>
P7.14	All cover/housing plastic parts >25g are free from chlorine and bromine.	\boxtimes		
P7.15	All printed circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (See		\boxtimes	
	Note B2)			
P7.16	Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4:	\boxtimes		
P7.17	Marking: Alt. 1			
F7.17	Chemical specifications of flame retardants in printed circuit boards >25g (without components):			
	TBBPA (additive) , TBBPA (reactive) , Other; chemical name: , CAS #:	ш		ш
	TDDI A (additive) , TDDI A (reactive) , Other, chemical name. , OAO #.			
	Alt. 2			
	Chemical specifications of flame retardants in printed circuit boards (without components) >25g according	\boxtimes		
	ISO 1043-4: Brominated Epoxy Resin See P14			
P7.18	Alt. 1			
	Flame retarded plastic parts >25g contain the following flame retardant substances/preparations in	Ш		
	concentrations above 0.1%:			
	Comment: No legal limits exist, this is a market requirement. Provide a list of all used flame retardants including MSDS for each flame retardant. The list must contain			
	complete chemical name, CAS number and supplier.			
	1. Chemical name: , CAS #: , Supplier:			
	2. Chemical name: , CAS #: , Supplier:			
	3. Chemical name: , CAS #: , Supplier:			
	Alt. 2	\boxtimes		Ш
	Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4:			
P7.19	Plastic parts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45,			
F7.19	R40, R46, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)	\boxtimes		
P7.20	· · · · · · · · · · · · · · · · · · ·			
P7.20 P7.21	Of total plastic parts' weight >25g, recycled material content is <i>SFF: 41.75%</i> Of total plastic parts' weight >25g, biobased material content is <i>0</i> %.			
P7.22	Light sources are free from mercury	$\overline{}$		
P8	Batteries			
P8.1*	Battery chemical composition:			
DQ 2	Batteries most the requirements of the following voluntary program/s:			

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model number *	ThinkCentre M93/M93p SFF	MTs: 10A2, 10A3	3, 10A8, 10A9
Issue date *	2014-05-13	Logo	lenovo.

Product environmental attri	butes - Market r	equirements ((continued)	Requirement Yes No	
P9 Energy consumption	n			1 es INO	n.a.
9.1 For the product the fo	llowing power level		sumptions are rep	ported: See P14	
The product is shippe					
Energy mode * P	ower level at 1 100 V AC	Power level a 115 V AC	Power level 230 V AC	at Reference / Standard for energy modes and test method *	Ш
Category 0					
Short Idle State - WOL Enabled	W	W	W	Use for ENERGY STAR V6 registration (P _{idle})	
Long Idle State - WOL Enabled	W	W	W	Use for ENERGY STAR V6 registration (Pidle)	
Sleep (S3) - WOL Enabled	W	W	W	Use for ENERGY STAR V6 registration(P _{sleep})	
Sleep (S3) - WOL Disabled	W	W	W	Reference	
Off (S5) - WOL Enabled	W	W	W	Use for ENERGY STAR V6 registration(Poff)	
Off (S5) - WOL Disabled	W	W	W	Use for EuP	
Category I1	•				
Short Idle State - WOL Enabled	23.54 W	23.60 W	23.56 W	Use for Energy Star V6.0 registration(P _{ShortIdle})	
Long Idle State - WOL Enabled	21.95 W	22.31 W	22.07 W	Use for Energy Star V6.0 registration(P _{LongIdle})	
Sleep (S3) - WOL Enabled	0.82 W	0.84 W	1.05 W	Use for Energy Star V6.0 registration (Psleep)	
Sleep (S3) - WOL Disabled	0.82 W	0.84 W	1.05 W	Reference	
Off (S5) - WOL Enabled	0.55 W	<i>0.56</i> W	0.76 W	Use for Energy Star V6.0 registration (Poff)	
Off (S5) - WOL Disabled	0.31 W	0.31 W	0.31 W	Use for EuP	
Category I2	•				
Short Idle State - WOL Enabled	23.91 W	23.52 W	23.64 W	Use for Energy Star V6.0 registration(P _{ShortIdle})	
Long Idle State - WOL Enabled	22.59 W	22.21 W	22.46 W	Use for Energy Star V6.0 registration(P _{Longldle})	
Sleep (S3) - WOL Enabled	0.82 W	<i>0.84</i> W	1.05 W	Use for Energy Star V6.0 registration (P _{sleep})	
Sleep (S3) - WOL Disabled	0.82 W	<i>0.84</i> W	1.05 W	Reference	
Off (S5) - WOL Enabled	0.55 W	<i>0.56</i> W	0.76 W	Use for Energy Star V6.0 registration (Poff)	
Off (S5) - WOL Disabled	0.31 W	0.31 W	0.31 W	Use for EuP	
Category I3	1	l .	l		
Short Idle State - WOL Enabled	23.90 W	<i>23.63</i> W	23.53 W	Use for Energy Star V6.0 registration(P _{ShortIdle})	
Long Idle State - WOL Enabled	22.38 W	22.32 W	22.31 W	Use for Energy Star V6.0 registration(P _{Longldle})	
Sleep (S3) - WOL Enabled	0.82 W	0.84 W	1.05 W	Use for Energy Star V6.0 registration (P _{sleep})	
Sleep (S3) - WOL Disabled	0.82 W	0.84 W	1.05 W	Reference	
Off (S5) - WOL Enabled	0.55 W	0.56 W	0.76 W	Use for Energy Star V6.0 registration (Poff)	
Off (S5) - WOL Disabled	0.31 W	0.31 W	0.31 W	Use for EuP	
Category D1					
Short Idle State - WOL Enabled	31.54 W	31.10 W	31.28 W	Use for Energy Star V6.0 registration(P _{ShortIdle})	
Long Idle State - WOL Enabled	30.41 W	30.22 W	29.88 W	Use for Energy Star V6.0 registration(P _{Longidie})	
Sleep (S3) - WOL Enabled	0.82 W	0.84 W	1.05 W	Use for Energy Star V6.0 registration (P _{sleep})	
Sleep (S3) - WOL Disabled	0.82 W	0.84 W	1.05 W	Reference	
Off (S5) - WOL Enabled	0.55 W	0.56 W	0.76 W	Use for Energy Star V6.0 registration (Poff)	
Off (S5) - WOL Disabled	0.31 W	0.31 W	0.31 W	Use for EuP	
Category D2		1			
Short Idle State - WOL Enabled	31.59 W	31.58 W	31.83 W	Use for Energy Star V6.0 registration(P _{ShortIdle})	
Long Idle State - WOL Enabled	<i>30.48</i> W	30.38 W	30.20 W	Use for Energy Star V6.0 registration(P _{Longlidle})	
Sleep (S3) - WOL Enabled	0.82 W	0.84 W	1.05 W	Use for Energy Star V6.0 registration (P _{sleep})	
Sleep (S3) - WOL Disabled	0.82 W	0.84 W	1.05 W	Reference	\exists
Off (S5) - WOL Enabled	0.55 W	0.56 W	0.76 W	Use for Energy Star V6.0 registration (Poff)	\exists
Off (S5) - WOL Disabled	0.31 W	0.31 W	0.31 W	Use for EuP	Ħ
. ,			<u> </u>		

plugged i	oad power supply / charger n the wall outlet but cted from the product.)	W	W	W		
TEC Typical E	nergy Consumption	kWh/week	kWh/week	kWh/week		
ETEC * Annual Energy Consumption		Cat I1: 103.54; Cat I2: 105.52; Cat I3: 105.21; CatD1:139.19; CatD2:139.43; kWh/year	Cat I1: 104.25; Cat I2: 103.87; Cat I3: 104.35; CatD1:137.64; CatD2:139.31; kWh/year	Cat I1:104.69; Cat I2:105.45; Cat I3:104.91; CatD1:138.62; CatD2:140.72; kWh/year	ETEC = (8760/1000) x (P _{off} x 0.45 + P _{Sleep} x 0.05 + P _{ShortIdle} x 0.35 + P _{LongIdle} x 0.15)	
		P _{off} : Off Mode(S5)	- WOL Enabled;	P _{sleep} : Sleep Mode(S.	3) - WOL Enabled; P _{idle} : Idle State - WOL Enabled	
Display re	esolution : Meg	Japixels				
Print Spe	ed :	Images per minute)			
Default tir	me to enter energy save	e mode: 30 minutes				
P9.2*	Information about the	e energy save functi	ion is provided w	vith the product.		
P9.3*	The product meets the ENERGY STAR® very others specify:				ram/s: tt category: I1,I2,I3,D1,D2	
P10	Emissions					
	Noise emission - D		o ISO 9296			
P10.1	Mode Mo	ode description		Declared A-weighted sound power level $L_{W{ m Ad}}$ (E		
	Idle * H	IDD: Idle		* 3.3	24	
	Operation * H	IDD: Operating		*3.5	26	
	Other mode					
Measured according to: ☐ ISO7779 ☐ ECMA-74 ☐ Other (only if not covered by ECMA-74 with L _{pAm} measurement distance m)						
P10.2	The product meets the	he acoustic noise re	quirements of th	ne following volunta	ry program/s:	

Model number *	ThinkCentre M93/M93p SFF	MTs: 10A2, 10A3, 10A8, 10A9
Issue date *	2014-05-13	Logo lenovo.

Product 6	environmental attributes - Market requirements (continued)	Require	ment	met
Item	· · · · · · · · · · · · · · · · · · ·	Yes	No	n.a.
	Chemical emissions from printing products			
P10.3*	Test performed according to ECMA-328 (ISO/IEC 28360) standard, other specify:			X
P10.4	Typical emission rate (print phase) is (mg/h):			\boxtimes
	Dust Ozone Styrene Benzene TVOC			
P10.5	Chemical emission requirements of the following voluntary program/s are met for :			X
	Dust Ozone Styrene Benzene TVOC			
	Electromagnetic emissions			
P10.6	Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary program/s:			
P11	Consumable materials for printing products			
P11.1*	A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3).			\boxtimes
P11.2*	Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of EN12281.			
P11.3*	2-sided (duplex) printing/copying is an integrated product function.			\boxtimes
P12	Ergonomics for computing products			
P12.1*	The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies.	\boxtimes		
P12.2*	The physical input device meets the requirements of ISO 9995 and ISO 9241-410.	\boxtimes		
P13	Packaging and documentation			
P13.1*	Product packaging material type(s): <i>Corrugated paper</i> weight (kg): <i>1.125</i> Product packaging material type(s): <i>Fabricated PE</i> weight (kg): <i>0.165</i> Product packaging material type(s): <i>HDPE</i> weight (kg): <i>0.016</i>			
P13.2*	Product plastic packaging is free from PVC.	\boxtimes		
P13.3*	Specify media for user and product documentation (tick box):			Ħ
	Electronic , Paper , Other			
P13.4*	For paper user and product documentation, please specify contained percentage of post-consumer recycled fiber: 0% (<i>Japan only 70%</i>)			
P14	Additional information (See Note B4)			
	NOTE: Supplier makes no representations, guarantees, assurances or warranties whether express or implie			
	information contained in this document. All information provided by supplier in this document is provided base			
	knowledge available at the time of completion, and supplier shall have no obligation to update such informatic provided here is approximate and provided for informational purposes only. See a Lenovo Account Represent			lion
	information.	anve ioi i	11016	
P7.17	Product does not contain free TBBPA in printed circuit boards(without components)>25g.			
P9	See Energy Star Qualified (insert appropriate Product type; i.e. Desktop, Notebook, etc.) for the latest	informat	ion:	
	http://downloads.energystar.gov/bi/qplist/laptops_prod_list.xls (insert appropriate web url)			

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19

Lenovo ErP Lot3 Information Sheet

- PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	ThinkCentre M93/M93p SFF	Logo
Model Number	10A2, 10A3, 10A8, 10A9	_
Issue Date	2014-05-13	lenovo.
Additional information		

P7.1.1	Product environmental attributes				
(d)	Year of manufacture:	Availible on product label			
(e)	E TEC value (kWh) and capability adjustments applied when all discrete graphics cards (dGfx) are disabled and if the system is tested with switchable graphics mode with UMA driving the display: Cat. B 110.90 Cat. C 90.48 Cat. D 113.35				
(f)	E TEC value (kWh) and capability adjustments applied when all discrete graphics cards (dGfx) are enabled: Cat. B 119.21 Cat. C 115.92 Cat. D 119.38				
(g)	idle state power demand (Watts);	32.59			
(h)	sleep mode power demand (Watts);	1.82			
(i)	sleep mode with WOL enabled power demand (Watts) (where enabled);	1.83			
(j)	off mode power demand (Watts);	0.91			
(k)	off mode with WOL enabled power demand (Watts) (where enabled);	0.92			
(I)	Internal power supply efficiency at 10 %, 20 %, 50 % and 100 % of rated output power (if applicable): 10% 79.37% 20% 84.71% 50% 86.83% 100% 83.69%				
(m)	External power supply efficiency (if applicable): 10% 20% 50% 100% Average ; or Level:	N/A			
(o)	The minimum number of loading cycles that the batteries can withstand (applies only to notebook computers):	N/A			
(f)	Test parameters for measurements: — test voltage in V and frequency in Hz, — total harmonic distort the electricity supply system, — information and documentation on the instrumentation, set-up and circused for electrical testing: Test voltage in V and frequency in Hz 230V/50Hz Total harmonic distortion of the electricity supply system ≤ 2% Information and documentation on the instrumentation, set-up and circuits used for electrical testing				
	Instrument Range Used Make and Model ** Type Or ***				
	AC Power Source 1~280VAC;1~550HZ;1000V NF;EC1000S; SN:9152124				

				lical ili tilla bioduct o		
			user. The battery	lies) in this product c	annot be easily replaced by users ther	nselves
Yes	No Noteb	n/a		computer is operated by bat	tery/ies that cannot be accessed and replaced by	a non-professional
- ئد:لملم ۸	n Natal	ook Dette	w Information	Refer to User (Guide	
(x)	Usei	r informatio	n on how to ena	ble the power management to		
				N/A		
(w)	Infor	mation on	the energy-savir	ng potential of power manage	ement functionality:	
(v)	The	iength of t	ume before the	display sleep mode is set t	to activate after user inactivity (in minutes):	15 minutes
(u)	The length of time after a period of user inactivity in which the computer automatically reaches a power mode that has a lower power demand requirement than sleep mode (in minutes): 45 minutes					
(t)	The duration of idle state condition before the computer automatically reaches sleep mode, or another condition which does not exceed the applicable power demand requirements for sleep mode (in minutes): 30 minutes					30 minutes
	OII II		Panel->Power	Options-> Change Settings	s-> Restore default settings for this plan	
(s)		uence of ev	vents required to	reach the mode where the e	equipment automatically changes to sleep and/or	
(')	D03	o. 1011 01 1	·	egin menu -> Power -> Sele	G	
(r)	Dee	cription of h		Power on -> Wait 5 minutes r off mode was selected or pi		
(q)	Seq	uence of st	•	g a stable condition with resp	•	
				IEC 62301	1	
(p-4)	The pow	measurem er as define	ent methodology ed in Point P9.1	y used to determine informati in the Product IT Eco Declar	ion mentioned in maximum, idle, sleep, off mode ation:	
	batteries: N/A					
(p-3)	The	measurem	nent methodolog	N/A gy used to determine inform	mation mentioned in points (o) - loadingcycles	
(p-2)		The measurement methodology used to determine information mentioned in points (m) – external PSU fficiency:				
	enic	iency:		80 PLUS® Pro	gram	
(p-1)		measuren	•		rmation mentioned in points (I) – internal PSU	
			nemometer easuring	0~20m/s,-20~70°C 1°:1-300cd/m²	Testo;425;SN:02591883 Konica Minolta:LS-110;	
		Hygrothe	rmograph	15~35℃/15~90%	testo; 608-H1,SN:1034895602	
		Power	Meter	0~600V;0~20A	YOKOGAWA;WT210;SN:91M94456 0	
		Digital	Watch	Full range	CASIO; HS-70W; SN:208Q08R	
			144	A.	0.1010 110	