

Product environmental attributes – THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P14.

Brand *	ThinkPad	Logo
Company name *	Lenovo	
Contact information *	Lenovo Global Environmental Affairs Alvin L Carter 1009 Think Place Building 2 / 5J3 Morrisville, North Carolina 27560 alcarter@lenovo.com	lenovo
Internet site *	www.pc.ibm.com/ww/lenovo/about/environment	
Additional information		

	ased on product specification or test results based obtained from sample testing), that the product to given in this declaration.			
Type of product *	Notebook PC			
Commercial name *	ThinkPad Edge E120/E125			
Model number *	3043 (Intel/E120) / 3035 (AMD/E125)			
Issue date *	2011, May 31			
Intended market *	Global Europe Asia, Pacific & Japan Americas Other			
Additional information	ENERGY STAR® Qualified; EPEAT GOLD Rating*; GREENGUARD Certified			

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality	Quality Control		
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	\boxtimes	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality contro such as organized by IT-Företagen (see www.itecodeclaration.org).	ol 🔀	

Model number *	ThinkPad Edge E120/E125 MT: 3043 (Intel/I	E120) / 30	35 (AMD/E125)
Issue date *	2011, May 31	Logo	lenovo
Broduct onviron	mental attributes - Logal requirements		Requirement met

	duct environmental attributes - Legal requirements				
Item		Yes	No	n.a.	
P1	Hazardous substances and preparations				
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1)	, 🔀			
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.	\square			
P1.3*					
P1.4*	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference).	\boxtimes			
P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).	•			
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values.				
P1.7*	Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split aromatic amines. (See legal reference and Note B1)			\boxtimes	
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (see legal reference). Comment: Legal reference has no maximum concentration values.				
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm ² /week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:1998.				
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact): http://www.lenovo.com/social_responsibility/us/en/environment.html				
P2	Batteries				
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference)				
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)	\boxtimes			
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference)				
P3	Safety, EMC connection to the telephone network and labeling				
P3.1*	The product complies with legally required safety standards as specified (see legal reference).	\boxtimes			
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal reference)	. 🕅	Ē		
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference).				
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).	\square			
P4	Consumable materials				
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).				
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).			\mathbf{X}	
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).				
P5	Product packaging				
P5.1*	Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium an hexavalent chromium by weight of these together.	d 🔀			
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	\boxtimes			
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montrea Protocol (see legal reference).	al 🔀			

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model n	umber *	ThinkPad Edge E120/E125 MT: 3043 (INTEL/E1	20)/3035 (AMD/E	E125	5)
Issue da	ite *	2011, May 31	Logo	leno	vo	
				_		
		mental attributes - Market requirements - Environmental conscious d	esign l	Requirer		
Item P6		tory to fill in. Additional information regarding each item may be found under P14. nt information		Yes	No	n.a.
P6.1*		on for recyclers/treatment facilities is available (see legal reference).				
P7	Design					
		mbly, recycling				
P7.1*	Parts that	t have to be treated separately are easily separable		\boxtimes		
P7.2*	Plastic m	aterials in covers/housing have no surface coating.			\boxtimes	
P7.3*	Plastic pa	arts >100g consist of one material or of easily separable materials.		\boxtimes		
P7.4*	Plastic pa	arts >25g have material codes according to ISO 11469 referring ISO 1043.		\boxtimes		
P7.5	Plastic pa	arts are free from metal inlays or have inlays that can be removed with commonly a	vailable tools.			
P7.6*	Labels a	e easily separable. (This requirement does not apply to safety/regulatory labels).			Ē	Π
	Product	lifetime				
P7.7*	Upgradin	g can be done e.g. with processor, memory, cards or drives		\square		
P7.8*	Upgradin	g can be done using commonly available tools		\square		
P7.9.	Spare pa	rts are available after end of production for: 5 years				Π
P7.10	Service i	s available after end of production for: 5 years		_		Ē
		and substance requirements				
P7.11*	Product of	cover/housing material type:				
DT 10		aterial type: PC+ABS-FR(40) Material type: Materia	l type:			
P7.12		cable insulation materials of power cables are PVC free.				
P7.13		cable insulation materials of signal cables are PVC free			\square	
P7.14		/housing plastic parts >25g are free from chlorine and bromine.				
P7.15	Note B2)	d circuit boards (without components) >25g are halogen free. as defined in IEC6	1249-2-21. (See			
P7.16	Marking:	tarded plastic parts >25g in covers / housings are marked according ISO 1043-4: FR(40)		\square		
P7.17		l specifications of flame retardants in printed circuit boards >25g (without componer TBBPA (additive) ☐, TBBPA (reactive) ⊠, Other; chemical name: , CAS #	•			
		l specifications of flame retardants in printed circuit boards (without components) >2 8-4: Brominated Epoxy Resin See P14	25g according			
P7.18		etarded plastic parts >25g contain the following flame retardant substances ations above 0.1%:	/preparations ir			
	Provide a complete 1. Chemi	t: No legal limits exist, this is a market requirement. a list of all used flame retardants including MSDS for each flame retardant. The l chemical name, CAS number and supplier. cal name: , CAS #: , Supplier: cal name: , CAS #: , Supplier:	list must contair	I		
	Alt. 2	cal name: , CAS #: , Supplier: I specifications of flame retardants in plastic parts >25g according ISO 1043-4:				
P7.19		arts >25g are free from flame retardant substances/ preparations above 0.1% classi 6, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)	fied as R45,	\boxtimes		
P7.20		lastic parts' weight >25g, recycled material content is 10 %.				
P7.21		lastic parts' weight >25g, biobased material content is 0%.				
P7.22		rces are free from mercury				
P8	Batteries					
P8.1*		hemical composition: Lithium Ion/Lithium Manganese Dioxide				
P8.2	Batteries	meet the requirements of the following voluntary program/s: US RBRC				

Annex B of ECMA-370 4th edition, June 2009

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model number *	ThinkPad Edge E120/E125 MT: 3043 (INTEL/E	120)/30)35 (AMD/E125)
Issue date *	2011, May 31	Logo	lenovo

Product	environmental a	ttributes - Market	requirements (co	ontinued)	Requirement	met
Item	-				Yes No	n.a.
P9	Energy consum					
9.1	For the product the	ne following power lev	els or energy consul	mptions are reporte	ed:	
Energy mo	ode	Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference / Standard for energy modes and test method *	
Peak (On-	· max)	65 W	65 W	65 W	Full load	
Categor	<u>y A</u>					
Idle State	- WOL Enabled	7.78 W	7.90 W	8.05 W	Use for ENERGY STAR Registration(Pidle)	
Sleep (S3) - WOL Enabled	0.80 W	0.91 W	1.07 W	Use for ENERGY STAR Registration(P _{sleep})	
Off (S5) -	WOL Enabled	0.62 W	0.64 W	0.83 W	Use for ENERGY STAR Registration(Poff)	
Off (S5) -	WOL Disabled	0.58 W	0.67 W	0.88 W	Use for EuP	
charger pl	oower supply / ugged in the wall disconnected from	W	0.24 W	0.38 W		
P _{TEC} Typical En	ergy Consumption	W	W	W	(Workstation Levels) $P_{TEC} = 0.35^* P_{off} + 0.10^* P_{sleep} + 0.55^* P_{idle}$	
TEC Typical En	ergy Consumption	kWh/week	kWh/week	kWh/week		
Етес * Annual En	ergy Consumption	24.42 kWh/year	24.89 kWh/year	26.45 kWh/year	(Desktop, Integrated Desktop, and Notebook Levels)	
Display re	solution : 1366 x	768 Megapixels				
Print Spee	ed : I	mages per minute				
Default tim	ne to enter energy s	ave mode: 20 minute	s			
P9.2*		the energy save fund		the product.		
P9.3*	ENERGY STAR®	ts the energy requiren version: Version 5.2 NERGY STAR for Ex	2 dated January, 20	11 Product categor	ry: A	
P10	Emissions					
P10.1		- Declared according	to ISO 9296	Deelaward		P1
P10.1	Mode	Mode description		Declared A-weighted sound power	Declared A-weighted sound pressure level $L_{p\rm Am}$ (dB)	P1 0.1
				level L_{WAd} (B)	Operator position Desktop or Desk side	
	Idle	* HDD: Idle * 3.3		* 3.3	26	1
	Operation	* HDD: Operating		* 3.5	28]
	Other mode					
	Measured accord	ing to: 🔀 ISO7779 [Other	ECMA-74 (only if not covered	ed by ECMA-74 with	L _{pAm} measurement distance m)	
P10.2	The product mee	ts the acoustic noise r				· _

Model nu	umber *	ThinkPad Edge E120/E125 MT: 3043 (INTEL/E120)/3035		/E12	25)	1
Issue dat	te *	2011, May 31	len			
Product	environr	nental attributes - Market requirements (continued)	Requ	ireme	ent	met
Item		· · · /	Ýe	s N	No	n.a
	Chemic	al emissions from printing products				
P10.3*		formed according to ECMA-328 (ISO/IEC 28360) standard, other specify:] [\square
P10.4	Typical e	emission rate (print phase) is (mg/h):			_	
		Dust Ozone Styrene Benzene TVOC				
P10.5	[al emission requirements of the following voluntary program/s are met for : Dust Ozone Styrene Benzene TVOC] [\square
		nagnetic emissions				
P10.6	program	er display meets the requirement for low frequency electromagnetic fields of the following voluntary /s: MPR-II (3 pin AC adapter only)				
P11		hable materials for printing products				
P11.1*	,	Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3).				
P11.2*	EN1228		of			
P11.3*	2-sided	duplex) printing/copying is an integrated product function.] [\square
P12		nics for computing products				
P12.1*	The disp	lay meets the ergonomic requirements of ISO 9241-307 for visual display technologies.] [
P12.2*	The phy	sical input device meets the requirements of ISO 9995 and ISO 9241-410.] [
P13		ng and documentation				
P13.1*	Product Product	packaging material type(s): Corrugated Cardboard weight (kg): 0.385 packaging material type(s): Recycled Molded Pulp Cushion weight (kg): 0.097 packaging material type(s): Others(Plastic Bags) weight (kg): 0.017				
P13.2*		plastic packaging is free from PVC.	\geq] [
P13.3*		nedia for user and product documentation (tick box): ic 🔀, Paper 🔀, Other 🗌				
P13.4*		er user and product documentation, please specify contained percentage of post-consumer recycled (<i>Japan only 70%</i>)	ł			
P13.5	User and	product documentation do not contain chlorine bleached paper.	\geq	1 [
P14		nal information (See Note B4)				
	informat knowled providec informat	Supplier makes no representations, guarantees, assurances or warranties whether express or impl on contained in this document. All information provided by supplier in this document is provided ba- ge available at the time of completion, and supplier shall have no obligation to update such informa here is approximate and provided for informational purposes only. See a Lenovo Account Represe on. Gold rating in the US only; EPEAT Silver rating for all other applicable geos.	sed on s tion. The	upplie inforr	r's natio	on
P7.17		does not contain free TBBPA in printed circuit boards(without components)>25g.				
P9	See EN	ERGY STAR Qualified Notebooks & Tablet Computers for the latest information: ownloads.energystar.gov/bi/qplist/laptops_prod_list.xls				

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19