



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Notebooks and Tablets

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo				
Company name *	Lenovo					
Contact information * e-mail address	Lenovo Global Environmental Affairs Alvin L Carter alcarter@lenovo.com		Lenovo.			
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment	.html				
Additional information	The latest version of this document can be found at:	rsion of this document can be found at:				
	http://www.lenovo.com/ecodeclaration					

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.						
Type of product *						
Commercial name *	ThinkPad L13/L13 Yoga/S2 5 th Gen/S2 Yoga 5 th Gen					
Model number *	20R3, 20R4, 20R5, 20R6, 20R7, 20R8					
Issue date *	2019/8/9					
Intended market *	Global Europe Asia, Pacific & Japan Americas Other					
Additional information						

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products.

Model number *		20R3, 20R4, 20R5, 20R6, 20R7, 20R8	Long		
Issue date	e *	2019/8/9	Lend	JVC) _{TM}
Product	environ	mental attributes - Legal requirements	Require	ment	met
Item			Yes	No	n.a.
P1		ous substances and preparations			
P1.1*	Products	s do comply with current European RoHS Directive. (See legal reference and NOTE B1)			
P1.2*	Commer	s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.			
P1.3*	hydrobro trichloroe	do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), comofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-ethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum ration values.			
P1.4*		s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated	\boxtimes		
P1.5*		s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	e 🔀		
P1.6*	Parts wit	th direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm²/week al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.	(<u> </u>		
P1.7*		Article 33 information about substances in articles is available at (add URL or mail contact): ww.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure			
P2	Batterie	S			
P2.1*		oduct contains a battery or an accumulator, the battery/accumulator is labeled with the disposal Information on proper disposal is provided in user manual. (See legal reference)			
P2.2*	Batteries reference	s or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legale)	I 🔀		
P2.3*	Batteries	and accumulators are readily removable. (See legal reference)	\boxtimes		
P3		nity verification & Eco design (ErP)			
P3.1*		duct is CE-marked to show conformance with applicable legal requirements (see legal reference). laration of Conformity can be requested at: https://www.lenovo.com/us/en/compliance/eu-doc			
P3.2*		duct complies with the Eco design requirements for energy-related products, al reference).			
		d information is; given in item P15 or added to this document, available at: https://www.lenovo.com/us/en/compliance/eco-declaration			
P5	Product	packaging			
P5.1*	Packagir	ng and packaging components do not contain more than 0,01% lead, mercury, cadmium an	d 🔀	\Box	
		ent chromium by weight of these together.		_	
P5.2*	used (se	kaging materials are marked with abbreviations and numbers indicating the nature of the material(see legal reference).	,		
P5.3*	(see lega	luct packaging material is free from ozone depleting substances as specified in the Montreal Protoco al reference). http://enal.reference.has.no.maximum.concentration.values	ol 🔀		

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

P6 P6.1*

Treatment information

Information for recyclers/treatment facilities is available (see legal reference).

Model number *	20R3, 20R4, 20R5, 20R6, 20R7, 20R8	Logo	Lanava
Issue date *	2019/8/9		LEI IOVO"

Product	t environmental attributes - Market requirements (See General NOTE GN below)			
		Require	ment	met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P7	Design, Disassembly, recycling			
P7.1*	Parts that have to be treated separately are easily separable	\boxtimes		
P7.2*	Plastic materials in covers/housing have no surface coating.		\boxtimes	
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.	\boxtimes		
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	\boxtimes		
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	\boxtimes		
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	\boxtimes		
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives			
P7.8*	Upgrading can be done using commonly available tools	\boxtimes		
P7.9	Spare parts are available after end of production for: 5 years			
P7.10	Service is available after end of production for: 5 years			
	Material and substance requirements			
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):			
== 10	Material type: PC/ABS Material type: PA+Glas	s Fiber		_
P7.12	Insulation materials of external electrical cables are PVC free.		X	
P7.13	Insulation materials of internal electrical cables are PVC free.			
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1%			\boxtimes
	weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing			
	more than 25% post-consumer recycled content.			
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low halogen as defined in IEC 61249-2-21. (See 1NOTE B2)			
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking: FR(40)	\boxtimes		
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components):			
	TBBPA (additive), TBBPA (reactive) (See NOTE B3), Other: 168G2, CAS #: 99208-50-1	\boxtimes		
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g			
	according ISO 1043-4:			
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in			
	concentrations above 0,1%:			
	1. Chemical name: <i>polycarbonate based on bisphenol A</i> , CAS #: 25971-63-5 (See NOTE B4)			
	2. Chemical name: , CAS #: "			
	3. Chemical name: , CAS #: "			
	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4: FR(40)	\boxtimes		
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been			\boxtimes
	assigned the following Risk phrases; and Hazard statements:			
	The source(s) for these classifications is/are found at (add URL(s)): , (See note B5)			
P7.20*	Postconsumer recycled plastic material content is used in the product (See Note B6):	\boxtimes		
	If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as			
	a percentage of total plastic by weight) is 2.6% .			
	or			
	b) The weight of recycled material is 13.4 g.			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	20R3, 20R4, 20R5, 20R6, 20R7, 20R8	Logo	Lanava
Issue date *	2019/8/9		Lei IOVO.

Product environmental attributes - Market requirements (continued)	Requi	remer	nt met
Item	Yes	No	n.a.

	Material and sub	otonoo roquiromento	(continued)				
P7.21*		stance requirements naterial content is use	d in the product (See N	OTF B7):		$\overline{}$	-
P7.22*	Light sources are		less than 0,1 mg/lamp.	,	or lown: mg		_
P8	Batteries	specify. Number of la	mps. and maxim	uni mercury content p	er lamp: mg		
P8.1*		composition: Lithium I	on/Lithium Manganes	e Dioxide		\Box	_
P9		otion (See NOTE B8)					i
P9.1			ls or energy consumption	ons are reported:			-
Energy mo		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Standard for energy modes and test method *		
Peak (On-	max)	65 W	65 W	65 W	Full load		
Categor	<u>y 1</u>						_
Short Idle Enabled	State - WOL	5.33W	5.0W	5.06W	Use for ENERGY STAR V6 registration (P _{idle})		
Long Idle Enabled	State - WOL	2.44W	2.41W	2.33W	Use for ENERGY STAR V6 registration (P _{idle})		
Sleep (S3)	- WOL Enabled	0.756W	0.756 W	0.768W	Use for ENERGY STAR V6 registration(P _{sleep})		
Sleep (S3)	- WOL Disabled	0.68W	0.71 W	0.70 W	Reference		
Off (S5) - I	WOL Enabled	0.444W	0.456 W	0.432W	Use for ENERGY STAR V6 registration(P _{off})		_
Off (S5) - I	WOL Disabled	0.398 W	0.40 W	0.38 W	Use for ErP		_
EPS No-loa	ad	0.08 W	0.09 W	0.08 W			
PTEC *(2) Typical En	ergy Consumption	2.22W	2.125 W	2.13 W			
TEC *(2) Typical En	ergy Consumption	0.373 kWh/week	0.357 kWh/week	0.358 kWh/week			
ETEC *(2) Annual En	ergy Consumption	19.43 kWh/year	18.58 kWh/year	18.65 kWh/year	E _{TEC} = (8760/1000) x (P _{off} x 0.25 + P _{sleep} x 0.35 + P _{long_Idle} x 0.10+ P _{short_Idle} x 0.30)		
					ed; P _{idle} : Idle State - WOL Enabled	<u></u>	_
		· · · · · · · · · · · · · · · · · · ·	I Efficiency Marking Pro	otocol) * : VI			Ĺ
Display res	solution * : 2.138 m	egapixels					
Default tim	e to enter energy sa	ave mode: 20 minutes					
P9.2*	Information about	the energy save funct	ion is provided with the	product.			
P9.3	Energy efficiency	class (monitors only):				X	
P10	Emissions						
			o ISO 9296 (See NOTE	B9)			
P10.1		Mode description			it A-weighted sound power level, $L_{WA,c}$	(B)	
		'Idle mode		* 2.8		<u>Ш</u>	
	Operation '	Operating (CPU)		* 3.8			
			nd pressure level (dB) $L_{p{\sf Am}}$		n desktop – idle)		_
	Other mode	Declared A-weighted sour	ad pressure level (dB) $L_{p{\sf Am}}$	32 (operator position	on desktop – operating)		
	Measured accord	ng to: 🔀 ISO 7779 🛭	ECMA-74				
		Other	(only if not covered by	ECMA-74)			

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

Model number * Issue date *	20R3, 20R4, 20R5, 20R6, 20R7, 20R8 2019/8/9	Logo	Leno	VO.	
Product environr	mental attributes - Market requirements (continued)		Require	ment	met
Item	·		Yes	No	n.a.
Electron	magnetic emissions				

Product	environmental attributes - Market requirements (continued)	Require	ment	met
Item		Yes	No	n.a.
	Electromagnetic emissions			
P10.4	Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary program(s): MPR-II (3 pin AC adapter only)	\boxtimes		
P12	Ergonomics for computing products			
P12.1*	The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies.	\boxtimes		
P12.2*	The physical input device meets the requirements of ISO 9995 and ISO 9241-410.	X		
P13	Packaging and documentation			
P13.1*	Product packaging material type(s): <i>carton</i> Product packaging material type(s): <i>paper</i> Product packaging material type(s): <i>LDPE</i> weight (kg): <i>0.3163</i> weight (kg): <i>0.0511</i> weight (kg): <i>0.0885</i>			
P13.2*	Product plastic primary packaging is free from PVC.			
P13.3*	For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post consumer recovered fiber content: 65 %	it-		
P13.4*	Specify media for user and product documentation (tick box): Electronic, Paper, Other			
P13.5	(Please only complete this item if paper documentation used) User and product documentation on paper media is chlorine-free: If Yes, please specify:			
	Totally chlorine-free	\boxtimes		
	Elemental chlorine-free	Ħ		
	Processed chlorine-free	Ħ		
P14	Voluntary programs			
P14.1	The product meets the requirements of the following voluntary program(s):			
	ENERGY STAR® Criteria version: V7 Date: 2019/8/9 Product category: 1 Eco-label: EPEAT Criteria version: 1.0 Date: 2019/8/9 Product category: Eco-label: PCGL Criteria version: Date: 2019/8/9 Product category: Eco-label: TCO Criteria version: 8.0 Date: 2019/8/9 Product category: Prod			
P15	Additional information (See NOTE B10)			
P9	Energy consumption of specific configuration may vary; description of the tested product configurat			
	NOTE: Supplier makes no representations, guarantees, assurances or warranties whether express or implie information contained in this document. All information provided by supplier in this document is provided bas knowledge available at the time of completion, and supplier shall have no obligation to update such informati provided here is approximate and provided for informational purposes only. See a Lenovo Account Represeinformation.	ed on supp ion. The inf	lier's ormat	on
P9	See Energy Star Qualified Notebooks & Tablet Computers for the latest information: http://www.energystar.gov/index.cfm?fuseaction=find_a_product.showProductGroup&pgw_code=CO			

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	ThinkPad L13/L13 Yoga/S2 5 th Gen/S2 Yoga 5 th Gen	Logo	
Model Number	20R3, 20R4, 20R5, 20R6, 20R7, 20R8		Lonovo
Issue Date	2019/8/9		Lenovo
Additional information			

(d)	year of manufacture:				2019		
e)	Etec value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics cards (dGfx) are disabled and if the system is tested with switchable graphics mode with UMA driving the display.						
f)	Etec value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics cards (dGfx) are enable						
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)		
	Memory over base [GB]	27.0					
capability adjustments applied during testing	Additional internal storage	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)		
	Discrete television tuner	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)		
ability a lied du	Discrete Audio Card	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)		
сара	Discrete graphics Card(s) [number / #]	No #: (Yes / No)	#: (Yes / No)	#: (Yes / No)	#: (Yes / No)		
	Category of discrete graphics Card(s)						
sults	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)	31.8					
Test results	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled	N/A					
g)	Idle state power demand (Watts);				2.60		
h)	Sleep mode power demand (Watts);						
i)	Sleep mode with WOL enabled power demand (Watts) (where enabled);				0.77		
j)	Off mode power demand (Watts);						
k)	Off mode with WOL enabled power demand (Watts) (where enabled);						
l)	3.10						
	10% N/A 20% N/A 50% N/A 100% N/A Average N/A						
m)	external power supply efficiency (if applicable)*:						
	Average active efficiency: 65W: 88.48%	%,87.89%,88. <mark>12%,8</mark> 9.7	3%				
	*internal note: show values for all available external pr						
o)	Minimum number of loading cycles that the batteries can withstand (applies only to notebook computers): 300 cycles						
p-1)	Measurement methodology used to determine information mentioned in points (I) – internal PSU efficiency: NA						
(p-2)	Measurement methodology used to dete	external PSU efficiend	CV:				

Measurement methodology used to determine information mentioned in maximum, idle, sleep, off mode power as defined in Point P9.1 in the Product IT Eco Declaration:	(p-3)	 Measurement methodology used to determine information mentioned in points (o) – loading cycles batteries: EN 61960 measurement methodology 							
(r) Description of how sleep and/or off mode was selected or programmed: Based on user manual (s) Sequence of events required to reach the mode where the equipment automatically changes to sleep and/or off mode: Based on user manual (t) Duration of idle state condition before the computer automatically reaches sleep mode, or another condition which does not exceed the applicable power demand requirements for sleep mode (in minutes): 180 mins (u) Length of time after a period of user inactivity in which the computer automatically reaches a power mode that has a lower power demand requirement than sleep mode (in minutes): (v) Length of time before the display sleep mode is set to activate after user inactivity (in minutes): (v) Length of time before the display sleep mode is set to activate after user inactivity (in minutes): (v) Length of time before the display sleep mode is set to activate after user inactivity (in minutes): (v) Length of time before the display sleep mode is set to activate after user inactivity (in minutes): (v) Length of time before the display sleep mode is set to activate after user inactivity (in minutes): (v) Length of time before the display sleep mode is set to activate after user inactivity (in minutes): (v) Length of time before the display sleep mode is set to activate after user inactivity (in minutes): (v) Length of time before the display sleep mode is set to activate after user inactivity (in minutes): (v) Length of time before the display sleep mode is set to activate after user inactivity (in minutes): (v) Length of time before the display sleep mode is set to activate after user inactivity (in minutes): (v) Length of time before the display sleep mode is set to activate after user inactivity (in minutes): (v) Length of time before the display sleep mode is set to activate after user inactivity in minutes): (v) Length of time before the display sleep mode is set to activate after user inactivity (in minutes): (v) Length of time before the display sleep mod	(p-4)	power as defined in Point P9.1 in the Product IT Eco Declaration:							
(s) Sequence of events required to reach the mode where the equipment automatically changes to sleep and/or off mode: **Based on user manual** (t) Duration of idle state condition before the computer automatically reaches sleep mode, or another condition which does not exceed the applicable power demand requirements for sleep mode (in minutes): (u) Length of time after a period of user inactivity in which the computer automatically reaches a power mode that has a lower power demand requirement than sleep mode (in minutes): (v) Length of time before the display sleep mode is set to activate after user inactivity (in minutes): (v) Length of time before the display sleep mode is set to activate after user inactivity (in minutes): (v) Length of time before the display sleep mode is set to activate after user inactivity (in minutes): (v) Length of time before the display sleep mode is set to activate after user inactivity (in minutes): (v) Length of time before the display sleep mode is set to activate after user inactivity (in minutes): (v) Length of time before the display sleep mode is set to activate after user inactivity (in minutes): (v) Length of time before the display sleep mode is set to activate after user inactivity (in minutes): (v) Length of time before the display sleep mode is set to activate after user inactivity (in minutes): (v) Length of time before the display sleep mode is set to activate after user inactivity (in minutes): (v) Length of time after a period of user inactivity in which the computer automatically reaches a power manual user manual (x) user information on how to enable the power management functionality: Based on user manual (z) test parameters for measurements:— test voltage in V and frequency in Hz, — total harmonic distortion of the electricity supply system, — information on the instrumentation, set-up and circuits used for electrical testing: 230V, 50GHz, Total Harmonic Distortion <2 % Additional Notebook Battery Information: Description Description D	(q)								
(t) Duration of idle state condition before the computer automatically reaches sleep mode, or another condition which does not exceed the applicable power demand requirements for sleep mode (in minutes): (u) Length of time after a period of user inactivity in which the computer automatically reaches a power mode that has a lower power demand requirement than sleep mode (in minutes): (v) Length of time before the display sleep mode is set to activate after user inactivity (in minutes): (v) Length of time before the display sleep mode is set to activate after user inactivity (in minutes): (v) Length of time before the display sleep mode is set to activate after user inactivity (in minutes): (v) Length of time before the display sleep mode is set to activate after user inactivity (in minutes): (v) Length of time before the display sleep mode is set to activate after user inactivity (in minutes): (v) Length of time before the display sleep mode is set to activate after user inactivity (in minutes): (v) Length of time before the display sleep mode is set to activate after user inactivity (in minutes): (v) Length of time before the display sleep mode is set to activate after user inactivity (in minutes): (v) Length of time before the display sleep mode is set to activate after user inactivity (in minutes): (v) Length of time before the display sleep mode is set to activate after user inactivity (in minutes): (v) Length of time before the display sleep mode is set to activate after user inactivity (in minutes): (v) Length of time before the display sleep mode is set to activate after user inactivity (in minutes): (v) Length of time before the display sleep mode is set to activate after user inactivity (in minutes): (v) Length of time before the display sleep mode is set to activate after user inactivity (in minutes): (v) Length of time before the display sleep mode is set to activate after user inactivity (in minutes): (v) Length of time before the display sleep mode in activate user inactivate user i	(r)								
condition which does not exceed the applicable power demand requirements for sleep mode (in minutes): (u) Length of time after a period of user inactivity in which the computer automatically reaches a power mode that has a lower power demand requirement than sleep mode (in minutes): (v) Length of time before the display sleep mode is set to activate after user inactivity (in minutes): (v) Length of time before the display sleep mode is set to activate after user inactivity (in minutes): (v) Length of time before the display sleep mode is set to activate after user inactivity (in minutes): (v) Length of time before the display sleep mode is set to activate after user inactivity (in minutes): (v) Length of time before the display sleep mode is set to activate after user inactivity (in minutes): (v) Length of time before the display sleep mode is set to activate after user inactivity (in minutes): (v) Length of time before the display sleep mode is set to activate after user inactivity (in minutes): (v) Length of time before the display sleep mode is set to activate after user inactivity (in minutes): (v) Length of time before the display sleep mode is set to activate after user inactivity (in minutes): (v) Length of time before the display sleep mode is set to activate after user inactivity (in minutes): (v) Length of time before the display sleep mode is set to activate after user inactivity (in minutes): (v) Length of time before the display sleep mode is set to activate after user inactivity (in minutes): (z) Length of time before the display sleep mode is set to activate after user inactivity (in minutes): (z) Length of time before the display sleep mode is set to activate after user inactivity (in minutes): (z) Length of time before the display sleep mode is set to activate after user inactivity (in minutes): 10 mins (x) Length of time before the display sleep mode in set of activate after user inactivity (in minutes): 10 mins (x) Length of time before the display sleep mode in set of act	(s)	off mode:							
mode that has a lower power demand requirement than sleep mode (in minutes): (v) Length of time before the display sleep mode is set to activate after user inactivity (in minutes): (w) Information on the energy-saving potential of power management functionality: **Based on user manual** (x) user information on how to enable the power management functionality: **Based on user manual** (z) test parameters for measurements: — test voltage in V and frequency in Hz, — total harmonic distortion of the electricity supply system, — information and documentation on the instrumentation, set-up and circuits used for electrical testing: **230V, 50GHz, Total Harmonic Distortion <2 %** **Additional Notebook Battery Information:** Battery[ies] not user replaceable The battery[ies] in this product cannot be easily replaceable by users themselves. 1)		condition which does not exceed the applicable power demand requirements for sleep mode (in minutes):							
(v) Length of time before the display sleep mode is set to activate after user inactivity (in minutes): (w) Information on the energy-saving potential of power management functionality: Based on user manual (x) user information on how to enable the power management functionality: Based on user manual (z) test parameters for measurements: — test voltage in V and frequency in Hz, — total harmonic distortion of the electricity supply system, — information and documentation on the instrumentation, set-up and circuits used for electrical testing: 230V, 50GHz, Total Harmonic Distortion <2 % Additional Notebook Battery Information: Battery[ies] not user replaceable The battery[ies] in this product cannot be easily replaced by users themselves. 1) Internal/built-in Battery External/detachable Battery Bios Backup Battery Other: Contact Additional Notebook Battery Cother: Cother: Diagram Anagement functionality: Based on user manual And frequency in Hz, — total harmonic distortion of the electrical testing: Based on user manual Ba	(u)								
(x) user information on how to enable the power management functionality: **Based on user manual** (z) test parameters for measurements: — test voltage in V and frequency in Hz, — total harmonic distortion of the electricity supply system, — information and documentation on the instrumentation, set-up and circuits used for electrical testing: **230V, 50GHz, Total Harmonic Distortion <2 %* **Additional Notebook Battery Information:** Battery[ies] **not** user replaceable** The battery[ies] **in this product cannot be easily replaced by users themselves. 1)* Internal/built-in Battery External/detachable Battery Bios Backup Battery Other: Other: **Internal functionality: **Based on user manual** **Internal functionality: **Based on user manual** **Based on user manual** **Internal functionality: **Based on user manual** **Based on user manual*	(v)								
test parameters for measurements: — test voltage in V and frequency in Hz, — total harmonic distortion of the electricity supply system, — information and documentation on the instrumentation, set-up and circuits used for electrical testing: 230V, 50GHz, Total Harmonic Distortion <2 % Additional Notebook Battery Information: Battery[ies] not user replaceable The battery[ies] in this product cannot be easily replaced by users themselves. 1) Internal/built-in Battery External/detachable Battery Other: Other:	(w)	Information on the energy-saving potential of power management functionality:							
electricity supply system, — information and documentation on the instrumentation, set-up and circuits used for electrical testing: 230V, 50GHz, Total Harmonic Distortion <2 % Additional Notebook Battery Information: Battery[ies] not user replaceable The battery[ies] in this product cannot be easily replaced by users themselves. 1) Internal/built-in Battery External/detachable Battery Bios Backup Battery Other:	(x)								
Battery[ies] not user replaceable The battery[ies] in this product cannot be easily replaced by users themselves. 1) Internal/built-in Battery External/detachable Battery Bios Backup Battery Other: Battery[ies] user replaceable n/a Interval/built-in Battery Internal/built-in Battery Interval/built-in Battery	(z)	electricity supply system, — information and documentation on the instrumentation, set-up and circuits used for electrical testing:							
The battery[ies] in this product cannot be easily replaced by users themselves. 1) Internal/built-in Battery External/detachable Battery Bios Backup Battery Other:	Additio	onal Notebook Batter	y Information:						
External/detachable Battery			The battery[ies] in this product cannot be easily	Battery[ies] user replaceable	n/a				
Bios Backup Battery	Internal/built-in Battery								
Other:	External/detachable Battery								
	Bios Backup Battery								
Additional information	Other:								
	Additio	nal information							
e batterv(ies) in this product cannot be easily replaced by users themselves)								

Акумулаторната[ите] батерия[и] в този продукт не може да се замени[ят] лесно от самите потребители.

Las baterías de este producto no pueden ser sustituidas fácilmente por los propios usuarios.

Výměnu baterie/baterií v tomto výrobku by neměli provádět sami užívatelé. Brugeren kan ikke uden videre udskifte batteriet/batterierne i dette produkt.

Der Akku/die Akkus dieses Produkts kann/können nicht ohne weiteres vom Benutzer selbst ausgetauscht werden. Kasutajad ei saa selle toote akut/akusid ise hõlpsasti asendada.

Τασυία μα στο προϊόν αυτό δεν μπορούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες La/les batterie(s présente(s) dans ce produit ne peuvent être facilement remplacée(s) par les utilisateurs eux-mêmes. Korisnik ne može lako zamijeniti Bateriju sam u ovom proizvodu.

La batteria/le batterie in questo prodotto non può/possono essere facilmente sostituita/e dall'utente.

Ļietotāji paši nevar nomainīt šā ražojuma akumulatoru(-us).

Lietotaji pasi nevar normální sa razojunia akuminatoru(-us). Šio gaminio baterijos [bateriju] pats vartotojas negali lengvai pakeisti. A termék akkumulátorát/akkumulátorait a felhasználó nem tudja egyedül egyszerűen kicserélni.

II-batterija/batteriji f'dan iI-prodott ma tistav/jistgħux tiġi/jiġu sostitwita/i mill-utenti stess. Batteriet [ene] i dette produktet kan ikke lett erstattes av brukerne selv. De batterij(en) in dit product is (zijn) door de gebruiker niet gemakkelijk vervangbaar.

Użytkownik nie może sam w latwy sposób wymienić baterii w tym produkcie.
A ou as baterias deste produto não podem ser facilmente substituídas pelos próprios utilizadores.
Bateria (bateriile) din acest produs nu poate (pot) fi ușor înlocuită (înlocuite) de utilizatorii înșiși.

Batériu(-ie) v tomto výrobku nemôže vymieňať používateľ.

Baterij/baterije v tem izdelku uporabniki sami ne morejo zlahka zamenjati. Tämän tuotteen akku [akut] ei[vät] ole helposti käyttäjän vaihdettavissa.

Det är inte enkelt för kunden att själv byta ut batteriet/batterierna. Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.