



Product environmental attributes - THE ECO DECLARATION

Brand *	ThinkPad	Logo
Company name *	Lenovo	_
Contact information *	Alvin L Carter	
	1009 Think Place	lenovo
	Building 2 / 5J3	
	Morrisville, North Carolina 27560	
	alcarter@lenovo.com	
Internet site *	www.pc.ibm.com/ww/lenovo/about/environment	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.			
Type of product *	Portable PC		
Commercial name *	ThinkPad R400		
Model number *	M/T: 7443/7438/7445/7439/7440/7446/7447		
Issue date *	2008, July 15		
Intended market *	☑ Global ☐ Europe ☐ Japan ☐ U.S. ☐ Other		
Additional information	ENERGY STAR® 4.0 Qualified; EPEAT Gold Rating		

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

The declaration may be published only when all rows and/or fields marked with a * are filled-in (n.a. for not applicable).

Quality C	Control Requirement met		
Item	Additional information regarding each item may be found under P14.	Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	\boxtimes	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org).	\boxtimes	

Model number *	ThinkPad R400 M/T: 7443/7438/7445/7439/7440/7446/744	47	
Issue date *	2008, July 15	Logo	lenovo

	nvironmental attributes - Legal requirements Requirement met			
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain lead, cadmium, mercury, hexavalent chromium, polybrominated biphenyl (PBB) and polybrominated diphenyl ether (PBDE) as specified in <i>EU 2002/95/EC and its amendments</i>			
P1.2*	Products do not contain Asbestos (EU 76/769/EEC, amendment 1999/77/EC)	\boxtimes		
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (<i>EU : Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000</i>)			
P1.4*	Products do not contain polychlorinated biphenyl (PCB), polychlorinated terphenyl (PCT), (EU 76/769/EEC)	\boxtimes		
P1.5*	Products do not contain short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP as specified in <i>Norwegian regulation relating to restrictions</i> on the use of certain dangerous chemicals 20.12.2002			
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (EU 76/769/EEC)			
P1.7*	Textile and leather parts with direct skin contact do not contain Azo colourants that split aromatic amines as specified in EU 76/769/EEC, amendment 2003/3/EC			
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (EU 76/769/EEC)			\boxtimes
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations higher than specified in 76/769/EEC, amendment 94/27/EEC			
P2	Batteries			
P2.1*	If hazardous batteries (as defined in 91/157/EEC) are used in the product they are easily removable and labelled with the disposal and the substance logo (as defined in 91/157/EEC, 93/86/EEC)			
P2.2*	If batteries are used in the product they do not contain mercury in concentrations higher than specified in 91/157/EEC			
P2.3*	If batteries are permanently installed in the product, information on the environmentally hazardous substances and safe removal method is listed in the user manual (91/157/EEC)			
P3	Electrical safety, EMC and connection to the telephone network			
P3.1*	The product meets the Low Voltage Directive (LVD) regarding electrical safety (73/23/EEC & 93/68/EEC)	\boxtimes		
P3.2*	The product meets the EMC Directive regarding electromagnetic compatibility (89/336/EEC / 2004/108/EEC after June, 20 th 2007			
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it meets the EU R&TTE Directive (1999/5/EC)	\boxtimes		
P3.4*	The product is CE-marked and a Declaration of Conformity is available (93/68/EEC)	\boxtimes		
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium in concentrations higher than specified in (76/769/EEC and 91/338/EEC)			
P4.2*	If ink/toner is used in the product, it does not contain cadmium in concentrations higher than specified in (76/769/EEC and 91/338/EEC)			
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to EU Directive 1999/45/EC, and as amended, the product/packaging is labelled and a Material Safety Data Sheet (MSDS) in accordance with (99/45/EC & 2001/58/EC) is available.			
P5	Product packaging			
P5.1*	The sum of the concentration levels of lead, cadmium, mercury, and hexavalent chromium present in packaging or packaging components does not exceed 0,01% by weight (94/62/EC).			_
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043.(97/129/EEC)	\boxtimes		
P5.3*	The product packaging material is free from CFC/HCFC.			
P6 1*	Treatment information			
P6.1*	Information for recyclers/treatment facilities (e.g. as requested by 2002/96/EC) is available.	\boxtimes		

Model number *	ThinkPad R400 M/T: 7443/7438/7445/7439/7440/7446/74	47	
Issue date *	2008, July 15	Logo	lenovo

Product environmental attributes - Market requirements - Environmental conscious design Requirement met							
Item	*=mandatory to f		ation regarding each item may be found under P14.	Yes	No	n.a.	
P7	Design Disassembly, re		, , , , , , , , , , , , , , , , , , ,				
P7.1*	Parts that have to	be treated separately	are easily separable	\boxtimes			
P7.2*	Plastic materials	lastic materials in covers/housing have no surface coating.					
P7.3*	Plastic parts >10	0g consist of one mate	rial or of easily separable materials.	\boxtimes			
P7.4*	Plastic parts >25	g have material codes	according to ISO 11469 referring ISO 1043.	\boxtimes	\blacksquare		
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.				T		
P7.6*	Labels are easily	separable. (This requi	rement does not apply to safety/regulatory labels).		T	T	
	Product lifetime						
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives						
P7.8*	Upgrading can be	e done using commonl	y available tools	\boxtimes			
P7.9.	Spare parts are a	available after end of pr	roduction for: 5 years				
P7.10	Service is availab	ole after end of product	ion for: 5 years				
	Material and sul	bstance requirements					
P7.11*		using material type:					
D7.40*	Material type: PA		Material type: PC+ABS Material type:				
P7.12*			wer cables are halogen free (including PVC)	<u> </u>			
P7.13*			gnal cables are halogen free (including PVC)				
P7.14		plastic parts >25g are			Щ		
P7.15	•	, .	onents) >25g are halogen free		\boxtimes		
P7.16	PA-CF20: FR(52): Red Phosphorus+I	ants in cover / housing plastic parts >25g according ISO 1043-4: FR(61): Magnesium hydroxide nic phosphorus compounds				
P7.17	Chemical specific	cations of flame retarda	ants in printed circuit boards (without components) >25g according				
P7.18	Weight of recycle	ed material in plastic pa					
P7.19	Plastic parts >25g are free from flame retardant substances/preparations above 0.1% classified as R45/46, S50/51/53 and R60/61 (67/548/EEC)						
P7.20	Light sources are free from mercury If mercury is used specify: Number of lamps: 1 and max. mercury content per lamp: 3 mg						
P8.1*	Broduct does not	contain batteries defin	ned as hazardous according to 91/157/EEC		_		
P8.2*			Ion/Lithium Manganese Dioxide				
P8.3							
			following voluntary program/s:	_	-		
P9 9.1	Energy consum		els or energy consumptions have been measured:				
Mode	Power level at * 230 Volts	Time (s) to <mode></mode>	Mode description	Referen		n.a.	
On-max	90 W		* Full load	*See P1	4		
On-	* W	to	*	*			
normal							
On-idle	19.1 W	to	* Idle State (Category B) for Energy Star V4	*See P1			
Save 1	* 1.79 W	to	* Sleep w/ WOL Enable for Energy Star V4	*See P1			
Save 2	1.31 W	to	* Sleep w/ WOL Disable for Energy Star V4	*See P14			
Off 1	* 0.87 W	to	* Standby (Off Mode) w/ WOL Enable for Energy Star V4	*See P1	4		
Off 2	W	to	*	*			
No load	* W		External power supplies/charger plugged in but disconnected from the product	*See P1	4		
TEC		y Typical Energy Cons		*	_		
P9.2*		• • • • • • • • • • • • • • • • • • • •	tion is provided with the product.	\boxtimes			
P9.3	ENERGY STAR	® MOU Version 4.0 da	ents of the following voluntary program/s: ated July 20, 2007 of External Power Supplies, max 0.5W at no load				

Model number *	ThinkPad R400 M/T: 7443/7438/7445/7439/7440/7446/744	47	
Issue date *	2008, July 15	Logo	lenovo

Product 6	environmental att	ributes - Market requirements (continue	d) Requirement n	net			
Item		ill in. Additional information regarding each			Yes No	n.a.	
P10	Emissions						
	Noise emission – Declared according to ISO 9296						
D40.4	Maria	Made deservation	Dealeasi	De desert A	ala ta d		
P10.1	Mode Mode description Declared A-weighted Declared A-weighted A-weighted sound pressure level L _{pAm} (dB)						
			sound power		stander positions	-	
			level L _{WAd} (B)				
					y if product is not		
				or Deskside op	perator attended)		
	Idle	* HDD: Idle, Fan: Optimize Speed	* 3.7	31.4			
	Operation	* HDD: Operating, Fan: Optimize	* 3.9	39.7			
	opo.ao	Speed					
	Other mode						
	Measured accord	ding to: X ISO 7779					
			d by ECMA-74 wit	h L _{pAm} measurement distanc	ce m)		
P10.2	The product mee	ets the acoustic noise requirements of the fo					
	Chemical emiss	sions from printing products					
P10.3*	Test performed a	according to ECMA-328 standard, other	specify:			\boxtimes	
	The test covers:	Dust Ozone Styrene	Benzene	TVOC			
P10.4	The product mee	ets the chemical emission requirements of the	ne following volunt	ary program/s:		X	
	Electromagnetic emissions						
P10.5	Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary program/s: MPR-II						
P11	Consumable materials for printing products						
P11.1*	(see P4.3).						
P11.2*	Paper containing recycled fibres that meets the requirements of EN12281 can be used.						
P11.3*	2-sided (duplex) printing/copying is an integrated product function.						
P12	Ergonomics for computing products The computer system mosts the organism requirements of EN 20241.3. 7. 8 for CPT displays						
P12.1*	The computer system meets the ergonomic requirements of EN 29241-3, -7, -8 for CRT displays and EN-ISO13406-2 for flat panel displays. See P14						
P12.2*	The product keyl	poard meets the requirements of ISO 9995	and EN 29241-4.				
P12.3*	The computer in	out device meets the requirements of ISO 9	241-9.				
P13	Packaging and						
P13.1*		ng material type(s): Corrugated cardboard				Ш	
		ng material type(s): <i>Polystyrene</i> ng material type(s):	weight (kg): 0 weight (kg):	.006			
P13.2*		ackaging is halogen free (including PVC)			\square		
P13.3*	User and produc	t documentation do not contain chlorine ble	ached paper			$\overline{\Box}$	
P13.4*	User and product documentation contain recycled paper					$\overline{\Box}$	
P14	Additional infor	mation					
		er makes no representations, guarantees, as					
	information contained in this document. All information provided by supplier in this document is provided based on supplier's knowledge available at the time of completion, and supplier shall have no obligation to update such information. The information						
	provided here is approximate and provided for informational purposes only. See a Lenovo Account Representative for more						
D7.47	information.						
P7.17 P9.1	Product does not Lenovo Internal	ot contain free TBBPA in printed circuit l	poards(without c	omponents)>25g.			
P9.1 P12.1		standard uned to meet the subject ISO Standard 1.	3406-2 but is no	t confirmed through forms	l test methods		

NOTE

Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.