



## Product environmental attributes - THE ECO DECLARATION

Brand *	ThinkPad	Logo
Company name *	Lenovo	_
Contact information *	Alvin L Carter	
	1009 Think Place	lenovo
	Building 2 / 5J3	
	Morrisville, North Carolina 27560	
	alcarter@lenovo.com	
Internet site *	www.pc.ibm.com/ww/lenovo/about/environment	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.			
Type of product *	Portable PC		
Commercial name *	ThinkPad R500		
Model number *	M/T: 2713/2714/2716/2717/2718/2719/2720		
Issue date *	2008, August 5		
Intended market *	☑ Global   Europe   Japan   U.S.   Other		
Additional information	ENERGY STAR® 4.0 Qualified; EPEAT Silver Rating		

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

The declaration may be published only when all rows and/or fields marked with a \* are filled-in (n.a. for not applicable).

<b>Quality C</b>	ontrol Requirement met		
Item	Additional information regarding each item may be found under P14.	Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	$\boxtimes$	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org).		

Model number *	ThinkPad R500 M/T:		
	2713/2714/2716/2717/2718/2719/2720		
Issue date *	2008, August 5	Logo	lenovo

Product e	environmental attributes - Legal requirements Requirement met			
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain lead, cadmium, mercury, hexavalent chromium, polybrominated biphenyl (PBB) and polybrominated diphenyl ether (PBDE) as specified in <i>EU 2002/95/EC and its amendments</i>			
P1.2*	Products do not contain Asbestos (EU 76/769/EEC, amendment 1999/77/EC)	$\boxtimes$		
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide ( <i>EU : Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000</i> )			
P1.4*	Products do not contain polychlorinated biphenyl (PCB), polychlorinated terphenyl (PCT), (EU 76/769/EEC)	$\boxtimes$		
P1.5*	Products do not contain short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP as specified in <i>Norwegian regulation relating to restrictions</i> on the use of certain dangerous chemicals 20.12.2002			
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (EU 76/769/EEC)			
P1.7*	Textile and leather parts with direct skin contact do not contain Azo colourants that split aromatic amines as specified in <i>EU 76/769/EEC, amendment 2003/3/EC</i>			$\boxtimes$
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (EU 76/769/EEC)			$\boxtimes$
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations higher than specified in 76/769/EEC, amendment 94/27/EEC			
P2	Batteries			
P2.1*	If hazardous batteries (as defined in 91/157/EEC) are used in the product they are easily removable and labelled with the disposal and the substance logo (as defined in 91/157/EEC, 93/86/EEC)			
P2.2*	If batteries are used in the product they do not contain mercury in concentrations higher than specified in 91/157/EEC			
P2.3*	If batteries are permanently installed in the product, information on the environmentally hazardous substances and safe removal method is listed in the user manual (91/157/EEC)			$\boxtimes$
P3	Electrical safety, EMC and connection to the telephone network			
P3.1*	The product meets the Low Voltage Directive (LVD) regarding electrical safety (73/23/EEC & 93/68/EEC)	$\boxtimes$		
P3.2*	The product meets the EMC Directive regarding electromagnetic compatibility (89/336/EEC / 2004/108/EEC after June, 20 <sup>th</sup> 2007	$\boxtimes$		
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it meets the EU R&TTE Directive (1999/5/EC)	$\boxtimes$		
P3.4*	The product is CE-marked and a Declaration of Conformity is available (93/68/EEC)	$\square$		
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium in concentrations higher than specified in (76/769/EEC and 91/338/EEC)			$\boxtimes$
P4.2*	If ink/toner is used in the product, it does not contain cadmium in concentrations higher than specified in (76/769/EEC and 91/338/EEC)			
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to EU Directive 1999/45/EC, and as amended, the product/packaging is labelled and a Material Safety Data Sheet (MSDS) in accordance with (99/45/EC & 2001/58/EC) is available.			
P5	Product packaging			
P5.1*	The sum of the concentration levels of lead, cadmium, mercury, and hexavalent chromium present in packaging or packaging components does not exceed 0,01% by weight (94/62/EC).	$\boxtimes$		
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043.(97/129/EEC)	$\boxtimes$		
P5.3*	The product packaging material is free from CFC/HCFC.			
P6	Treatment information			
P6.1*	Information for recyclers/treatment facilities (e.g. as requested by 2002/96/EC) is available.	$\boxtimes$		

Model number *	ThinkPad R500 M/T:		
	2713/2714/2716/2717/2718/2719/2720		
Issue date *	2008, August 5	Logo	lenovo

Product environmental attributes - Market requirements - Environmental conscious design Requirement met						
Item	*=mandatory to f	ill in. Additional informa	ation regarding each item may be found under P14.	Yes	No	n.a.
P7	Design Disassembly, re	cycling				
P7.1*	Parts that have to be treated separately are easily separable					
P7.2*	Plastic materials	in covers/housing have	e no surface coating.			T
P7.3*	Plastic parts >10	Og consist of one mate	rial or of easily separable materials.			T
P7.4*	Plastic parts >25	g have material codes	according to ISO 11469 referring ISO 1043.		Ī	$\overline{\Box}$
P7.5	Plastic parts are	free from metal inlays of	or have inlays that can be removed with commonly available tools.			T
P7.6*	Labels are easily	separable. (This requi	rement does not apply to safety/regulatory labels).		$\overline{\Box}$	Ħ
	Product lifetime	!				
P7.7*	Upgrading can be	e done e.g. with proces	ssor, memory, cards or drives	$\boxtimes$		
P7.8*	Upgrading can be	e done using commonly	y available tools	$\boxtimes$		
P7.9.	Spare parts are a	available after end of pr	roduction for: 5 years			
P7.10	Service is availab	ole after end of product	ion for: 5 years			
		ostance requirements	3			
P7.11*		using material type:	Material from a Material from a			
P7.12*	Material type: PC		Material type: Material type: wer cables are halogen free (including PVC)			_
P7.12*			gnal cables are halogen free (including PVC)		$\boxtimes$	+
P7.14		plastic parts >25g are			<u> </u>	╫
P7.14			onents) >25g are halogen free			╬
P7.16			ants in cover / housing plastic parts >25g according ISO 1043-4:			#
	ISO FR(40): Hale	ogen-free organic pho	osphorus compounds			
P7.17	ISO 1043-4: Bro	minated Epoxy Resin				
P7.18		ed material in plastic pa		<u> </u>		
P7.19	Plastic parts >25g are free from flame retardant substances/preparations above 0.1% classified as R45/46, R50/51/53 and R60/61 (67/548/EEC)					
P7.20	Light sources are free from mercury  If mercury is used specify: Number of lamps: 1 and max. mercury content per lamp: 3 mg					
P8	Batteries	and the ball of an definition	- de- bereit de la constitución de 04/457/550	<u> </u>	_	
P8.1*			ned as hazardous according to 91/157/EEC			
P8.2*			lon, Lithium Manganese Dioxide			
P8.3		•	following voluntary program/s:			
<b>P9</b> 9.1	Energy consum		els or energy consumptions have been measured:			
Mode	Power level at	Time (s) to <mode></mode>	Mode description	Referen	ce/	n.a.
	* <b>230</b> Volts	,	•	Standard		
On-max	90 W		* Full load	*See P1	4	
On- normal	* W	to		•		Ш
On-idle	12.41 W	to	* Idle State (Category A) for Energy Star V4	*See P1	4	
Save 1	* <b>2.05</b> W	to	* Sleep w/ WOL Enable for Energy Star V4	*See P1	4	
Save 2	W	to	*	*		$\overline{}$
Off 1	* 1.51 W	to	* Stanby (Off Mode) w/ WOL Enable for Energy Star V4	*See P1	4	$\dashv$
Off 2	W	to	*	*		+
No load	* <b>0.40</b> W		External power supplies/charger plugged in but disconnected	*See P1	4	
TEC	* k\Wh/v 7	Гурісаl Energy Consum	from the product	*		$\square$
P9.2*		,, ,,	tion is provided with the product.			
P9.3	The product meets the energy requirements of the following voluntary program/s:  ENERGY STAR® MOU V3  Others specify: EU Energy Efficiency of External Power Supplies, max 0.5W at no load					

Model number *	ThinkPad R500 M/T: 2713/2714/2716/2717/2718/2719/2720		
Issue date *	2008, August 5	Logo	lenovo

Droduct	anvironmental att	tributos Market requirements (continue	d) Poquiroment n	204		
Item		tributes - Market requirements (continue fill in. Additional information regarding each			Yes No	n.a.
P10	Emissions	The first transfer in the first transfer regarding each	nominay be reame	- diadir i ii	100 110	ma.
	Noise emission	- Declared according to ISO 9296				
P10.1	Mode Mode description Declared Declared A-weighted					
	A-weighted sound pressure level L <sub>pAm</sub> (dB)					
	sound power level L <sub>WAd</sub> (B) Operator position Bystander po				Bystander positions	
				Desktop 🛛	(only if product is not	
				or Deskside	operator attended)	
	Idle	*HDD: Idle, Fan: Optimize Speed	* 3.45		32.5	
	Operation	* HDD: Operating, Fan: Optimize	* 3.50		32.5	┪╓╸╵
		Speed				
	Other mode					
	N4	# No. 14 No. 2770 No. 24				-
	Measured accord		d by FCMA 74 with	a l magaurament d	diatanaa ma)	
P10.2	The product may	Other (only if not covere ets the acoustic noise requirements of the fo		n L <sub>pAm</sub> measurement d	distance m)	
1 10.2	·	sions from printing products	ollowing voluntary p	orogram/s.		
P10.3*			specify:			
	The test covers:			TVOC 🗆		
P10.4						$\boxtimes$
	The product meets the chemical emission requirements of the following voluntary program/s:					
P10.5	Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary					
	program/s: MPR-II					
P11	Consumable materials for printing products					
P11.1*	(see P4.3).					
P11.2*						$\boxtimes$
P11.3*	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \					
P12	Ergonomics for computing products  The computer system meets the ergonomic requirements of EN 29241-3, -7, -8 for CRT displays					
P12.1*		stem meets the ergonomic requirements of 06-2 for flat panel displays. <b>See P14</b>	TEN 29241-3, -7, -	8 for CRT displays		Ш
P12.2*		board meets the requirements of ISO 9995	and EN 29241-4.		$\square$	
P12.3*	The computer in	put device meets the requirements of ISO 9	9241-9.			Ħ
P13	Packaging and	documentation				
P13.1*		ng material type(s): Corrugated cardboard				
		ng material type(s): <i>Polystyrene</i>	weight (kg):			
P13.2*		ng material type(s): <b>Polyethylene</b> backaging is halogen free (including PVC)	weight (kg): 0	.003		
P13.3*						$\dashv$
P13.4*	User and product documentation do not contain chlorine bleached paper  User and product documentation contain recycled paper					$\dashv$
P14	Additional infor					
		er makes no representations, guarantees, a	ssurances or warra	anties whether expres	s or implied, regarding t	he
		ained in this document. All information prov				
		able at the time of completion, and supplier approximate and provided for informational				
	information.	approximate and provided for informational	i puiposes only. St	e a Lenovo Account r	zebiesemanke ini iliole	
P7.17	Product does n	ot contain free TBBPA in printed circuit	boards(without c	omponents)>25g.		
P9.1	Lenovo Interna					
P12.1	Product is desi	gned to meet the subject ISO Standard 1	3406-2. but is not	t confirmed through :	formal test methods.	

NOTE
Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.