



Product environmental attributes - THE ECO DECLARATION

Brand *	ThinkPad	Logo
Company name *	Lenovo	_
Contact information *	Alvin L Carter	
	1009 Think Place	lenovo
	Building 2 / 5J3	
	Morrisville, North Carolina 27560	
	alcarter@lenovo.com	
Internet site *	www.pc.ibm.com/ww/lenovo/about/environment	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	Portable PC			
Commercial name *	Commercial name * ThinkPad R500			
Model number *	M/T: 2731/2732/2733/2734/2735/2736/2737			
Issue date *	2008, August 5			
Intended market *	☐ Global ☐ Europe ☐ Japan ☐ U.S. ☐ Other			
Additional information	ENERGY STAR® 4.0 Qualified; EPEAT Silver Rating			

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

The declaration may be published only when all rows and/or fields marked with a * are filled-in (n.a. for not applicable).

Quality C	control Requirement met		
Item	Additional information regarding each item may be found under P14.	Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	\boxtimes	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org).		

Model number *	ThinkPad R500 M/T:		
	2731/2732/2733/2734/2735/2736/2737		
Issue date *	2008, August 5	Logo	100000
			lenovo

Product environmental attributes - Legal requirements Requirement met							
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.			
P1	Hazardous substances and preparations						
P1.1*	Products do not contain lead, cadmium, mercury, hexavalent chromium, polybrominated biphenyl (PBB) and polybrominated diphenyl ether (PBDE) as specified in <i>EU 2002/95/EC and its amendments</i>						
P1.2*	Products do not contain Asbestos (EU 76/769/EEC, amendment 1999/77/EC)	\boxtimes					
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (<i>EU : Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000</i>)						
P1.4*	Products do not contain polychlorinated biphenyl (PCB), polychlorinated terphenyl (PCT), (EU 76/769/EEC)	\boxtimes					
P1.5*	Products do not contain short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP as specified in <i>Norwegian regulation relating to restrictions</i> on the use of certain dangerous chemicals 20.12.2002						
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (EU 76/769/EEC)						
P1.7*	Textile and leather parts with direct skin contact do not contain Azo colourants that split aromatic amines as specified in EU 76/769/EEC, amendment 2003/3/EC						
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (EU 76/769/EEC)						
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations higher than specified in 76/769/EEC, amendment 94/27/EEC						
P2	Batteries						
P2.1*	If hazardous batteries (as defined in 91/157/EEC) are used in the product they are easily removable and labelled with the disposal and the substance logo (as defined in 91/157/EEC, 93/86/EEC)						
P2.2*	If batteries are used in the product they do not contain mercury in concentrations higher than specified in 91/157/EEC						
P2.3*	If batteries are permanently installed in the product, information on the environmentally hazardous substances and safe removal method is listed in the user manual (91/157/EEC)						
P3	Electrical safety, EMC and connection to the telephone network						
P3.1*	The product meets the Low Voltage Directive (LVD) regarding electrical safety (73/23/EEC & 93/68/EEC)	\boxtimes					
P3.2*	The product meets the EMC Directive regarding electromagnetic compatibility (89/336/EEC / 2004/108/EEC after June, 20 th 2007						
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it meets the EU R&TTE Directive (1999/5/EC)	\boxtimes					
P3.4*	The product is CE-marked and a Declaration of Conformity is available (93/68/EEC)	\boxtimes					
P4	Consumable materials						
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium in concentrations higher than specified in (76/769/EEC and 91/338/EEC)						
P4.2*	If ink/toner is used in the product, it does not contain cadmium in concentrations higher than specified in (76/769/EEC and 91/338/EEC)						
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to EU Directive 1999/45/EC, and as amended, the product/packaging is labelled and a Material Safety Data Sheet (MSDS) in accordance with (99/45/EC & 2001/58/EC) is available.						
P5	Product packaging						
P5.1*	The sum of the concentration levels of lead, cadmium, mercury, and hexavalent chromium present in packaging or packaging components does not exceed 0,01% by weight (94/62/EC).						
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043.(97/129/EEC)	\boxtimes					
P5.3*	The product packaging material is free from CFC/HCFC.						
P6	Treatment information	<u> </u>					
P6.1*	Information for recyclers/treatment facilities (e.g. as requested by 2002/96/EC) is available.	\boxtimes					

	ThinkPad R500 M/T: 2731/2732/2733/2734/2735/2736/2737		
Issue date *	2008, August 5	Logo	lenovo

Product environmental attributes - Market requirements - Environmental conscious design Requirement met							
Item	*=mandatory to f	ill in. Additional informa	ition regarding each item may be found under P14.	Yes	No	n.a.	
P7	Design Disassembly, re	cycling					
P7.1*	Parts that have to be treated separately are easily separable						
P7.2*	Plastic materials	in covers/housing have	e no surface coating.	\boxtimes			
P7.3*	Plastic parts >100g consist of one material or of easily separable materials.			\boxtimes			
P7.4*	Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043.			\boxtimes			
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.			X			
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).					$\overline{\Box}$	
	Product lifetime						
P7.7*	Upgrading can be	e done e.g. with proces	ssor, memory, cards or drives	\boxtimes			
P7.8*		e done using commonly		\boxtimes			
P7.9.	Spare parts are a	available after end of pr	oduction for: 5 years				
P7.10	Service is availab	ole after end of product	ion for: 5 years				
		ostance requirements					
P7.11*		using material type:	Material time.				
P7.12*	Material type: PC		Material type: Material type: wer cables are halogen free (including PVC)		\boxtimes		
P7.13*			gnal cables are halogen free (including PVC)		\square	+	
P7.14		plastic parts >25g are				∺	
P7.15			onents) >25g are halogen free			-	
P7.16			ants in cover / housing plastic parts >25g according ISO 1043-4:		\boxtimes	╬	
	ISO FR(40): Hale	ogen-free organic pho	osphorus compounds				
P7.17	ISO 1043-4: Bro	minated Epoxy Resin					
P7.18		ed material in plastic pa					
P7.19	Plastic parts >25g are free from flame retardant substances/preparations above 0.1% classified as R45/46, R50/51/53 and R60/61 (67/548/EEC)						
P7.20	Light sources are free from mercury If mercury is used specify: Number of lamps: 1 and max. mercury content per lamp: 3 mg						
P8	Batteries		L 1 0/457/550				
P8.1*	Product does not contain batteries defined as hazardous according to 91/157/EEC						
P8.2*	Battery chemical composition: Lithium-lon, Lithium Manganese Dioxide						
P8.3		•	ollowing voluntary program/s:				
P9 9.1	Energy consum		els or energy consumptions have been measured:				
Mode	Power level at	Time (s) to <mode></mode>	Mode description	Reference	ce/	n.a.	
	* 230 Volts	,	•	Standard			
On-max	90 W		* Full load	*See P1	4		
On- normal	* VV	to		•		Ш	
On-idle	11.85 W	to	* Idle State (Category B) for Energy Star V4	*See P1	4		
Save 1	* 1.97 W	to	* Sleep w/ WOL Enable for Energy Star V4	*See P1	4		
Save 2	W	to	*	*			
Off 1	* 1.50 W	to	* Stanby (Off Mode) w/ WOL Enable for Energy Star V4	*See P1	4	\dashv	
Off 2	W	to	*	*		\dashv	
No load	* 0.40 W		External power supplies/charger plugged in but disconnected	*See P1	4		
TEC	* kWh/v 7	Typical Energy Consum	from the product	*		\square	
P9.2*	•	,, ,,	tion is provided with the product.				
P9.3	The product meets the energy requirements of the following voluntary program/s:						
. 0.0	ENERGY STAR® MOU Version 4.0 dated July 20, 2007 Others specify: EU Energy Efficiency of External Power Supplies, max 0.5W at no load						

Model number *	ThinkPad R500 M/T: 2731/2732/2733/2734/2735/2736/2737		
Issue date *	2008, August 5	Logo	lenovo

Dradust	anvironmental at	tuibutes Mauket vaguirements (continue	d) Doggiromont m	4		
Item		tributes - Market requirements (continue fill in. Additional information regarding each			Yes No	n.a.
P10	Emissions	min. Additional information regarding each	item may be reame	diddi i i i i	105 140	m.a.
	Noise emission	- Declared according to ISO 9296				
		1	1 -			
P10.1	Mode Mode description Declared Declared A-weighted					
	A-weighted sound pressure level L _{pAm} (dB) sound power Operator position Bystander positions					1
			level L _{WAd} (B)	Operator position	Dystariaci positions	
				Desktop (o	only if product is not	
				or Deskside	operator attended)	
	Idle	* HDD: Idle, Fan: Optimize Speed	* 3.45	31.0)	
	Operation	* HDD: Operating, Fan: Optimize	* 3.50	31.0)	
		Speed				
	Other mode					
	Measured accord	ding to: So 7779 ECMA-74	1 h., FCNA 74 with	. I magaziramant diator	m)	
P10.2	The product med	Other (only if not covered ets the acoustic noise requirements of the fo		L _{pAm} measurement distar	nce m)	
1 10.2		sions from printing products	bilowing voluntary p	orogram/s.		
P10.3*			specify:			\boxtimes
	The test covers:			TVOC		
P10.4						\boxtimes
1 10.4	The product meets the chemical emission requirements of the following voluntary program/s:					
P10.5	Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary					
	program/s: MPR-II					
P11	Consumable materials for printing products					
P11.1*	(see P4.3).					
P11.2*		g recycled fibres that meets the requirement		be used.		\boxtimes
P11.3*						
P12		r computing products	(5),000,44,0,-7	0 (ODT !: 1		
P12.1*	The computer system meets the ergonomic requirements of EN 29241-3, -7, -8 for CRT displays and EN-ISO13406-2 for flat panel displays. See P14					Ш
P12.2*		board meets the requirements of ISO 9995	and EN 29241-4.		\square	
P12.3*	The computer in	put device meets the requirements of ISO 9	9241-9.			$\overline{\Box}$
P13	Packaging and	documentation				
P13.1*		ng material type(s): Corrugated cardboard				
		ng material type(s): <i>Polystyrene</i>	weight (kg):			
P13.2*		ng material type(s): Polyethylene packaging is halogen free (including PVC)	weight (kg): 0	.003		$\overline{}$
P13.3*		ct documentation do not contain chlorine ble	ached naner			∺
P13.4*	<u> </u>	ct documentation contain recycled paper	aorica paper			+
P14	Additional infor	, , ,				
1 17		er makes no representations, guarantees, a	ssurances or warra	anties whether express or	implied, regarding t	he
	information conta	ained in this document. All information prov	ided by supplier in	this document is provided	l based on supplier's	S
		able at the time of completion, and supplier				
	provided here is information.	approximate and provided for informational	purposes only. Se	ee a Lenovo Account Repr	resentative for more	
P7.17		not contain free TBBPA in printed circuit	boards(without c	omponents)>25g.		
P9.1	Lenovo Interna	l Standard	•	· · · · · · · · · · · · · · · · · · ·		
P12.1	Product is desi	igned to meet the subject ISO Standard 1	3406-2, but is not	t confirmed through forn	nal test methods.	

NOTE
Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.