

ECMA/TC38-TG3/2015/026 (Rev. 1 - 15 April 2015)

Annex B2 - Product environmental attributes Notebooks and Tablets

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo				
Company name *	Lenovo					
Contact information * e-mail address	Lenovo Global Environmental Affairs Alvin L Carter alcarter@lenovo.com	Le	suovo			
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment	html				
Additional information	The latest version of this document can be found at:					
	http://www.lenovo.com/ecodeclaration					

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.					
Type of product *	Notebook PC				
Commercial name *	ThinkPad S5 2nd Generation				
Model number *	20JA				
Issue date *	2016/11/25				
Intended market *	🔀 Global 📃 Europe 📃 Asia, Pacific & Japan 📃 Americas 📃 Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template: P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products P11.1 - P11.3 Consumable materials for printing products

Model n	umber *	20JA	Logo			
Issue date *		2016/11/25		Lene	Lenovo	
Produc	t environ	mental attributes - Legal requirements		Require	ment	t met
Item				Yes	No	n.a.
P1		ous substances and preparations				
P1.1*	Products	s do comply with current European RoHS Directive. (See legal reference and NOTE	B1)	\square		
P1.2*		s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.		\square		
P1.3*	hydrobro trichloro	s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), pmofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachle ethane, methyl bromide (see legal reference). Comment: Legal reference has no ma ration values.				
P1.4*	terpheny	s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychle (I (PCT) in preparations (see legal reference).		\square		
P1.5*		s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carb ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	on atoms in	the 🔀		
P1.6*	(see leg	th direct and prolonged skin contact do not release nickel in concentrations above 0, al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.	5 μg/cm²/we	ek 🔀		
P1.7*	REACH	Article 33 information about substances in articles is available at (add URL or mail c w.lenovo.com/social_responsibility/us/en/environment.html	ontact):			
P2	Batterie	S				
P2.1*		oduct contains a battery or an accumulator, the battery/accumulator is labeled with th Information on proper disposal is provided in user manual. (See legal reference)	ne disposal	\square		
P2.2*	Batterie: referenc	s or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmi e)	um. (See le	gal 🔀		
P2.3*	Batteries	s and accumulators are readily removable. (See legal reference)		\boxtimes		
P3	Conform	nity verification & Eco design (ErP)				
P3.1*	The pro	duct is CE-marked to show conformance with applicable legal requirements (see legal large legal legal requirements (see legal large lega	al reference).		
P3.2*	The pro	duct complies with the Eco design requirements for energy-related products, al reference).		\boxtimes		
	Require	d information is; ☐given in item P15 or added to this document,		\boxtimes		
	http://ww	w.lenovo.com/social responsibility/us/en/datasheets notebooks/				
P5		packaging				
P5.1*	Packagi	ng and packaging components do not contain more than 0,01% lead, mercury. ent chromium by weight of these together.	, cadmium	and 🔀		
P5.2*	The pac	kaging materials are marked with abbreviations and numbers indicating the nature o e legal reference).	f the materia	al(s) 🔀		
P5.3*	The pro Protocol Comme	duct packaging material is free from ozone depleting substances as specified i (see legal reference). ht: Legal reference has no maximum concentration values.	in the Mont	real 🔀		
P6	Treatme	nt information				
P6.1*		on for recyclers/treatment facilities is available (see legal reference).				

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *		20JA	Logo			
Issue dat	te *	2016/11/25		Len	ovc	Отм
Product	environ	mental attributes - Market requirements (See General NOTE GN	below)			
		onmental conscious design		Require	ment	met
Item		tory to fill in. Additional information regarding each item may be found under P14.		Yes	No	n.a.
P7		Disassembly, recycling				
P7.1*		t have to be treated separately are easily separable				
P7.2*		aterials in covers/housing have no surface coating.			\boxtimes	
P7.3*	Plastic pa	arts > 100 g consist of one material or of easily separable materials.		\boxtimes		
P7.4*	Plastic pa	arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.		\square		
P7.5	Plastic pa	arts are free from metal inlays or have inlays that can be removed with commonly a	available tools.	$\overline{\times}$		
P7.6*	Labels a	re easily separable. (This requirement does not apply to safety/regulatory labels).				Ē
	Product					
P7.7*		ig can be done e.g. with processor, memory, cards or drives		\square		
P7.8*		g can be done using commonly available tools				<u> </u>
P7.9		Ints are available after end of production for: 5 years				⊢⊢
P7.10	• •	s available after end of production for: 5 years				+
F7.10						
P7.11*		and substance requirements cover/housing material type (e.g. plastics, metal, aluminum):				
F7.11			al type: PC/ABS	S+15%talc		
			al type: PC	, 10/maic		
P7.12		n materials of external electrical cables are PVC free.			\boxtimes	
P7.13	Insulatio	n materials of internal electrical cables are PVC free.				H
P7.14		plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) b	romine and 0.1		⊢⊢	╶┤╴
	weight (* polyvinyl	1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) g more than 25% post-consumer recycled content.	e retardants, ar	nd 🛄		
P7.15	Printed of	circuit boards, PCBs (without components) are low halogen: all PCBs > as defined in IEC 61249-2-21. (See 1NOTE B2)	25 g 🗌 are lo	w 🛛		
P7.16	Flame re	tarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: >PC+ABS-TD15 FR(40)< >PC-I-FR(40)<		\boxtimes		
P7.17		nemical specifications of flame retardants in printed circuit boards > 25 g (without c	omponents):			
	TBBF	A (additive), TBBPA (reactive) (See NOTE B3), Other: DOPO(9,10-dihydro	-9-oxa-10-	\square		
	phospha	aphenanthrene-10-oxide), CAS #: 35948-25-5				
		nemical specifications of flame retardants in printed circuit boards (without compone g ISO 1043-4: <i>FR(40)</i>	ents) > 25 g	\boxtimes		
P7.18		ame retarded plastic parts > 25 g contain the following flame retardant substance	es/preparations	in		
		ations above 0,1%:				
		cal name: , CAS #: (See NOTE B4)				
		ical name: , CAS #: "				
		ical name: , CAS #: "		_	_	_
		nemical specifications of flame retardants in plastic parts > 25 g according ISO 104				
P7.19		parts > 25 g, flame retardant substances/preparations above 0,1% are used which	n have been		\bowtie	
	Ū	the following Risk phrases; and Hazard statements:				
			See note B5)			
P7.20*	Postcons	sumer recycled plastic material content is used in the product (See Note B6):		\bowtie		
	a) Of t a pe or	t least one of the two alternatives below shall be answered; otal plastic parts' weight > 25 g, the postconsumer recycled plastic material conten ercentage of total plastic by weight) is 11.4% .	t (calculated as	,		

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model nu	mber *	20JA					Logo		
Issue date	e *	2016/11/25						Leno	VO.
Product	environn	nental attrib	utes - Market	requirements (continued)			Require	ment met
Item				•	, , , , , , , , , , , , , , , , , , ,				No n.a.
	Material	and substan	ce requirement	s (continued)					
P7.21*				ed in the product (See NOTE B7)				
	If YES: a	at least one of	the two alternativ	es below shall be	answered:				
	,				,	content (calculated	as a percen	itage	
		otal plastic by	weight) is	%.					
	or b) The	woight of the	biobased plastic	matorialic	a				
P7.22*				e. less than 0,1 mg	g. g/lamp.				
==			cify: Number of la			ury content per lam	ıp: mg		
P8	Batterie	-							
P8.1*	Battery of	chemical comp	osition: Lithium	lon/Li-polymer					
P9			(See NOTE B8)						
P9.1		product the fol		els or energy cons			and for a sec		
Energy mo	de [*]		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Stand method *	ard for energ	ly modes and t	lesi
Peak (On-	max)		45 W	45 W	45 W	Full load			
Categor	<u>y –I3</u>								
Short Idle	State - W	OL Enabled	8.727 W	8.711 W	8.983 W	Use for ENERG	Y STAR V6 r	egistration (P _{ic}	ile)
Long Idle	State - W	OL Enabled	3.483 W	3.484 W	3.66 W	Use for ENERG	Y STAR V6 r	egistration (P _{ic}	ile)
Sleep (S3		nabled	0.582 W	0.597 W	0.675 W	Use for ENERG	V STAP VE -	onistration/P	1
							I STAR VOT	cyisu alion(P _{sle}	eep/
Sleep (S3)) - WOL D	isabled	0.536 W	0.549 W	0.633 W	Reference			
Off (S5) -	WOL Enal	bled	0.214 W	0.23 W	0.285 W	Use for ENERG	Y STAR V6 r	egistration(P _{of}	f)
Off (S5) -	WOL Disa	bled	0.214 W	0.23 W	0.278 W	Use for ErP			
EPS No-lo	ad		W	W	W	Ì			
(External power outlet but discon	supply / charger nected from the	plugged in the wall product.)							
PTEC *			W	W	W	1			
Typical En	ergy Cons	umption		00.001)4// /	00.54		<u>a) (5 - 5</u>	<u> </u>	
ETEC * Annual En	erav Cone	umption	28.24 kWh/year	28.28 kWh/year	29.51 kWh/year	$E_{TEC} = (8760/100)$ + $P_{long_{1dle}} \times 0.10$			30 📋
	0.97 0013	anpuon		5) - WOL Enabled;		e(S3) - WOL Enabled	; P _{idle} : Idle St	ate - WOL Enabl	led
External P	ower Supp	oly Efficiency L		al Efficiency Mark					
Display res	solution * :	: 8.294 megap	ixels	-					
			node: 10 minute	S					Ē
P9.2*		0,		tion is provided w	ith the product.	I			
P9.3			s (monitors only):		-				
P10	Emissio	,							
		mission – De		to ISO 9296 (See					
P10.1	Mode		e description			ical upper limit A-w	eighted soun	d power level,	
	Idle		e mode		* 2.9				
	Operatio		erating(CPU)		* 3.2				\square
	Other me			ind pressure level (d		(operator position	desktop – idl	e)	
	Other me	ode Decla	red A-weighted soເ	ind pressure level (d	B) L _{pAm}	(operator position	desktop – op	erating)	
	Measure		o: 🔀 ISO 7779		£				
			Other	(only if not cove	red by FCMA-7	(4)			
	1					'7			

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Model nu	mber *	20JA				Logo			
lssue dat	te *	2016/11/25					Leno	VO	тм
Product	environ	nental attribut	es - Market requirements	(continued)			Require	ment	me
Item							Yes	No	n.a
		magnetic emissi							
P10.4			the requirement for low freque	ncy electroma	gnetic fields of the foll	owing volun	tary 🔀		
			AC adapter only)						
P12		mics for compu				-			
P12.1*		•	gonomic requirements of ISO			gies.			
P12.2*	The phy	sical input device	e meets the requirements of IS	O 9995 and IS	O 9241-410.			\boxtimes	
P13	Packag	ing and docume	entation						
P13.1*			ial type(s): Corrugated Cardb		weight (kg): 0.485				
			ial type(s): 100% Recycled Pe		weight (kg): 0.2				
	Product packaging material type(s): 100% Recycled Molded Pulp weight (kg): NA								
	Product packaging material type(s): 100% Recycled Bamboo Fiber weight (kg): NA								
	Product	packaging mater	ial type(s): Others (Plastic Ba	ig) weight (I	kg): 0.0248				
P13.2*			ial type(s): Others (Plastic ha ackaging is free from PVC.	nale)	weight (kg):				
P13.3*		duct primary con er recovered fibe	rugated fiberboard packaging	, specify the o	contained percentage	of minimur	n post-		\geq
P13.4*			nd product documentation (tick	hov):					_
F 13.4		ronic, XPaper,		. DOX).					
P13.5	(Please	only complete th	is item if paper documentation	used)			_		
			entation on paper media is chl	orine-free:					
	lf Yes, p	lease specify:							
	Totally o	hlorine-free							
		al chlorine-free					E E		
		ed chlorine-free					H		
P14		ry programs							
P14.1			quirements of the following vo	luntary progra	m(s):				
1 14.1	The pro-			iuntary program	iii(3).				
	ENERG	Y STAR®	Criteria version: 6.1	Date:	Product	category: 13			
	Eco-lab	el:	Criteria version:	Date:	Product	• •			
	Eco-lab		Criteria version:	Date:	Product	• •			
P15	Additio	nal information	(See NOTE B10)						
P9	Energy	consumption of	f specific configuration may	vary; descrip	tion of the tested pro	oduct config	guration:		
	NOTE: S	Supplier makes n	o representations, guarantees	, assurances c	or warranties whether	express or in	nplied, regardin		
			this document. All information						
			ne time of completion, and sup						ion
			nate and provided for informati	ional purposes	only. See a Lenovo A	Account Rep	resentative for r	nore	
	informat								
P9	See Ene	ergy Star Qualifie	d Notebooks & Tablet Comput	ers for the late	est information:				
10					vProductGroup&pgw				

Annex B1 of ECMA-370 5th edition (Lenovo) 2015-04-08

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	ThinkPad S5 2nd Generation	Logo
Model Number	20JA	
Issue Date	2016/11/25	Lenovo.
Additional information		

P7.1.1	Product environmental attributes									
(d)	Year of manufacture:				2016					
(e)	Etec value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics cards (dGfx) are disabled and if the system is tested with switchable graphics mode with UMA driving the display.									
(f)	Etec value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics cards (dGfx) are enable									
	Category A (according to ErP Lot 3)Category B (according to ErP Lot 3)Category C (according to ErP Lot 3)Category D (according to ErP Lot 3)									
	Memory over base [GB]		32							
lents sting	Additional internal storage	(Yes / No)	YES (Yes / No)	(Yes / No)	(Yes / No)					
capability adjustments applied during testing	Discrete television tuner	(Yes / No)	No (Yes / No)	(Yes / No)	(Yes / No)					
ability blied dt	Discrete Audio Card	(Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)					
cap apr	Discrete graphics Card(s) [number / #]	#: (Yes / No)	Yes #: 1 (Yes / No)	#: (Yes / No)	#: (Yes / No)					
	Category of discrete graphics Card(s)									
esults	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)									
Test results	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled		11.71							
(g)	Idle state power demand (Watts);			-	3.66					
(h)	Sleep mode power demand (Watts);				0.63					
(i)	Sleep mode with WOL enabled power de	emand (Watts) (where	enabled);		0.68					
(j)	Off mode power demand (Watts);				0.28					
(k)	Off mode with WOL enabled power dem	and (Watts) (where en	abled);		0.29					
(I)	Internal power supply efficiency at 10 %	, 20 %, 50 % and 100 °	% of rated output pow	er (if applicable):						
	10% 20% 50%	100% Avera	ige							
(m)	External power supply efficiency (if appli	cable)*:								
	Average active efficiency: 45W: 87,98%	6,88,63%,88,83%								
	*internal note: show values for all available external p									
(0)	Minimum number of loading cycles that	the batteries can withs	tand (applies only to n	otebook computers):	NA					
(p-1)) Measurement methodology used to determine information mentioned in points (I) – internal PSU efficiency: Not applicable									

(p-2)	Measurement methodology used to determine information mentioned in points (m) – external PSU efficiency: EPA "Test Method for Calculating the Energy Efficiency of Single-Voltage External AC-DC and AC-AC Power Supplies" dated August 11, 2004							
(p-3)	Measurement metho	dology used to determine information mentioned in p IEC 61960 measurement methodolo						
(p-4)	Measurement methodology used to determine information mentioned in maximum, idle, sleep, off mode power as defined in Point P9.1 in the Product IT Eco Declaration: IEC 62623 / IEC EN50564:2011 measurement methodology							
(q)	Sequence of steps for	or achieving a stable condition with respect to power IEC 62623 / IEC EN50564:2011 measurement r						
(r)	Description of how sl	eep and/or off mode was selected or programmed: y selecting sleep and/or off mode thru Windows	operating system					
(s)	Sequence of events off mode:	required to reach the mode where the equipment au	tomatically changes to sleep and/or					
	on mode.	Automatically changes to sleep after 10 r	minutes					
(t)		te condition before the computer automatically re- not exceed the applicable power demand requirement		30 minutes				
(u)	Length of time after	a period of user inactivity in which the compute ver power demand requirement than sleep mode (in	r automatically reaches a power					
(v)		re the display sleep mode is set to activate after		10 minutes				
(w)		nergy-saving potential of power management functio	· · · · · ·					
		n described in User Guide and Power Manager u programs						
(x)		now to enable the power management functionality: In described in User Guide and Power Manager u programs	nder ThinkVantage menu in all					
(z)		measurements: — test voltage in V and frequency in system, — information and documentation on the in sting: 230V, 50Hz, Total Harmonic Distortion	strumentation, set-up and circuits					
Additiona	al Notebook Batter	y Information:						
		Battery[ies] not user replaceable	Battery[ies] user replaceable	n/a				
		The battery[ies] in this product cannot be easily replaced by users themselves. ¹⁾						
Internal/b	uilt-in Battery	\boxtimes						
External/c	letachable Battery							
Bios Back	up Battery							
Other:								
Additional	information							
1)								
The battery[ies		easily replaced by users themselves.						
		продукт не може да се замени[ят] лесно от самите потребите ser sustituidas fácilmente por los propios usuarios.	ели.					
		y neměli provádět sami uživatelé.						
Brugeren kan i	kke uden videre udskifte ba	atteriet/batterierne i dette produkt.						
	Akkus dieses Produkts kann aa selle toote akut/akusid is	/können nicht ohne weiteres vom Benutzer selbst ausgetauscht	werden.					
		ρούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες						
		uit ne peuvent être facilement remplacée(s) par les utilisateurs e	eux-mêmes.					
	ože lako zamijeniti Bateriju s patterie in questo prodotto n	sam u ovom proizvodu. on può/possono essere facilmente sostituita/e dall'utente.						
Lietotāji paši n	evar nomainīt šā ražojuma	akumulatoru(-us).						
		ojas negali lengvai pakeisti. felhasználó nem tudja egyedül egyszerűen kicserélni.						
II-batterija/batte	eriji f'dan il-prodott ma tista:	x/jistgħux tiġi/jiġu sostitwita/i mill-utenti stess.						
		ett erstattes av brukerne selv. de gebruiker niet gemakkelijk vervangbaar.						
Użytkownik nie	e może sam w łatwy sposół	o wymienić baterii w tym produkcie.						
		n ser facilmente substituídas pelos próprios utilizadores. ite (pot) fi usor înlocuită (înlocuite) de utilizatorii înșiși.						
	ile) din acest produs nu poa omto výrobku nemôže vymi							
Baterij/baterije	v tem izdelku uporabniki sa	ami ne morejo zlahka zamenjati.						
	n akku [akut] ei[vät] ole hel elt för kunden att siälv byta	posti käyttäjän vaihdettavissa.						

Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.