



Product environmental attributes - THE ECO DECLARATION

Brand *	ThinkPad	Logo
Company name *	Lenovo	_
Contact information *	Alvin L Carter	
	1009 Think Place	lenovo
	Building 2 / 5J3	
	Morrisville, North Carolina 27560	
	alcarter@lenovo.com	
Internet site *	www.pc.ibm.com/ww/lenovo/about/environment	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.			
Type of product *	Type of product * Portable PC		
Commercial name *	ThinkPad SL400,SL500		
Model number *	M/T: 2743,2746		
Issue date *	2008-06-05		
Intended market *	☐ Global ☐ Europe ☐ Japan ☐ U.S. ☐ Other		
Additional information	ENERGY STAR® 4.0 Qualified; EPEAT Silver Rating		

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

The declaration may be published only when all rows and/or fields marked with a * are filled-in (n.a. for not applicable).

Quality C	ontrol Requirement met		
Item	Additional information regarding each item may be found under P14.	Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	\boxtimes	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org).		

Model number *	ThinkPad SL400,SL500 M/T: 2743, 274	6	
Issue date *	2008-06-05	Logo	lenovo

Product environmental attributes - Legal requirements Requirement met							
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.			
P1	Hazardous substances and preparations	<u> </u>					
P1.1*	Products do not contain lead, cadmium, mercury, hexavalent chromium, polybrominated biphenyl (PBB) and polybrominated diphenyl ether (PBDE) as specified in <i>EU 2002/95/EC and its amendments</i>						
P1.2*	Products do not contain Asbestos (EU 76/769/EEC, amendment 1999/77/EC)	\boxtimes					
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (<i>EU : Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000</i>)						
P1.4*	Products do not contain polychlorinated biphenyl (PCB), polychlorinated terphenyl (PCT), (EU 76/769/EEC)	\boxtimes					
P1.5*	Products do not contain short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP as specified in <i>Norwegian regulation relating to restrictions</i> on the use of certain dangerous chemicals 20.12.2002						
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (EU 76/769/EEC)						
P1.7*	Textile and leather parts with direct skin contact do not contain Azo colourants that split aromatic amines as specified in EU 76/769/EEC, amendment 2003/3/EC			\boxtimes			
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (EU 76/769/EEC)						
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations higher than specified in 76/769/EEC, amendment 94/27/EEC						
P2	Batteries						
P2.1*	If hazardous batteries (as defined in 91/157/EEC) are used in the product they are easily removable and labelled with the disposal and the substance logo (as defined in 91/157/EEC, 93/86/EEC)						
P2.2*	If batteries are used in the product they do not contain mercury in concentrations higher than specified in 91/157/EEC						
P2.3*	If batteries are permanently installed in the product, information on the environmentally hazardous substances and safe removal method is listed in the user manual (91/157/EEC)						
P3	Electrical safety, EMC and connection to the telephone network						
P3.1*	The product meets the Low Voltage Directive (LVD) regarding electrical safety (73/23/EEC & 93/68/EEC)	\boxtimes					
P3.2*	The product meets the EMC Directive regarding electromagnetic compatibility (89/336/EEC / 2004/108/EEC after June, 20 th 2007						
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it meets the EU R&TTE Directive (1999/5/EC)						
P3.4*	The product is CE-marked and a Declaration of Conformity is available (93/68/EEC)	\boxtimes					
P4	Consumable materials						
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium in concentrations higher than specified in (76/769/EEC and 91/338/EEC)						
P4.2*	If ink/toner is used in the product, it does not contain cadmium in concentrations higher than specified in (76/769/EEC and 91/338/EEC)						
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to EU Directive 1999/45/EC, and as amended, the product/packaging is labelled and a Material Safety Data Sheet (MSDS) in accordance with (99/45/EC & 2001/58/EC) is available.						
P5	Product packaging						
P5.1*	The sum of the concentration levels of lead, cadmium, mercury, and hexavalent chromium present in packaging or packaging components does not exceed 0,01% by weight (94/62/EC).						
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043.(97/129/EEC)	\boxtimes					
P5.3*	The product packaging material is free from CFC/HCFC.						
P6	Treatment information						
P6.1*	Information for recyclers/treatment facilities (e.g. as requested by 2002/96/EC) is available.	\boxtimes					

Model number *	ThinkPad SL400,SL500 M/T: 2743, 274	6	
Issue date *	2008-06-05	Logo	lenovo

Product	Product environmental attributes - Market requirements - Environmental conscious design Requirement met							
Item	*=mandatory to f		ation regarding each item may be found under P14.	Yes	No	n.a.		
P7	Design		and regarding each non-may be really and or 1 11.	1.00	110	ma.		
	Disassembly, recycling Parts that have to be treated separately are easily separable							
P7.1*	Parts that have to be treated separately are easily separable				Щ			
P7.2*		in covers/housing have			\boxtimes			
P7.3*	· · · · · · · · · · · · · · · · · · ·	<u> </u>	rial or of easily separable materials.	\boxtimes				
P7.4*		-	according to ISO 11469 referring ISO 1043.	\boxtimes				
P7.5	Plastic parts are	free from metal inlays	or have inlays that can be removed with commonly available tools.	\boxtimes				
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).							
	Product lifetime							
P7.7*			ssor, memory, cards or drives		Щ			
P7.8*		e done using commonl	-	\boxtimes				
P7.9.		available after end of pr						
P7.10	Service is availab	ole after end of product	ion for: 5 years					
		ostance requirements	3					
P7.11*		using material type:						
P7.12*	Material type: PC		ower cables are halogen free (including PVC)		\square			
P7.13*			gnal cables are halogen free (including PVC)	- H		-		
P7.14		plastic parts >25g are	• • • • • • • • • • • • • • • • • • • •		$\frac{\square}{\square}$			
P7.15			onents) >25g are halogen free			-		
P7.15								
	FR(40): Haloger	n-free organic phosho						
P7.17	Chemical specifications of flame retardants in printed circuit boards (without components) >25g according ISO 1043-4: Brominated Epoxy Resin See P14							
P7.18	Weight of recycled material in plastic parts is 0 g							
P7.19	R50/51/53 and R	60/61 (67/548/EEC)	etardant substances/preparations above 0.1% classified as R45/46,					
P7.20	Light sources are free from mercury If mercury is used specify: Number of lamps: 1 and max. mercury content per lamp: 3 mg							
P8	Batteries							
P8.1*			ned as hazardous according to 91/157/EEC	\boxtimes				
P8.2*	Battery chemical	composition: Lithium-	ion/Lithium Manganese Dioxide					
P8.3	Batteries meet th	e requirements of the f	following voluntary program/s:					
P9	Energy consum							
9.1			els or energy consumptions have been measured:	Defense	/			
Mode	Power level at * 230 Volts	Time (s) to <mode></mode>	Mode description	Reference Standard	t	n.a.		
On-max	90 W		* Full load	*See P1	4			
On- normal	* 90 W	to	* default	*				
On-idle	13.6 W	to	* Idle State (Category A) for Energy Star V4	*See P1	4			
Save 1	* 1.32 W	to	* Sleep w/ WOL Enable for Energy Star V4	*See P14	4			
Save 2	1.09 W	to	* Sleep w/ WOL Disable for Energy Star V4	*See P14				
Off 1	* 0.80 W	to	* Standby (Off Mode) w/ WOL Enable for Energy Star V4	*See P14				
Off 2	W to *							
No load	External power supplies/charger plugged in but disconnected from the product *See P14							
TEC	* kWh/y Typical Energy Consumption per year *							
P9.2*	Information about the energy save function is provided with the product.							
P9.3	The product mee	ts the energy requirem MOU Version 4.0 de	nents of the following voluntary program/s:					

Model number *	ThinkPad SL400,SL500 M/T: 2743, 274	16	
Issue date *	2008-06-05	Logo	lenovo

Product 6	environmental att	ributes - Market requirements (continue	d) Requirement n	net		
Item		ill in. Additional information regarding each			Yes No	n.a.
P10	Emissions					
	Noise emission	 Declared according to ISO 9296 				
P10.1	Mode	Mode description	Declared	Declared A-we		
	A-weighted sound pressure level L _{pAm} (dB)					4
	sound power Operator position Bystander positions level L _{WAd} (B)					
			.010. =WAd (=)	D I (on	lly if product is not	
	Desktop (operator attended)					
	Idle	* Custom is an under the Mindous	*2.22/2742)	or Deskside	· · · ·	
	idie	* System is on under the Windows screen, no disk activities.	*3.23(2743) 3.24(2746)	27.7(274 26.9(274		
	Operation	* Hard disk drive is randomly	*3.32(2743)	29.0(274		┪┌┑╽
		seeking by PC-Doctor.	3.27(2746)	29.6(274		
	Other mode					
	Measured accord	ding to: 🔀 ISO 7779 🔲 ECMA-74				
				h L _{pAm} measurement distan	ce m)	
P10.2		ets the acoustic noise requirements of the fo	llowing voluntary	program/s:		
D 10 01		sions from printing products				
P10.3*	Test performed a	according to ECMA-328 standard, other	specify:	_		\boxtimes
	The test covers:	Dust Ozone Styrene	Benzene	e TVOC		
P10.4	The product meets the chemical emission requirements of the following voluntary program/s:					
	Electromagnetic emissions					
P10.5	Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary Drogram/s: MPR-II					
P11		aterials for printing products				
P11.1*	A Material Safety Data Sheet (MSDS) is available for the ink/toner preparation, even if not legally required (see P4.3).					
P11.2*	Paper containing recycled fibres that meets the requirements of EN12281 can be used.					
P11.3*	2-sided (duplex)	printing/copying is an integrated product fur	nction.			\boxtimes
P12	Ergonomics for computing products					
P12.1*	The computer system meets the ergonomic requirements of EN 29241-3, -7, -8 for CRT displays and EN-ISO13406-2 for flat panel displays. See P14					
P12.2*	The product keyl	poard meets the requirements of ISO 9995	and EN 29241-4.			
P12.3*	The computer in	out device meets the requirements of ISO 9	241-9.		\square	
P13	Packaging and	documentation				
P13.1*	Product packagir	ng material type(s): Corrugated cardboard	weight (Kg):0.6	67Kg		
		ng material type(s): Polystyrene &Polyethy	lene weight (Kg):	0.0 94 Kg		
P13.2*	Product plastic p	ackaging is halogen free (including PVC)				
P13.3*	User and produc	t documentation do not contain chlorine ble	ached paper			
P13.4*	User and produc	t documentation contain recycled paper				
P14	Additional infor					
		er makes no representations, guarantees, a				
		ained in this document. All information provi	, ,,	•		
	knowledge available at the time of completion, and supplier shall have no obligation to update such information. The information provided here is approximate and provided for informational purposes only. See a Lenovo Account Representative for more					
	information.					
P7.17	Product does not contain free TBBPA in printed circuit boards(without components)>25g.					
P9.1	Lenovo Internal Standard					
P12.1	Product is design	aned to meet the subject ISO Standard 1	3406-2. but is no	t confirmed through forma	al test methods.	

NOTE

Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.