



Product environmental attributes – THE ECO DECLARATION

Brand *	ThinkPad	Logo
Company name *	Lenovo	_
Contact information *	Alvin L Carter 1009 Think Place Building 2 / 5J3 Morrisville, North Carolina 27560 alcarter@lenovo.com	lenovo
Internet site *	www.pc.ibm.com/ww/lenovo/about/environment	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	Portable PC			
Commercial name *	ThinkPad T400			
Model number *	M/T:			
	7417/6473/7420/6474/6475/7425/7434/2764/2765/2766/2767/2768/2769/2773			
Issue date *	2008, July 15			
Intended market *	🔀 Global 📃 Europe 📃 Japan 📃 U.S. 📃 Other			
Additional information	ENERGY STAR® 4.0 Qualified; EPEAT Gold Rating			

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

The declaration may be published only when all rows and/or fields marked with a * are filled-in (n.a. for not applicable).

Quality O	Control Requirement met		
Item	Additional information regarding each item may be found under P14.	Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	\boxtimes	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org).	\boxtimes	

Model number *	ThinkPad T400 M/T: 7417/6473/7420/6474/6475/7425/7434/2764/2765/2766/27	67/2768	3/2769/2773
Issue date *	2008, July 15	Logo	lenovo

	environmental attributes - Legal requirements Requirement met			
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain lead, cadmium, mercury, hexavalent chromium, polybrominated biphenyl (PBB) and polybrominated diphenyl ether (PBDE) as specified in <i>EU 2002/95/EC and its amendments</i>	\square		
P1.2*	Products do not contain Asbestos (EU 76/769/EEC, amendment 1999/77/EC)	\boxtimes		
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- trichloroethane, methyl bromide (<i>EU</i> : <i>Regulation (EC)</i> No. 2037/2000, 2038/2000, 2039/2000)			
P1.4*	Products do not contain polychlorinated biphenyl (PCB), polychlorinated terphenyl (PCT), (EU 76/769/EEC)	\boxtimes		
P1.5*	Products do not contain short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP as specified in <i>Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002</i>			
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (<i>EU 76/769/EEC</i>)			\boxtimes
P1.7*	Textile and leather parts with direct skin contact do not contain Azo colourants that split aromatic amines as specified in EU 76/769/EEC, amendment 2003/3/EC			\boxtimes
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (EU 76/769/EEC)			\square
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations higher than specified in 76/769/EEC, amendment 94/27/EEC	\square		
P2	Batteries			
P2.1*	If hazardous batteries (as defined in 91/157/EEC) are used in the product they are easily removable and labelled with the disposal and the substance logo (as defined in 91/157/EEC, 93/86/EEC)			\boxtimes
P2.2*	If batteries are used in the product they do not contain mercury in concentrations higher than specified in 91/157/EEC	\square		
P2.3*	If batteries are permanently installed in the product, information on the environmentally hazardous substances and safe removal method is listed in the user manual (91/157/EEC)			\square
P3	Electrical safety, EMC and connection to the telephone network			
P3.1*	The product meets the Low Voltage Directive (LVD) regarding electrical safety (73/23/EEC & 93/68/EEC)	\boxtimes		
P3.2*	The product meets the EMC Directive regarding electromagnetic compatibility (89/336/EEC / 2004/108/EEC after June, 20 th 2007	\boxtimes		
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it meets the EU R&TTE Directive (1999/5/EC)	\boxtimes		
P3.4*	The product is CE-marked and a Declaration of Conformity is available (93/68/EEC)	\square		
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium in concentrations higher than specified in (76/769/EEC and 91/338/EEC)			\square
P4.2*	If ink/toner is used in the product, it does not contain cadmium in concentrations higher than specified in (76/769/EEC and 91/338/EEC)			\square
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to EU Directive 1999/45/EC, and as amended, the product/packaging is labelled and a Material Safety Data Sheet (MSDS) in accordance with (99/45/EC & 2001/58/EC) is available.			
P5	Product packaging			
P5.1*	The sum of the concentration levels of lead, cadmium, mercury, and hexavalent chromium present in packaging or packaging components does not exceed 0,01% by weight (94/62/EC).	\square		
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043.(97/129/EEC)	\boxtimes		
P5.3*	The product packaging material is free from CFC/HCFC.		Π	Π
P6	Treatment information	·		
P6.1*	Information for recyclers/treatment facilities (e.g. as requested by 2002/96/EC) is available.	\square		

Model number *	ThinkPad T400 M/T: 7417/6473/7420/6474/6475/7425/7434/2764/2765/2766/27	67/2768	3/2769/2773
Issue date *	2008, July 15	Logo	lenovo

Product environmental attributes - Market requirements - Environmental conscious design Requirement met							
Item	*=mandatory to f		ation regarding each item may be found under P14.	Yes	No	n.a.	
P7	Design Disassembly, re						
P7.1*		b be treated separately	are easily separable	\square			
P7.2*		astic materials in covers/housing have no surface coating.					
P7.3*	Plastic parts >10	Og consist of one mate	rial or of easily separable materials.				
P7.4*					Ħ		
P7.5		-	or have inlays that can be removed with commonly available tools.		Ħ		
P7.6*			rement does not apply to safety/regulatory labels).		Ħ		
	Product lifetime						
P7.7*	Upgrading can be	e done e.g. with proces	ssor, memory, cards or drives	\square			
P7.8*	Upgrading can be done using commonly available tools						
P7.9.	Spare parts are a	available after end of p	roduction for: 5 years				
P7.10	Service is available	ole after end of product	tion for: 5 years				
	Material and sul	bstance requirements	3				
P7.11*		ousing material type:					
D7 40*	Material type: PA		Material type: PC+ABS Material type:				
P7.12*			wer cables are halogen free (including PVC)	<u> </u>			
P7.13*			gnal cables are halogen free (including PVC)			<u> </u>	
P7.14	-	plastic parts >25g are	-				
P7.15			onents) >25g are halogen free		\boxtimes		
P7.16			ants in cover / housing plastic parts >25g according ISO 1043-4: FR(61): Magnesium hydroxide				
			nic phosphorus compounds				
P7.17		cations of flame retarda	ants in printed circuit boards (without components) >25g according				
P7.18		ed material in plastic pa	arts is <i>1.0</i> g				
P7.19	Plastic parts >25g are free from flame retardant substances/preparations above 0.1% classified as R45/46, R50/51/53 and R60/61 (67/548/EEC)						
P7.20	Light sources are free from mercury If mercury is used specify: Number of lamps: 1 and max. mercury content per lamp: 3 mg						
P8	Batteries						
P8.1*			ned as hazardous according to 91/157/EEC	\bowtie			
P8.2*	•	•	Ion/Lithium Manganese Dioxide				
P8.3	Batteries meet the requirements of the following voluntary program/s:						
P9	Energy consum						
9.1 Mode	Power level at	Time (s) to <mode></mode>	els or energy consumptions have been measured: Mode description	Reference	<u>~</u>	n.a.	
woue	* 230 Volts		Mode description	Standard		11.a.	
On-max	90 W		* Full load	*See P1			
On-	* W	to	*	*			
normal	10 (1))						
On-idle	19.1 W	to	* Idle State (Category B) for Energy Star V4	*See P1		┝┝╧┙	
Save 1	* 1.79 W	to	* Sleep w/ WOL Enable for Energy Star V4	*See P1		⊢╘┛	
Save 2	1.31 W	to	* Sleep w/ WOL Disable for Energy Star V4	*See P1		⊢└┙	
Off 1	* 0.87 W	to	* Standby (Off Mode) w/ WOL Enable for Energy Star V4	*See P1	4		
Off 2	W	to	×	*			
No load	* W		External power supplies/charger plugged in but disconnected from the product	*See P1	4		
TEC	* 0.000389 kWh/	y Typical Energy Con	sumption per year	*		\square	
P9.2*	Information abou	t the energy save func	tion is provided with the product.	\square			
P9.3			ents of the following voluntary program/s:		_		
		B MOU Version 4.0 d EU Energy Efficiency	ated July 20, 2007 of External Power Supplies, max 0.5W at no load				

Model number *	ThinkPad T400 M/T:		0700/0770
	7417/6473/7420/6474/6475/7425/7434/2764/2765/2766/27	67/2768	3/2/69/2//3
Issue date *	2008, July 15	Logo	
			lenovo

Product	environmental at	tributes - Market requirements (continue	d) Requirement n	net			
Item		ill in. Additional information regarding each			Yes No	n.a.	
P10	Emissions						
	Noise emission – Declared according to ISO 9296						
						_	
P10.1	Mode	Mode description	Declared A-weighted	Declared A-we			
			sound power	sound pressure level Operator position By	stander positions	-	
	level L _{WAd} (B)						
					perator attended)		
	Idle	* HDD: Idle, Fan: Optimize Speed	* 3.7	or Deskside 31.4			
	laic	hob. Idie, Fail. Optimize Opeed	0.7	01.4			
	Operation	* HDD: Operating, Fan: Optimize	* 3.9	39.7			
	-	Speed					
	Other mode						
		I ding to: 🔀 ISO 7779 🗌 ECMA-74					
	Measured accord			h l maggy romant distan			
P10.2	The product me	ets the acoustic noise requirements of the fo		h L _{pAm} measurement distand	ce m)		
F 10.2		-	bilowing voluntary	program/s.			
P10.3*		sions from printing products				\square	
1 10.0		according to ECMA-328 standard, other	<u> </u>				
D40.4	The test covers:	Dust Ozone Styrene					
P10.4			ne following volunt	ary program/s:		\square	
P10.5	Electromagneti		alaatramagnatia fic	de of the following volunter			
F10.5	Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary program/s: <i>MPR-II</i>						
P11	Consumable materials for printing products						
P11.1*	A Material Safety Data Sheet (MSDS) is available for the ink/toner preparation, even if not legally required					\boxtimes	
Did at	(see P4.3).						
P11.2*				be used.			
P11.3*	,	printing/copying is an integrated product fu	nction.			\square	
P12	Ergonomics for computing products The computer system meets the ergonomic requirements of EN 29241-3, -7, -8 for CRT displays						
P12.1*	The computer system meets the ergonomic requirements of EN 29241-3, -7, -8 for CRT displays and EN-ISO13406-2 for flat panel displays. See P14						
P12.2*		board meets the requirements of ISO 9995	and EN 29241-4.				
P12.3*		put device meets the requirements of ISO 9				\exists	
P13		documentation					
P13.1*		ng material type(s): Corrugated cardboard	weight (kg):	0.61			
	Product packagi	ng material type(s): Polystyrene	weight (kg): 0				
		ng material type(s):	weight (kg):				
P13.2*		backaging is halogen free (including PVC)					
P13.3*		t documentation do not contain chlorine ble	ached paper				
P13.4*	· · ·	t documentation contain recycled paper					
P14	Additional infor			a 1.4			
		er makes no representations, guarantees, a ained in this document. All information prov					
		able at the time of completion, and supplier					
		approximate and provided for informational					
	information.						
P7.17	Product does not contain free TBBPA in printed circuit boards(without components)>25g.						
P9.1	Lenovo Interna		2406 2 hut in	t confirmed through former	l toot method-		
P12.1	1 Product is designed to meet the subject ISO Standard 13406-2, but is not confirmed through formal test methods.						

NOTE

Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.