

Product environmental attributes – THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P14.

Brand *	ThinkPad Logo			
Company name *	Lenovo			
Contact information *	Lenovo Global Environmental Affairs Alvin L Carter 1009 Think Place Building 2 / 5F1 Morrisville, North Carolina 27560 alcarter@lenovo.com			
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment.html			
Additional information	The latest version of this document can be found at http://www.lenovo.com/social_responsibility/us/en/datasheets_notebooks.html			

	The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.						
Type of product *	lotebook PC						
Commercial name *	ThinkPad T430/T430i						
Model number *	M/T: 2342/2344/2345/2347/2349/2350/2351						
Issue date *	2014, June 17						
Intended market *	🛛 Global 🗌 Europe 🗌 Asia, Pacific & Japan 🗌 Americas 🗌 Other						
Additional information							

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality	Control F	Requireme	ent met
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	\boxtimes	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org).		

Model number* ThinkPad T430/T430i

2014, June 17

M/T: 2342/2344/2345/2347/2349/2350/2351

Issue date *

Logo

lenovo

Product	environmental attributes - Legal requirements	Require	ement	tmet
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1)			
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.	\boxtimes		
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.4*	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference).	\square		
P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).	\square		
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS) Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values.			\boxtimes
P1.7*	Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split aromatic amines. (See legal reference and Note B1)			\square
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (see legal reference). Comment: Legal reference has no maximum concentration values.			\square
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm ² /week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:1998.			
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact): http://www.lenovo.com/social_responsibility/us/en/environment.html			
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference)			
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)	\square		
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on th design of the product). Exception: Batteries that are permanently installed for safety, performance, medic or data integrity reasons do not have to be "easily removable". (See legal reference)	e 🖂		
P3	Safety, EMC connection to the telephone network and labeling			
P3.1*	The product complies with legally required safety standards as specified (see legal reference).	\boxtimes		
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal reference).	\square		
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complie with legally required standards for radio and telecommunication devices (see legal reference).	s 🔀		
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).	\square		
P4	Consumable materials	<u></u>		
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).			
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).			\boxtimes
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium ar hexavalent chromium by weight of these together.	id 🔀		
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	\boxtimes		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montre Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.	al 🔀		

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model number *		ThinkPad T430/T430i			
		M/T: 2342/2344/2345/2347/2349/2350/2351			
Issue da	te *	2014, June 17 Logo	lend	ovo	
Product	t environ	mental attributes - Market requirements - Environmental conscious design	Require	ment	met
Item		atory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P6	Treatme	nt information			
P6.1*	Informati	\square			
P7	Design Disasse	mbly, recycling			-
P7.1*		at have to be treated separately are easily separable			
P7.2*	Plastic m	naterials in covers/housing have no surface coating.			
P7.3*		arts >100g consist of one material or of easily separable materials.			H
P7.4*		arts >25g have material codes according to ISO 11469 referring ISO 1043.		⊢⊢	H
P7.5		arts are free from metal inlays or have inlays that can be removed with commonly available tool		⊢⊢	\exists
P7.6*		re easily separable. (This requirement does not apply to safety/regulatory labels).		⊢⊢	+
17.0	Product				
P7.7*		ing can be done e.g. with processor, memory, cards or drives			
P7.8*		ng can be done using commonly available tools		⊢⊢	\exists
P7.9.					+
P7.10		arts are available after end of production for: 5 years			
17.10		s available after end of production for: 5 years and substance requirements			
P7.11*		cover/housing material type:			
1 7.11		type: PC+ABS-FR(40) Material type: PA6-CF20FR(52+61) Material type: PA6-CF20FR(52+61)	GF50FR(52-	⊧61)	
P7.12		I cable insulation materials of power cables are PVC free.			
P7.13		l cable insulation materials of signal cables are PVC free			H
P7.14		/housing plastic parts >25g are free from chlorine and bromine.		H	H
P7.15	All printe	d circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (
P7.16) tarded plastic parts >25g in covers / housings are marked according ISO 1043-4: FR(40), FR(52+61)			
P7.17	Alt. 1	11(40), 11(02401)			
		Il specifications of flame retardants in printed circuit boards >25g (without components): (additive) ☐, TBBPA (reactive) ☐, Other ⊠; chemical name: <i>DOPO(9,10-dihydro-9-oxa-1</i> <i>phosphaphenanthrene-10-oxide</i>), CAS #: <i>35948-25-5</i>	<i>o</i> -		
D7 40	ISO 104	Il specifications of flame retardants in printed circuit boards (without components) >25g accordir 3-4: FR(40)	Ig		
P7.18		etarded plastic parts >25g contain the following flame retardant substances/preparations ations above 0.1%:	in 🗌		
	Provide complete 1. Chem	 nt: No legal limits exist, this is a market requirement. a list of all used flame retardants including MSDS for each flame retardant. The list must con chemical name, CAS number and supplier. ical name: , CAS #: , Supplier: 	tain		
		ical name: , CAS #: , Supplier: ical name: , CAS #: , Supplier:			
	Alt. 2	σ_{α} matrix, $\gamma_{\alpha} \sigma_{\alpha} \sigma_{\alpha} \sigma_{\alpha}$, $\sigma_{\alpha} \sigma_{\alpha} \sigma_{$	\boxtimes		
	Chemica	I specifications of flame retardants in plastic parts >25g according ISO 1043-4: <i>FR(52+61)</i>		_	_
P7.19	Plastic p	arts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45 6, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)	, 🛛		
P7.20		plastic parts' weight >25g, recycled material content is 0%.			
P7.21		plastic parts' weight >25g, biobased material content is 0%.			
P7.22	Light sou	irces are free from mercury	\square		
P8	Batterie				
P8.1*	-	hemical composition: Lithium Ion/Lithium Manganese Dioxide			
P8.2	Batteries	meet the requirements of the following voluntary program/s: US Call2Recycle, EPBA, JBRC			

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model number *	ThinkPad T430/T430i M/T: 2342/2344/2345/2347/2349/2350/2351		
Issue date *	2014, June 17	Logo	lenovo

	Product environmental attributes - Market requirements (continued) Requirement met					
Item	•			Yes No	n.a.	
P9 Energy consumpt 9.1 For the product the			noumptions are r	anartadi Saa D14		
The product is ship	pped w/ WOL Enal	oled.				
Energy mode *	Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference / Standard for energy modes and test method *		
Peak (On-max)	65/90 W	65/90 W	65/90 W	Full load		
Category I2	•	L	•			
Short Idle - WOL Enabled	9.8922450 W	9.8371750 W	10.5956517 W	Use for Energy Star V6 registration(P _{SHORT_IDLE})		
Long Idle - WOL Enabled	5.5996017 W	5.6719583 W	6.3933833 W	Use for Energy Star V6 registration(P _{LONG_IDLE})		
Sleep (S3) - WOL Enabled	1.3701050 W	1.4181000 W	1.7637417 W	Use for Energy Star V6 registration(P _{SLEEP})		
Sleep (S3) - WOL Disabled	W	W	W	Reference		
Off (S5) - WOL Enabled	0.6245350 W	0.6707143 W	0.8934500 W	Use for Energy Star V6 registration(POFF)		
Off (S5) - WOL Disabled	W	W	W	Use for ErP		
Category D1			1			
Short Idle - WOL Enabled	12.8253067 W	12.6497183 W	13.3245833 W	Use for Energy Star V6 registration(P _{SHORT_IDLE})		
Long Idle - WOL Enabled	9.6095667 W	9.5792533 W	10.1958167 W	Use for Energy Star V6 registration(PLONG_IDLE)		
Sleep (S3) - WOL Enabled	1.3374500 W	1.3830017 W	1.7314917 W	Use for Energy Star V6 registration(P _{SLEEP)}		
Sleep (S3) - WOL Disabled	W	W	W	Reference		
Off (S5) - WOL Enabled	0.6461502 W	0.6882945 W	0.8728567 W	Use for Energy Star V6 registration(POFF)		
Off (S5) - WOL Disabled	W	W	W	Use for ErP		
EPS No-load (External power supply / charger plugged in the wall outlet but disconnected from the product.)	W	0.26 W	<i>0.38</i> W			
TEC Typical Energy Consumption	kWh/week	kWh/week	kWh/week			
ETEC * Annual Energy Consumption	I2: 36.47,D1: 47.64 kWh/year	<i>I2: 36.64,D1:</i> <i>47.38</i> <i>26.1</i> kWh/year	<i>I2: 40.81,D1:</i> <i>51.17</i> kWh/year	ETEC = (8760/1000) × (POFF × TOFF + PSLEEP × TSLEEP + PLONG_IDLE × TLONG_IDLE + PSHORT_IDLE × TSHORT_IDLE)		
Display resolution : 1366 x 7	68. 1600 x 900 Pix	kels				
Print Speed :	Images per mi					
Default time to enter energy sa						
P9.2* Information about 1			with the product		님	
P9.3* The product meets		•	•			
ENERGY STAR® Others specify:						

Model n	umber *		nkPad T430/T430i Г: 2342/2344/2345/2	347/2349/2350	/2351				
Issue da	te *		June 17		Logo	le		VO.	
Dueduced			Attailantee Merdeet as an incare			D			
Item	t environi	nental	attributes - Market requireme	ents (continued)		Re	equire Yes	No	n.a.
P10	Emissio	ns					165	INU	n.a.
1.10			n – Declared according to ISO 9296	3					
P10.1	Mode		Mode description	Declared A-weighted sound power	Declared / sound pressure	•	_n (dB)	itions	-
				level L _{WAd} (B)	Operator position Desktop or Desk side	(only if p		is not	
	Idle		* HDD: Idle	* 2.5	1	17			
	Operatio		* HDD: Operating	* 3.6	2	26			
		ed acco	m)	y if not covered by ECMA-7	·	ent distanc	e		
P10.2			ets the acoustic noise requirements	s of the following voluntary	program/s:				
P10.3*			sions from printing products						
P10.3 P10.4			according to ECMA-328 (ISO/IEC	28360) standard, other	specify:				
P10.4			n rate (print phase) is (mg/h):	Ponzono TV/					X
P10.5		Dust I emise	Ozone Styrene sion requirements of the following vert	Benzene TVO	are met for :				\boxtimes
1 10.0		Dust	Ozone Styrene			1			
			ic emissions						
P10.6	program	/s:	ay meets the requirement for low free R-II (3 pin AC adapter only)	equency electromagnetic fi	elds of the following vol	untary	\square		
P11	Consun	nable n	naterials for printing products			>			
P11.1*			Sheet (SDS) is available for the ink/						
P11.2*	EN1228	1.	ng post-consumer recycled fibers	•	at it meets the require	ments of			
P11.3*		· ·) printing/copying is an integrated p	roduct function.					\square
P12 P12.1*			r computing products		alou to obsologico				
			ets the ergonomic requirements of				<u> </u>	<u> </u>	<u> </u>
P12.2*			out device meets the requirements	of ISO 9995 and ISO 9241	-410.				
P13 P13.1*	Product Product	packag packag	I documentation ing material type(s): Corrugated C ing material type(s): EPE(Expande ing material type(s): Others(Plastii	ed Polyethylene) weig	ht (kg): 0.47 ht (kg): 0.06 ht (kg): 0.03				
P13.2*		•	packaging is free from PVC.				\boxtimes		
P13.3*			or user and product documentation Paper \boxtimes , Other \square	(tick box):					
P13.4*			and product documentation, please an only 70%)	specify contained percenta	age of post-consumer r	ecycled			
P14			rmation (See Note B4)						
	informat knowled providec informat	ion con ge avai I here is ion.	er makes no representations, guara tained in this document. All informa lable at the time of completion, and approximate and provided for infor	tion provided by supplier in supplier shall have no obli mational purposes only. So	this document is provid gation to update such ir ee a Lenovo Account R	ded based	on sup The in	plier's forma	
P7.17			not contain free TBBPA in printed						
P9			STAR Qualified Notebooks & Tab ds.energystar.gov/bi/gplist/lapto		est information:				

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19

Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	ThinkPad T430/T430i	Logo
Model Number	2342, 2344, 2345, 2347, 2349, 2350, 2351	lenovo
Issue Date	2014, July 1	
Additional information		

P7.1.1	Product environmental attributes	
(d)	year of manufacture:	2014
(e)	E TEC value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discre disabled and if the system is tested with switchable graphics mode with UMA driving the display	
	Category (according to ErP Lot 3): A Etec: 27.00	
(f)	E TEC value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete enabled:	e graphics cards (dGfx) are
	Category (according to ErP Lot 3): <i>B</i> Etec: 28.50	
(g)	idle state power demand (Watts);	A:8.01,B:8.62
(h)	sleep mode power demand (Watts);	
(i)	sleep mode with WOL enabled power demand (Watts) (where enabled);	A:1.59,B:1.63
(j)	off mode power demand (Watts);	
(k)	off mode with WOL enabled power demand (Watts) (where enabled);	A:0.84,B:0.85
(I)	internal power supply efficiency at 10 %, 20 %, 50 % and 100 % of rated output power (if applica	able):
	10% 20% 50% 100% Average	
(m)	external power supply efficiency (if applicable):	
	10% 20% 50% 100% Average ;	
	or level: V	
(o)	the minimum number of loading cycles that the batteries can withstand (applies only to notebool	< computers): 400
(p-1)	the measurement methodology used to determine information mentioned in points (I) – efficiency: Not applicable	internal PSU
	Νοι αρριταύιε	
(p-2)	the measurement methodology used to determine information mentioned in points (m) – efficiency: EPA "Test Method for Calculating the Energy Efficiency of Single-Voltage External AC-DO	
	Power Supplies" dated August 11, 2004	
(p-3)	the measurement methodology used to determine information mentioned in points (o) - batteries:	loadingcycles
	IEC 61960 measurement methodology	

(p-4)				o determine information mentioned in maximum, idle, sleep, off mode roduct IT Eco Declaration:	
			ENERC	GY STAR measurement methodology	
(q)	sequence of	steps for achieving	g a stab	le condition with respect to power demand ::	
			ENERC	GY STAR measurement methodology	
(r)	description o	of how sleep and/or	off mod	de was selected or programmed:	
		By selecting	g sleep	and/or off mode thru Windows operating system	
(s)	sequence of off mode:	events required to	reach t	he mode where the equipment automatically changes to sleep and/or	
		A	utomati	cally changes to sleep after 20 minutes	
(t)				efore the computer automatically reaches sleep mode, or another oplicable power demand requirements for sleep mode (in minutes):	20 minutes
(u)				ser inactivity in which the computer automatically reaches a demand requirement than sleep mode (in minutes):	
(v)	the length o	f time before the	display	sleep mode is set to activate after user inactivity (in minutes):	10 minutes
(w)	information of	on the energy-savir	ng poten	tial of power management functionality:	
	User inf	ormation describ	ed in Us	ser Guide and Power Manager under ThinkVantage menu in all programs	
(x)	user informa	tion on how to ena	ble the p	power management functionality:	
	User inf	ormation describ	ed in Us	ser Guide and Power Manager under ThinkVantage menu in all programs	
(Z)	the electricity			test voltage in V and frequency in Hz, — total harmonic distortion of ation and documentation on the instrumentation, set-up and circuits	
			230V, 5	50Hz, Total Harmonic Distortion <2 %	
Addition	n Notebook Bat	tery Information:			
Yes	-	No	n/a	This notebook computer is operated by battery/ies that cannot be acces by a non-professional user.	sed and replaced
(Battery replacea		(Battery user replaceable)		The battery[ies] in this product cannot be easily repla themselves	ced by users
		\boxtimes			
		<u> </u>			
1					

Additional information