

## Product environmental attributes – THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P14.

Brand *	ThinkPad	Logo	
Company name *	Lenovo		
Contact information *	Lenovo Global Environmental Affairs Alvin L Carter 1009 Think Place Building 2 / 5F1 Morrisville, North Carolina 27560 alcarter@lenovo.com	lenovo	
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment.html		
Additional information	The latest version of this document can be found at		
	http://www.lenovo.com/social_responsibility/us/en/datasheets_notebooks.html		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.			
Type of product *	lotebook PC		
Commercial name *	ThinkPad T430u		
Model number *	M/T: 3351, 3352, 3353		
Issue date *	2012, June 29		
Intended market *	🛛 Global 🔲 Europe 🗌 Asia, Pacific & Japan 🗌 Americas 🗌 Other		
Additional information	ENERGY STAR® Qualified; EPEAT Gold Rating; GreenGuard		

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality Control			Requirement met		
Item		Yes	No		
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	$\boxtimes$			
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality contro such as organized by IT-Företagen (see www.itecodeclaration.org).	ol 🔀			

Model number *	ThinkPad T430u	M/T: 3351, 3352, 3353
Issue date *	2012, June 29	

Logo

lenovo

Product	<b>Requirement met</b>			
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1)			
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.	$\boxtimes$		
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	$\square$		
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-	_	_	
	trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.4*	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference).	$\square$		
P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).	$\square$		
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference).			$\square$
	Comment: Legal reference has no maximum concentration values.			
P1.7*	Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split aromatic amines. (See legal reference and Note B1)			$\boxtimes$
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (see legal reference).			$\boxtimes$
	Comment: Legal reference has no maximum concentration values.			
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5	$\boxtimes$		
	microgram/cm <sup>2</sup> /week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:1998.			
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact):			
	http://www.lenovo.com/social_responsibility/us/en/environment.html			
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains	$\boxtimes$		
	more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is			
	provided in user manual. (See legal reference)			
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or	$\square$		
Do ot	accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)			
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medica or data integrity reasons do not have to be "easily removable". (See legal reference)			
P3	Safety, EMC connection to the telephone network and labeling			
P3.1*	The product complies with legally required safety standards as specified (see legal reference).	$\square$		
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal reference).			
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference).	3		
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).			
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).			
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).			$\square$
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium an hexavalent chromium by weight of these together.	d 🔀		
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	$\square$		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montrea	al 🕅	Ē	Π
	Protocol (see legal reference).	لاست		_
	Comment: Legal reference has no maximum concentration values.			

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model nu	umber *	ThinkPad T430u M/T: 3351, 3352, 3353				
Issue date *		2012, June 29	Logo	lend	<b>v</b> o	
		mental attributes - Market requirements - Environmental conscious of	design	Require		
Item P6		atory to fill in. Additional information regarding each item may be found under P14. nt information		Yes	No	n.a.
P6.1*		on for recyclers/treatment facilities is available (see legal reference).				
P7	Design					
		mbly, recycling				
P7.1*		at have to be treated separately are easily separable				<u> </u>
P7.2*		naterials in covers/housing have no surface coating.				<u> </u>
P7.3*		arts >100g consist of one material or of easily separable materials.			<u> </u>	<u> </u>
P7.4*		arts >25g have material codes according to ISO 11469 referring ISO 1043.			<u> </u>	<u> </u>
P7.5		arts are free from metal inlays or have inlays that can be removed with commonly a	available tools.		<u>Ц</u>	<u> </u>
P7.6*		re easily separable. (This requirement does not apply to safety/regulatory labels).		$\square$		
P7.7*	Product	Infetime ng can be done e.g. with processor, memory, cards or drives				
P7.8*		ng can be done using commonly available tools			<u> </u>	<u> </u>
P7.8						<u> </u>
P7.10		arts are available after end of production for: 5 years				<u> </u>
P7.10		s available after end of production for: 5 years				
P7.11*		and substance requirements cover/housing material type:				
	Material	type: >PA+GF50-FR(40)< type: >PC-GF40 FR(40)< Material type: >PC+ABS-FR(40)< Materia	al type: >PC+AL	<del>3</del> S-		
		(TD15)	FR(40)<			
P7.12	Electrica	I cable insulation materials of power cables are PVC free.			$\boxtimes$	
P7.13		I cable insulation materials of signal cables are PVC free		<u> </u>		H
P7.14		/housing plastic parts >25g are free from chlorine and bromine.				H
P7.15		ed circuit boards (without components) >25g are halogen free. as defined in IEC6	61249-2-21. (Se			
P7.16		tarded plastic parts >25g in covers / housings are marked according ISO 1043-4:		$\square$		
P7.17	Alt. 1					
		al specifications of flame retardants in printed circuit boards >25g (without compone (additive) , TBBPA (reactive) , Other; chemical name: <b>DOPO</b> , CAS #: <b>35948</b>				
	Alt. 2					
		I specifications of flame retardants in printed circuit boards (without components) >	>25g according			
	ISO 1043	3-4: <b>FR(40)</b>	0 0			
P7.18	Alt. 1			_		
	concentr	etarded plastic parts >25g contain the following flame retardant substances ations above 0.1%:	/preparations	n		
		nt: No legal limits exist, this is a market requirement.	list must contai	~		
		a list of all used flame retardants including MSDS for each flame retardant. The e chemical name, CAS number and supplier.	list must contai	n		
		ical name: , CAS #: , Supplier:				
	2. Chem	ical name: , CAS #: , Supplier:				
		ical name: , CAS #: , Supplier:				
	Alt. 2	I analifications of flows retardants in plastic parts . 25g according ISO 1042 4		$\bowtie$		
	FR(40)	Il specifications of flame retardants in plastic parts >25g according ISO 1043-4:				
P7.19	Plastic p	arts >25g are free from flame retardant substances/ preparations above 0.1% class 6, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)	sified as R45,			
P7.20		plastic parts' weight >25g, recycled material content is 0.017%.				
P7.21	Of total p	plastic parts' weight >25g, biobased material content is 0%.		_		
cP7.22	Light sou	irces are free from mercury		$\boxtimes$		
P8	Batterie					
P8.1*		chemical composition: Lithium Ion/Lithium Manganese Dioxide				<u> </u>
P8.2	Batteries	meet the requirements of the following voluntary program/s: US RBRC				

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model nu	imber *	Thir	nkPad T430	u M/T: 33	51, 3352, 3	3353	
Issue dat	:e *	2012, J	lune 29			Logo lenovo.	
Product	Product environmental attributes - Market requirements (continued) Requirement met						
Item							
P9	Energy c						
9.1	The produ		e following power lev pped w/ WOL Enable		mptions are reporte		
Energy m	ode *		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference / Standard for energy modes and test method *	
			(50Hz/60Hz)				
Peak (On			65 W	65 W	65 W	Full load	
<u>Catego</u>			1	[	[		
	e - WOL En		6.6 W	6.6 W	8.4 W	Use for ENERGY STAR Registration(Pidle)	닏
	3) - WOL E		0.96 W	0.96 W	1.2 W	Use for ENERGY STAR Registration(P <sub>sleep</sub> )	ᆜ
	WOL Ena		0.24 W	0.24 W	0.36 W	Use for ENERGY STAR Registration(Poff)	닏
. ,	WOL Disa	bled	W	W	0.37 W	Use for EuP	
<u>Catego</u>							_
Idle State	e - WOL En	abled	8.16(50Hz)/8.28( 60Hz) W	9.36 W	<b>10.2</b> W	Use for ENERGY STAR Registration(P <sub>idle</sub> )	Ш
	3) - WOL E		0.96 W	0.96 W	<b>1.2</b> W	Use for ENERGY STAR Registration(P <sub>sleep</sub> )	
Off (S5) -	WOL Ena	bled	0.24 W	0.24 W	0.48 W	Use for ENERGY STAR Registration(Poff)	
Off (S5) -	WOL Disa	bled	W	W	0.39 W	Use for EuP	
charger p	power supplugged in the disconnect	ne wall	W	W	W		
TEC Typical Ei Consump	nergy		kWh/week	kWh/week	kWh/week		
ETEC * Annual Er Consump			<b>19.45</b> kWh/year	<b>19.45</b> kWh/year	25.02 kWh/year	$E_{TEC} = (8760/1000) \times (P_{off} \times 0.6 + P_{sleep} \times 0.1 + P_{idle} \times 0.3)$	
			00 55(5011 )/	00 70 1 1 4 /		Etec_max (Category A): 44.8 kWh	_
			23.55(50Hz)/ 23.86(60Hz) kWh/year	26.70 kWh/year	<b>30.38</b> kWh/year	$E_{TEC} = (8760/1000) \times (P_{off} \times 0.6 + P_{sleep} \times 0.1 + P_{idle} \times 0.3)$	
			-			Etec_max (Category B): 57.8 kWh	
<b>D</b> 1 1				VOL Enabled; P <sub>sleep</sub> : 3	Sieep Wode(53) - WO	L Enabled; P <sub>idle</sub> : Idle State - WOL Enabled	_
		1366x7	68 Megapixels				느
Print Spee			Images per min				
			save mode: 20 minut				ᆜ
P9.2*			the energy save fund				
P9.3*	ENERGY	STAR®	s the energy requirer version: Version 5.2 VERGY STAR for Ex	2 dated January, 20	11 Product catego	ory: A and B	
P10	Emission		- Declared according				
P10.1	Mode		Mode description	10 150 9296	Declared	Declared A-weighted	
-			F		A-weighted sound power	sound pressure level $L_{p{\sf Am}}$ (dB)	
					level $L_{WAd}$ (B)	Operator position Bystander positions   Desktop (only if product is not operator attended)	
	Idle	t l	* HDD: Idle(Intel)		* 2.8	28	
	Operation	,	* HDD: Operating(In	itel)	* 3.0	30	
	Other mo	de					
	Measured	accordi	ng to: 🔀 ISO7779 [	ECMA-74			
P10.2	The rest		Other			74 with L <sub>pAm</sub> measurement distance, m)	
P10.2	i ne produ	ict meets	s the acoustic noise	equirements of the	ionowing voluntary	program/s:	

Model nu	<sup>nber *</sup> ThinkPad T430	Du M/T: 3351, 3352, 3353			
Issue date	* 2012, June 29		Logo	enovo	
Product	environmental attributes - Marke	et requirements (continued)	R	equirement I	met
Item					n.a.
	Chemical emissions from printing	products			
P10.3*	Test performed according to ECMA-3				$\boxtimes$
P10.4	Typical emission rate (print phase) is				
-	Dust Ozone	Styrene Benzene TVOC			
P10.5	Chemical emission requirements of the	,			$\boxtimes$
	Dust Ozone	Styrene Benzene	TVOC		
	Electromagnetic emissions				
P10.6		nent for low frequency electromagnetic fields of the for	llowing voluntary		
	program/s: MPR-II, JEITA				
P11	Consumable materials for printing				
P11.1*		ble for the ink/toner preparation, even if not legally rec			$\square$
P11.2*	Paper containing post-consumer rec EN12281.	cycled fibers can be used, provided that it meets	the requirements of		
P11.3*	2-sided (duplex) printing/copying is a	n integrated product function.			$\boxtimes$
P12	Ergonomics for computing produc				
P12.1*	The display meets the ergonomic req	quirements of ISO 9241-307 for visual display techno	ogies.	$\square$	
P12.2*	The physical input device meets the	requirements of ISO 9995 and ISO 9241-410.			
P13	Packaging and documentation				
P13.1*	Product packaging material type(s):	weight (kg):			
	Product packaging material type(s):	weight (kg):			
D40.0*	Product packaging material type(s):	weight (kg):			
P13.2*	Product plastic packaging is free from				Ц.
P13.3*	Specify media for user and product d	locumentation (tick box):			
P13.4*	Electronic 🔀, Paper 🔀, Other 🗌	ntation, please specify contained percentage of post-			
P13.4	fiber: <b>0%</b> (Japan only 70%)	nation, please specify contained percentage of post-	consumer recycled		
P14	Additional information (See Note B	34)			
		ntations, guarantees, assurances or warranties wheth	er express or implied	regarding the	,
	information contained in this docume	ent. All information provided by supplier in this docum	ent is provided based	on supplier's	
		ompletion, and supplier shall have no obligation to up			ion
		ovided for informational purposes only. See a Lenovo	Account Representation	live for more	
P7.17	information.	PPA in printed circuit boards/without components	250		
P7.17 P9		BPA in printed circuit boards(without components books & Tablet Computers for the latest informat			
1.2	http://downloads.energystar.gov/b				

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19