

Ecma/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Computers and computer monitors

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo
Company name *	Lenovo	
Contact information *	Lenovo Global Environmental Affairs	
e-mail address	Alvin L Carter	
	1009 Think Place	Lenovo
	Building 2 / 5F1	
	Morrisville, North Carolina 27560	
	alcarter@lenovo.com	
Internet site *	www.lenovo.com	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.							
Type of product *	Tablet						
Commercial name *	ThinkPad X1 Tablet Gen 2						
Model number *	20JB, 20JC						
Issue date *	February 20, 2017						
Intended market *	🔀 Global 📃 Europe 📃 Asia, Pacific & Japan 📃 Americas 🗌 Other						
Additional information							

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products P11.1 - P11.3 Consumable materials for printing products.

Model n	umber *	20JB, 20JC	Logo			
Issue date * Fe		February 20, 2017		Lenovo.		
	t environ	mental attributes - Legal requirements		Require		t met
Item				Yes	No	n.a.
P1		ous substances and preparations				
P1.1*	Product	s do comply with current European RoHS Directive. (See legal reference and NOTE	EB1)	\boxtimes		
P1.2*	Comme	s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.		\boxtimes		
P1.3*	hydrobro trichloro	s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), omofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach ethane, methyl bromide (see legal reference). Comment: Legal reference has no m ration values.				
P1.4*	terpheny	s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych /l (PCT) in preparations (see legal reference).		\boxtimes		
P1.5*		s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 cart ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	bon atoms in	the 🔀		
P1.6*	(see leg	th direct and prolonged skin contact do not release nickel in concentrations above 0 al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.),5 μg/cm²/we	eek 🔀		
P1.7*	REACH	Article 33 information about substances in articles is available at (add URL or mail ovv.lenovo.com/social_responsibility/us/en/materials.html	contact):			
P2	Batterie					
P2.1*		oduct contains a battery or an accumulator, the battery/accumulator is labeled with t Information on proper disposal is provided in user manual. (See legal reference)	the disposal	\boxtimes		
P2.2*	Batterie: referenc	s or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadme)	nium. (See le	gal 🔀		
P2.3*	Batterie	s and accumulators are readily removable. (See legal reference)		\boxtimes		
P3	Conform	nity verification & Eco design (ErP)				
P3.1*	The pro The Dec	duct is CE-marked to show conformance with applicable legal requirements (see leg laration of Conformity can be requested at (add link or e-mail address): ww.lenovo.com/social_responsibility/us/en/ec_doc_notebooks/	gal reference).		
P3.2*	The pro	duct complies with the Eco design requirements for energy-related products, al reference).		\boxtimes		
	Require	information is available : vw.lenovo.com/social_responsibility/us/en/datasheets_notebooks/		\boxtimes		
P5		t packaging				
P5.1*	Packagi	ng and packaging components do not contain more than 0,01% lead, mercury ent chromium by weight of these together.	y, cadmium	and 🔀		
P5.2*	The pac	kaging materials are marked with abbreviations and numbers indicating the nature one legal reference).	of the materia	al(s) 🔀		
P5.3*	The pro Protoco	duct packaging material is free from ozone depleting substances as specified (see legal reference). nt: Legal reference has no maximum concentration values.	in the Mont	real 🔀		
P6		nt information				
P6.1*	Informat	on for recyclers/treatment facilities is available (see legal reference).		\square		

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *		20JB, 20JC	Logo			
Issue dat	te *	February 20, 2017		ονα	Om	
Product	environ	mental attributes - Market requirements (See General NOTE GN	below)			
		onmental conscious design		Require		met
Item		tory to fill in. Additional information regarding each item may be found under P14.		Yes	No	n.a.
P7	Design Disasse	mbly, recycling				
P7.1*		t have to be treated separately are easily separable				
P7.2*	Plastic m	aterials in covers/housing have no surface coating.				
P7.3*	Plastic pa	arts > 100 g consist of one material or of easily separable materials.				
P7.4*	Plastic pa	arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.				
P7.5	Plastic pa	arts are free from metal inlays or have inlays that can be removed with commonly a	available tools.			
P7.6*	Labels a	re easily separable. (This requirement does not apply to safety/regulatory labels).		$\overline{\boxtimes}$		
	Product	lifetime				
P7.7*	Upgradir	ig can be done e.g. with processor, memory, cards or drives		\square		
P7.8*	Upgradir	ig can be done using commonly available tools		\square		
P7.9	Spare pa	arts are available after end of production for: 5 years				
P7.10	Service i	s available after end of production for: 5 years				
		and substance requirements				
P7.11*		cover/housing material type (e.g. plastics, metal, aluminum):				
P7.12		type: PC+ABS-FR(40) Material type: Magnesium Materia n materials of external electrical cables are PVC free.	al type: Aluminu		\boxtimes	
P7.12		n materials of external electrical cables are PVC free.				<u> </u>
P7.14		plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) b	romine and 0.1º		╞	<u> </u>
1 7.14	weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame	e retardants, an	d 🔼		
		chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm)	chlorine in part	s		
P7.15		ig more than 25% post-consumer recycled content.				
	halogen	circuit boards, PCBs (without components) are low halogen: all 🗌 PCBs > as defined in IEC 61249-2-21. (See 1NOTE B2)				
P7.16	Marking:					
P7.17		nemical specifications of flame retardants in printed circuit boards > 25 g (without c			_	_
		PA (additive), TBBPA (reactive) (See NOTE B3), Other: <i>DOPO(9,10-dihydro</i>	-9-oxa-10-	\bowtie		
		aphenanthrene-10-oxide), CAS #: 35948-25-5		_	_	_
	according	nemical specifications of flame retardants in printed circuit boards (without compone g ISO 1043-4:				
P7.18		ame retarded plastic parts > 25 g contain the following flame retardant substance	s/preparations i	n 🗖	_	_
		ations above 0,1%: ical name: , CAS #: (See NOTE B4)				
		ical name: , CAS #: "				
	3. Chemi	ical name: , CAS #: "				
	<u>Alt. 2: </u> Ch FR(40)	nemical specifications of flame retardants in plastic parts > 25 g according ISO 104	3-4:	\square		
P7.19		: parts > 25 g, flame retardant substances/preparations above 0,1% are used which I the following Risk phrases; <i>R53</i> and Hazard statements: H412	have been			
			See note B5)			
P7.20*	Postcons	sumer recycled plastic material content is used in the product (See Note B6):		\square		
	a) Of t a pe	t least one of the two alternatives below shall be answered; otal plastic parts' weight > 25 g, the postconsumer recycled plastic material conten ercentage of total plastic by weight) is %.	t (calculated as			
	or b) The	weight of recycled material is 1 g.				

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	20JB, 20	JC			Logo	
Issue date *	February	y 20, 2017				Lenovo
Product enviror	mental at	tributes - Market r	equirements (cont	inued)	· · · · · · · · · · · · · · · · · · ·	Requirement met
Item			•	•		Yes No n.a.
Materi	al and subs	stance requirements	(continued)			
			in the product (See N	NOTE B7):		
If YES:	at least one	e of the two alternative	es below shall be answ	vered:		
a) O	f total plasti	c parts' weight > 25 g		material content (calcu	lated as a perce	entage
	total plastic	by weight) is	, D.			
or b) Tl	o woight of	the biobased plastic i	matorial ic a			
			material is g. less than 0,1 mg/lamp).		
		specify: Number of lar		num mercury content pe	erlamp: m	
P8 Batteri	es					
P8.1* Battery	chemical c	omposition: Lithium I	on			
		tion (See NOTE B8)				
	product the		s or energy consumpt			
Energy mode *		Power level at 100 V AC	Power level at	Power level at	Reference/Sta modes and tes	ndard for energy
Peak (On-max)		45/65 W	115 V AC 45/65 W	230 V AC 45/65 W	Full load	
					. an iouu	
Category I1						
Short Idle State		8.832 W	8.988 W	9.252 W	P _{SHORT_IDLE} in EN	IERGY STAR
Long Idle State		5.748 W	5.844 W	5.868 W	PLONG_IDLE in EN	ERGY STAR
Sleep (S3)		0.648 W	0.672 W	0.816 W	P _{SLEEP} in ENER	GY STAR
		0.070 \/	0.000.14/	0.040.\\/	P _{OFF} in ENERGY	(STAD
Off (S5)		0.276 W	0.288 W	0.312 W	P OFF III ENERGI	STAR
EPS No-load		W	W	W		
(External power supply / charge wall outlet but disconnected fro						
PTEC *		W	W	W		
Typical Energy Cor	sumption					
ETEC * Annual Energy Cor	cumption	30.84 kWh/year	31.43 kWh/year	32.64 kWh/year		$(OOO) \times (P_{OFF} \times T_{OFF})$
Annual Energy Col	Isumption				$T_{LONG_{IDLE}} + P_{S}$	
					T _{SHORT_IDLE})	
External Power Su	oply Efficien	cy Level (Internationa	I Efficiency Marking Pi	rotocol) * : VI		
Display resolution *	: 2160 x 1	440 Pixels				
Default time to ente	er energy sa	ve mode: 10 minutes				
P9.2* Informa	ation about	the energy save functi	on is provided with the	e product.	•	
P9.3 Energy	efficiency of	class (monitors only):				
P10 Emiss						
		Declared according to	ISO 9296 (See NOT	E B9)		
P10.1 Mode		lode description			it A-weighted sou	ind power level, <i>L_{WA,c}</i> (B)
Idle		Idle		* 2.7		
Operat	ion *	Operating(CPU)		* 2.7		
				Declared A-weighte		e level, L _{pAm} (dB)
		1.11.		(operator position d	esktop)	
Idle		Idle		* 17		
Operat	ion *	Operating(CPU)		* 17		
			7			
Measu	red accordir	ng to: 🔀 ISO 7779 🔀	ECMA-74			
		Other	(only if not covered b	y ECMA-74)		

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see <u>http://www.ecma-international.org/publications/standards/Ecma-370.htm</u>

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Model nu	mber *	20JB, 20JC				Logo			
Issue dat	:e *	February 20, 2017					Leno	vo	тм
Product	environ	nental attributes ·	- Market requirements (continued)			Require	ment	me
Item							Yes	No	n.a
		magnetic emissions							
P10.4	Comput program	lowing volunta	ary 🔀						
P12		mics for computing							
P12.1*	The disp	play meets the ergono	omic requirements of ISO 92	241-307 for visua	l display technolo	gies.	\boxtimes		
P12.2*	The physical input device meets the requirements of ISO 9995 and ISO 9241-410.								
P13	Packag	ing and documentat	tion						
P13.1*	Product Product <u>Retail P</u> Product Product	packaging material ty ackaging: packaging material ty packaging material ty	ype(s): Corrugated Cardbo ype(s): Others (Polyethyle ype(s): Corrugated Cardbo ype(s): Cardboard ype(s): Others (Polyethyle	ne bags) oard	weight (kg weight (kg weight (kg weight (kg weight (kg	g): 0.018 g): 0.399 g): 0.932			
P13.2*			aging is free from PVC.			g). •.•••	\boxtimes		
P13.3*		duct primary corruga er recovered fiber cor	ted fiberboard packaging, ntent: 80 %	specify the conta	ained percentage	of minimum	post-		
P13.4*			roduct documentation (tick b Dther	oox):					
P13.5	Ùser an		em if paper documentation u tion on paper media is chlor						
	Element	hlorine-free al chlorine-free ed chlorine-free							
P14	Volunta	ry programs							
P14.1	The pro	duct meets the requir	ements of the following volu	intary program(s)	:				
	Eco-lab		Criteria version: 6.1 Criteria version: Gold	Date: Date:	Product	category: //			
P15		nal information (See	,						
P9			mputer products; descript	tion of the tested	l product config	uration:			
P7.12	Low ha	logen power cord ca	an be ordered on request.						

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	ThinkPad X1 Tablet Gen 2	Logo
Model Number	20JB, 20JC	
Issue Date	February 20, 2017	Lenovo.
Additional information		

d)	year of manufacture:				2017	
e)	Etec value (kWh) per ErP Lot 3 Catego disabled and if the system is tested with				cards (dGfx) are	
f)	Etec value (kWh) per ErP Lot 3 Categor enabled	y and capability adjust	tments applied when a	Ill discrete graphics o	cards (dGfx) are	
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)	
	Memory over base [GB]	12				
ents ting	Additional internal storage	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)	
capability adjustments applied during testing	Discrete television tuner	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)	
ability <i>ɛ</i> lied du	Discrete Audio Card	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)	
cape app	Discrete graphics Card(s) [number / #]	No #: (Yes / No)	#: (Yes / No)	#: (Yes / No)	#: (Yes / No)	
	Category of discrete graphics Card(s)					
esults	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)	18.54				
Test results	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled					
g)	Idle state power demand (Watts);		•		6.29	
h)	Sleep mode power demand (Watts);				0.82	
i)	Sleep mode with WOL enabled power de	emand (Watts) (where	enabled);		0.82	
j)	Off mode power demand (Watts);				0.44	
k)	Off mode with WOL enabled power demand (Watts) (where enabled); 0.44					
l)	er (if applicable):					
	10% 20% 50%	100% Avera	age			
m)	external power supply efficiency (if appli	cable)*:				
	Average active efficiency: 45W USB Ty 88.54%	/pe-C: 87.92%, 89.31%	%, 89.35%, 88.90% ,6	5W USB Type-C: 91.0	01%, 90.39%, 90.259	
o)	Minimum number of loading cycles that t	the batteries can withs	tand (applies only to n	otebook computers):	1000	
p-1)	Measurement methodology used to dete	rmine information mer	ntioned in points (I) – i	nternal PSU efficiency	:	

(p-2)	Measurement metho	dology used to determine information mentioned in p	points (m) – external PSU efficiency:			
		r Calculating the Energy Efficiency of Single-Volt Power Supplies" dated August 11, 2	004			
(p-3)	Measurement methodology used to determine information mentioned in points (o) – loading cycles batteries: IEC 61960 measurement methodology					
(p-4)	Measurement methodology used to determine information mentioned in maximum, idle, sleep, off mode power as defined in Point P9.1 in the Product IT Eco Declaration:					
		IEC 62623 / IEC EN50564:2011 measurement r	nethodology			
(q)	Sequence of steps for	or achieving a stable condition with respect to power				
		IEC 62623 / IEC EN50564:2011 measurement r	nethodology			
(r)	Description of how sl	eep and/or off mode was selected or programmed:				
	В	y selecting sleep and/or off mode thru Windows (operating system			
(s)	Sequence of events off mode:	required to reach the mode where the equipment au	tomatically changes to sleep and/or			
		Automatically changes to sleep				
(t)	condition which does	te condition before the computer automatically re s not exceed the applicable power demand requirement	ents for sleep mode (in minutes):	10 minutes		
(u)		r a period of user inactivity in which the compute ver power demand requirement than sleep mode (in				
(v)	Length of time befo	re the display sleep mode is set to activate after	user inactivity (in minutes):	10 minutes		
(w)	Information on the er	nergy-saving potential of power management function	nality:			
		User information described in User G	uide			
(x)	User information on I	how to enable the power management functionality:				
		User information described in User G				
(z)		measurements: — test voltage in V and frequency in system, — information and documentation on the in- sting:				
		230V, 50Hz, Total Harmonic Distortion	<2 %			
Additio	n Notebook Battery					
		Battery[ies] not user replaceable	Battery[ies] user replaceable	n/a		
		The battery[ies] in this product cannot be easily replaced by users themselves. ¹⁾				
Internal/	built-in Battery					
External	/detachable Battery			\square		
Bios Ba	ckup Battery	\boxtimes				
Other:						
Addition	al information					
1)						
Akymynarop Las baterias Výměnu batk Brugeren ka Der Akku/die Kasutajad ei H μπαταρία[La/les batter Korisnik ne r La batteria/le Lietotāji páši Šio gaminio A termék akł Il-batteria/be Batterie [em De batterij(et)	HaTa[μτe] δατερικη[μ] в този de este producto no pueden erie/baterií v tomto výrobku bý n likke uden videre udskifte b e Akkus dieses Produkts kanr saa selle toote akut/akusid is -ες] στο προϊόν αυτό δεν μπο ie(s présente(s) dans ce proc može lako zamijeniti Bateriju a baterie in questo prodotto n i nevar nomainīt šā ražojuma baterijos [bateriju] pats vartot kumulátorát/akkumulátorait a atteriji fdan il-prodott ma tista e] i dette produktet kan ikke le n) in dit product is (zijn) door nie može sam w łatwy sposót	poúv να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες luit ne peuvent être facilement remplacée(s) par les utilisateurs e sam u ovom proizvodu. ion può/possono essere facilmente sostituita/e dall'utente. akumulatoru(-us). ojas negali lengvai pakeisti. felhasználó nem tudja egyedül egyszerűen kicserélni. x/jistgħux tiġi/jiġu sostitwita/i mill-utenti stess.	werden.			