

Ecma/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Computers and computer monitors

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo
Company name *	Lenovo	
Contact information * e-mail address	Lenovo Global Environmental Affairs Alvin L Carter 1009 Think Place Building 2 / 5F1 Morrisville, North Carolina 27560 alcarter@lenovo.com	Lenovo
Internet site *	www.lenovo.com	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.					
Type of product *	Notebook PC				
Commercial name *	ThinkPad X1 Yoga				
Model number *	20FQ, 20FR				
Issue date *	November 18, 2016				
Intended market *	🔀 Global 📃 Europe 📃 Asia, Pacific & Japan 📃 Americas 🗌 Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template: P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products.

Model n	umber *	20FQ, 20FR	Logo			
Issue da	ite *	November 18, 2016		Len		
	<mark>t environ</mark>	mental attributes - Legal requirements		Require		
Item				Yes	No	n.a.
P1		ous substances and preparations				
P1.1*	Products	s do comply with current European RoHS Directive. (See legal reference and NOTE	EB1)			
P1.2*	Comme	s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.		\boxtimes		
P1.3*	hydrobro trichloro	s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), pmofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach ethane, methyl bromide (see legal reference). Comment: Legal reference has no m ration values.		1-		
P1.4*		s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych /l (PCT) in preparations (see legal reference).	lorinated	\boxtimes		
P1.5*	chain co	s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 cart ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).				
P1.6*	(see leg	th direct and prolonged skin contact do not release nickel in concentrations above 0 al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.),5 μg/cm²/v	veek 🔀		
P1.7*	REACH	Article 33 information about substances in articles is available at (add URL or mail ovv.lenovo.com/social_responsibility/us/en/materials.html	contact):	\boxtimes		
P2	Batterie	S				
P2.1*	If the pro symbol.	oduct contains a battery or an accumulator, the battery/accumulator is labeled with t Information on proper disposal is provided in user manual. (See legal reference)	he disposa	I 🛛		
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal reference)					
P2.3*	Batteries	s and accumulators are readily removable. (See legal reference)		\boxtimes		
P3	Conform	nity verification & Eco design (ErP)				
P3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal reference). The Declaration of Conformity can be requested at (add link or e-mail address): http://www.lenovo.com/social responsibility/us/en/ec_doc_notebooks/					
P3.2*	The pro	duct complies with the Eco design requirements for energy-related products, al reference).		\boxtimes		
	Require	information is available : ww.lenovo.com/social_responsibility/us/en/datasheets_notebooks/		\square		
P5		packaging				
P5.1*	Packagi	ng and packaging components do not contain more than 0,01% lead, mercury ant chromium by weight of these together.	y, cadmium	n and 🔀		
P5.2*	The pac	kaging materials are marked with abbreviations and numbers indicating the nature one legal reference).	of the mate	rial(s) 🔀		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montrea Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.					
P6		nt information				
P6.1*		on for recyclers/treatment facilities is available (see legal reference).				

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model nu	ımber *	20FQ, 20FR Logo			
Issue dat	te *	November 18, 2016	Len	ovo	
Product	onviron	mental attributes - Market requirements (See General NOTE GN below)			
FIGUUCI			equire	ment	met
Item		tory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P7	Design				
P7.1*		mbly, recycling			
		at have to be treated separately are easily separable			<u> </u>
P7.2*		naterials in covers/housing have no surface coating.	<u> </u>		<u> </u>
P7.3*		earts > 100 g consist of one material or of easily separable materials.			<u> </u>
P7.4*	-	arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.		<u> </u>	<u> </u>
P7.5		arts are free from metal inlays or have inlays that can be removed with commonly available tools.		<u> </u>	<u> </u>
P7.6*		re easily separable. (This requirement does not apply to safety/regulatory labels).	\square		
P7.7*		: lifetime ng can be done e.g. with processor, memory, cards or drives			
P7.8*				<u> </u>	<u> </u>
	. 2	ng can be done using commonly available tools	\boxtimes		<u> </u>
P7.9	• •	arts are available after end of production for: 5 years			<u> </u>
P7.10		is available after end of production for: 5 years			
D7 44*		and substance requirements			
P7.11*		cover/housing material type (e.g. plastics, metal, aluminum): type: PC-GF40FR(40),EP- Material type: PC+ABS-FR(40) Material type: Magnesiu (52)	m		
P7.12		n materials of external electrical cables are PVC free.		\boxtimes	
P7.13	Insulatio	n materials of internal electrical cables are PVC free.			Ē
P7.14	weight(polyvinyl	plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% 1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and I chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts ng more than 25% post-consumer recycled content.			
P7.15	Printed	circuit boards, PCBs (without components) are low halogen: all ☐ PCBs > 25 g ⊠ are low as defined in IEC 61249-2-21. (See 1NOTE B2)	\square		
P7.16	Flame re Marking:	etarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: : FR(40),FR(52)	\square		
P7.17	TBBF	hemical specifications of flame retardants in printed circuit boards > 25 g (without components): PA (additive), TBBPA (reactive) (See NOTE B3), Other: <i>DOPO(9,10-dihydro-9-oxa-10- aphenanthrene-10-oxide</i>), CAS #: 35948-25-5			
		hemical specifications of flame retardants in printed circuit boards (without components) > 25 g g ISO 1043-4:			
P7.18	concentr	lame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in rations above 0,1%: ical name: , CAS #: (See NOTE B4)			
	3. Chem	ical name: , CAS #: " ical name: , CAS #: "		_	_
D7.40	FR(40),F				
P7.19	assigned	c parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been d the following Risk phrases; <i>R53</i> and Hazard statements: <i>H412</i> rce(s) for these classifications is/are found at (add URL(s)): , (See note B5)			
P7.20*		sumer recycled plastic material content is used in the product (See Note B6):	\square		
	a) Of t	at least one of the two alternatives below shall be answered; total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as ercentage of total plastic by weight) is %.			
		e weight of recycled material is 5 g.			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	20FQ, 20)FR			Logo	
Issue date *	Novemb	er 18, 2016				Lenovo
Product environ	mental at	tributes - Market r	equirements (cont	inued)	•	Requirement met
Item						Yes No n.a.
		tance requirements				
P7.21* Biobase	d plastic m	aterial content is used	d in the product (See N	IOTE B7):		
			es below shall be answ			
				material content (calcu	ulated as a percer	ntage
or	iotal plastic	by weight) is %	0.			
	e weight of	the biobased plastic r	material is g.			
			less than 0,1 mg/lamp			
		specify: Number of lar	nps: and maxin	num mercury content pe	er lamp: mg]
P8 Batterie P8.1* Battery	-	omposition: <i>Lithium I</i>	07			
,		tion (See NOTE B8)				
			ls or energy consumpt	ions are reported:		
Energy mode *		Power level at	Power level at	Power level at		ndard for energy
		100 V AC	115 V AC	230 V AC	modes and test	t method *
Peak (On-max)		45/65 W	45/65 W	45/65 W	Full load	
Category I1						
Short Idle State		6.516 W	6.420 W	6.972 W	P _{SHORT_IDLE} in EN	ERGY STAR
Long Idle State		2.412 W	2.328 W	2.448 W	P _{LONG_IDLE} in ENE	RGY STAR
Sleep (S3)		0.516 W	0.516 W	0.564 W	P _{SLEEP} in ENERG	Y STAR
Off (S5)		0.288 W	0.348 W	0.396 W	P _{OFF} in ENERGY	STAR
EPS No-load		W	0.096 W	0.252 W		
(External power supply / charge wall outlet but disconnected from						
PTEC *	r the product.)	W	W	W		
Typical Energy Cons	sumption					
ETEC * Annual Energy Cons	sumption	21.45 kWh/year	21.26 kWh/year	23.06 kWh/year		$\begin{array}{c} \textbf{D00} \times (P_{OFF} \times T_{OFF} \\ \textbf{D00} \end{array} $
Annual Energy Cons	sumption				$T_{LONG_{IDLE}} + P_{SH}$	EP + P _{LONG_IDLE} ×
					T _{SHORT_IDLE})	
•		•	I Efficiency Marking Pr	rotocol) * : V		
Display resolution *	: 1920 x 1	0 80, 2560 x 1440 Pixe	els			
Default time to enter	energy sa	ve mode: 30 minutes				
P9.2* Informat	tion about t	he energy save functi	on is provided with the	product.		
P9.3 Energy	efficiency c	lass (monitors only):				
P10 Emissio						
			ISO 9296 (See NOT		it A maintend as	
P10.1 <u>Mode</u> Idle		lode description Idle		* 3.2	n A-weighted soul	nd power level, <i>L_{WA,c}</i> (B)
Operatio		Operating(CPU)		* 3.8		
Operatio		operating (OF 0)		Declared A-weighte	d sound pressure	
				(operator position d		
Idle	*	Idle		* 23	• /	
Operatio	on *	Operating(CPU)		* 32		Π
Measure	ed accordir	ng to: 🔀 ISO 7779 📐	ECMA-74			
		Other	(only if not covered b	FCMA-74)		

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see <u>http://www.ecma-international.org/publications/standards/Ecma-370.htm</u>

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

tem P10.4 P12.1*	nvironmental attributes Electromagnetic emissions Computer display meets the program(s): MPR-II(3 pin AC Ergonomics for computing The display meets the ergonomics	- Market requirements (requirement for low frequence adapter only) products	•		Require Yes				
tem P10.4 P12.1*	Electromagnetic emissions Computer display meets the program(s): MPR-II(3 pin AC Ergonomics for computing The display meets the ergono	requirement for low frequence adapter only) products	•	ls of the following voluntary	Yes				
P10.4 P12 P12.1*	Computer display meets the program(s): <i>MPR-II(3 pin AC</i> Ergonomics for computing The display meets the ergonomics	requirement for low frequence adapter only) products	cy electromagnetic field	ls of the following voluntary		No n.			
P10.4 P12 P12.1*	Computer display meets the program(s): <i>MPR-II(3 pin AC</i> Ergonomics for computing The display meets the ergonomics	requirement for low frequence adapter only) products	cy electromagnetic field	ls of the following voluntary					
P12 P12.1*	program(s): <i>MPR-II(3 pin AC</i> Ergonomics for computing The display meets the ergonomics	adapter only) products	cy electromagnetic field	Is of the following voluntary					
P12.1*	The display meets the ergone				\boxtimes				
	1,3 0		Ergonomics for computing products						
P12.2 [★]		omic requirements of ISO 92	241-307 for visual displa	ay technologies.	\square				
	The physical input device me	ets the requirements of ISO	9995 and ISO 9241-47	10.	\boxtimes				
P13	Packaging and documentat	tion							
	Product packaging material t Product packaging material t Product packaging material t	ype(s): 100% Recycled Exp	anded Polyethylene	weight (kg): 1.548 weight (kg): 0.059 weight (kg): 0.012					
P13.2*	Product plastic primary packa	aging is free from PVC.			\boxtimes				
	For product primary corruga consumer recovered fiber con		specify the contained	percentage of minimum pos					
P13.4*	Specify media for user and p		ox):						
	(Please only complete this ite User and product documenta If Yes, please specify:								
	Totally chlorine-free Elemental chlorine-free Processed chlorine-free								
P14	Voluntary programs								
	The product meets the requir	ements of the following volu	ntary program(s):						
	ENERGY STAR® Eco-label: <i>TCO</i> Eco-label: <i>EPEAT</i> Eco-label: <i>GREENGUARD</i>	Criteria version: 6.1 Criteria version: 5.0 Criteria version: Gold Criteria version: Gold	Date: Date: Date: Date:	Product category: <i>I1</i> Product category: Product category:					
P15	Additional information (See	NOTE B10)		••••					
P9	Energy consumption of con	mputer products; descript	ion of the tested prod	uct configuration:					
	Low halogen power cord ca	<u> </u>	•						

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	ThinkPad X1 Yoga	Logo
Model Number	20FQ, 20FR	
Issue Date	November 18, 2016	Lenovo.
Additional information		

P7.1.1	Product environmental attributes							
(d)	year of manufacture:				2016			
(e)	Etec value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics cards (dGfx) are disabled and if the system is tested with switchable graphics mode with UMA driving the display.							
(f)	Etec value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics cards (dGfx) are enabled							
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)			
	Memory over base [GB]	12						
ents sting	Additional internal storage	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)			
capability adjustments applied during testing	Discrete television tuner	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)			
ability a	Discrete Audio Card	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)			
cap app	Discrete graphics Card(s) [number / #]	No #: (Yes / No)	# <i>:</i> (Yes / No)	#: (Yes / No)	#: (Yes / No)			
	Category of discrete graphics Card(s)							
Test results	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)	11.16						
Test r	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled							
(g)	Idle state power demand (Watts);				3.26			
(h)	Sleep mode power demand (Watts);				0.56			
(i)	Sleep mode with WOL enabled power de	emand (Watts) (where	enabled);		0.61			
(j)	Off mode power demand (Watts);				0.40			
(k)	Off mode with WOL enabled power demand (Watts) (where enabled); 0.40							
(I)	Internal power supply efficiency at 10 %, 20 %, 50 % and 100 % of rated output power (if applicable):							
	10% 20% 50%	100% Avera	age					
(m)	external power supply efficiency (if applied	cable)*:						
	Average active efficiency: 45W: 87,98%,88,63%,88,83%, 65W: 89,41%,88,62%,88,96%							
(0)	Minimum number of loading cycles that t	the batteries can withs	tand (applies only to n	otebook computers):	1000			
(p-1)	Measurement methodology used to dete	rmine information mer	ntioned in points (I) – ir	nternal PSU efficiency:				
	Not applicable							

(p-2)	Measurement metho	dology used to determine information mentioned in p	points (m) – external PSU efficiency:				
	EPA "Test Method for Calculating the Energy Efficiency of Single-Voltage External AC-DC and AC-AC Power Supplies" dated August 11, 2004						
(p-3)	Measurement methodology used to determine information mentioned in points (o) – loading cycles batteries: IEC 61960 measurement methodology						
(p-4)		dology used to determine information mentioned in r Point P9.1 in the Product IT Eco Declaration:					
		IEC 62623 / IEC EN50564:2011 measurement r	nethodology				
(q)	Sequence of steps for	or achieving a stable condition with respect to power	demand:				
		IEC 62623 / IEC EN50564:2011 measurement r	nethodology				
(r)	Description of how sl	eep and/or off mode was selected or programmed:					
	В	y selecting sleep and/or off mode thru Windows	operating system				
(s)	Sequence of events off mode:	required to reach the mode where the equipment au	tomatically changes to sleep and/or				
		Automatically changes to sleep					
(t)		te condition before the computer automatically re		30 minutes			
(u)		not exceed the applicable power demand requirement r a period of user inactivity in which the compute					
(u)		ver power demand requirement than sleep mode (in					
(v)		re the display sleep mode is set to activate after		10 minutes			
(w)	Information on the er	nergy-saving potential of power management functio	nality:				
		n described in User Guide and Power Manager u programs	nder ThinkVantage menu in all				
(x)	User information on I	how to enable the power management functionality:					
	User informatio	n described in User Guide and Power Manager u programs	nder ThinkVantage menu in all				
(z)		measurements: — test voltage in V and frequency in					
	the electricity supply used for electrical test	system, — information and documentation on the in-	strumentation, set-up and circuits				
		ů –					
Addition	Notebook Battery	230V, 50Hz, Total Harmonic Distortion	<2 %				
Addition	Notebook Battery	Battery[ies] not user replaceable	Battery[ies] user replaceable	n/a			
				n/a			
		The battery[ies] in this product cannot be easily replaced by users themselves. ¹⁾					
Internal/b	uilt-in Battery						
External/o	detachable Battery			\square			
Bios Back	kup Battery	\boxtimes					
Other:							
Additional	l information						
1)							
		easily replaced by users themselves. продукт не може да се замени[ят] лесно от самите потребите	ели.				
		ser sustituidas fácilmente por los propios usuarios. v neměli provádět sami uživatelé.					
Brugeren kan i	ikke uden videre udskifte ba	atteriet/batterierne i dette produkt.					
Kasutajad ei sa	aa selle toote akut/akusid is		werden.				
	Η μπαταρία[-ες] στο προϊόν αυτό δεν μπορούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες La/les batterie(s présente(s) dans ce produit ne peuvent être facilement remplacée(s) par les utilisateurs eux-mêmes.						
Korisnik ne mo	Korisnik ne može lako zamijeniti Bateriju sam u ovom proizvodu. ∟a batteria/le batterie in questo prodotto non può/possono essere facilmente sostituita/e dall'utente.						
Lietotāji paši n	evar nomainīt šā ražojuma	akumulatoru(-us).					
A termék akku	mulátorát/akkumulátorait a	ojas negali lengvai pakeisti. felhasználó nem tudja egyedül egyszerűen kicserélni.					
	-batterija/batteriji f'dan il-prodott ma tistax/jistgħux tiġi/jiġu sostitwita/i mill-utenti stess. Batteriet [ene] i dette produktet kan ikke lett erstattes av brukerne selv						

Batteriet [ene] i dette produktet kan ikke lett erstattes av brukerne selv. De batterij(en) in dit product is (zijn) door de gebruiker niet gemakkelijk vervangbaar. Užytkownik nie može sam v latwy sposób wymienić baterii w tym produkcie. A ou as baterias deste produto não podem ser facilmente substituídas pelos próprios utilizadores. Bateria (bateriile) din acest produs nu poate (pot) fi uşor înlocuită (înlocuite) de utilizatorii înșiși. Batériu(-ie) v tomto výrobku nemôže vymieňať používateľ. Baterij/baterije v tem izdelku uporabniki sami ne morejo zlahka zamenjati. Tämän tuotteen akku [akut] el[văt] ole helposti käyttäjän vaihdettavissa. Det är inte enkelt för kunden att själv byta ut batteriet/batterierna. Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.