

## Product environmental attributes – THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P14.

Brand *	ThinkPad	Logo			
Company name *	Lenovo				
Contact information *	Lenovo Global Environmental Affairs Alvin L Carter 1009 Think Place Building 2 / 5F1 Morrisville, North Carolina 27560 alcarter@lenovo.com	Lenovo			
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment.html				
Additional information	The latest version of this document can be found at				
	http://www.lenovo.com/social_responsibility/us/en/datasheets_r	notebooks.html			

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	Notebook			
Commercial name *	ThinkPad X260			
Model number *	20F5, 20F6			
Issue date *	2015-12-29			
Intended market *	🔀 Global 📃 Europe 📃 Asia, Pacific & Japan 📃 Americas 📃 Other			
Additional information				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality	Control	Requireme	nt met
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	$\boxtimes$	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality contr such as organized by IT-Företagen (see <u>www.itecodeclaration.org</u> ).	ol 🔀	

Model nu	umber *	20F5, 20F6				
Issue date *		2015-12-29	Logo	Leng	OVO	
	environ	mental attributes - Legal requirements		Require		
Item P1	Hazardo	bus substances and preparations		Yes	No	n.a.
P1.1*	Products 0.1% po	s do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexav lybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (Se e and Note B1)				
P1.2*	Products	s do not contain Asbestos (see legal reference). ht: Legal reference has no maximum concentration value.		$\boxtimes$		
P1.3*	hydrobro trichloroe	s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), profluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach ethane, methyl bromide (see legal reference). Comment: Legal reference has no m ration values.				
P1.4*	Products	s do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polych I (PCT) in preparations (see legal reference).	lorinated	$\boxtimes$		
P1.5*	Products	do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carb ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	oon atoms in the	$\boxtimes$		
P1.6*	Textile a Tris-(azi	nd leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-pho ridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal referenc nt: Legal reference has no maximum concentration values.				
P1.7*		nd leather parts with direct skin contact do not contain more than 0.003% Azo color amines. (See legal reference and Note B1)	ants that split			$\boxtimes$
P1.8*	pentachl	parts do not contain arsenic and chromium as a wood preservation treatment as w orophenol and derivatives (see legal reference). ht: Legal reference has no maximum concentration values.	ell as			
P1.9*	Parts wit microgra	h direct and prolonged skin contact do not release nickel in concentrations above C Im/cm <sup>2</sup> /week (see legal reference). ht: Max limit in legal reference when tested according to EN1811:1998.	.5	$\boxtimes$		
P1.10*	REACH	Article 33 information about substances in articles is available at (add URL or mail w.lenovo.com/social_responsibility/us/en/materials.html	contact):	$\boxtimes$		
P2	Batterie					
P2.1*	more that marked	duct contains a battery or an accumulator, it is labeled with the disposal symbol an an 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lea with the chemical symbol for the metal concerned, Hg or Pb. Information on proper in user manual. (See legal reference)	d, it shall be			
P2.2*		ells used in the product do not contain more than 2% by weight of mercury. Other b ators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See le		$\boxtimes$		
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference)					
P3		EMC connection to the telephone network and labeling	<u>,</u>			
P3.1*	•	duct complies with legally required safety standards as specified (see legal reference	,			
P3.2* P3.3*		luct complies with legally required standards for electromagnetic compatibility (see t is intended for connection to a public telecom network or contains a radio transmi			<u> </u>	
P3.4*	0	Illy required standards for radio and telecommunication devices (see legal reference luct is labeled to show conformance with applicable legal requirements (see legal re	7			
P4	Consum	able materials 消耗性材料				
P4.1*	If a phot	o conductor (drum, belt etc.) is used in the product, it does not contain cadmium ma erence and Note B1).	ax 0.01% (see			
P4.2*		er is used in the product, it does not contain cadmium max 0.1% by weight (see leg	al reference).			$\boxtimes$
P4.3*	product/ requirem	/toner formulation/preparation is classified as hazardous according to applicable re packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with itents is available (see legal reference).				
P5		packaging	( and mission and			
P5.1*	hexavale	ng and packaging components do not contain more than 0.01% lead, mercury ant chromium by weight of these together.				
P5.2*	-	ackaging material is marked according to ISO 11469 referring ISO 1043 (see legal			<u>Ц</u>	<u> </u>
P5.3*	Protocol	duct packaging material is free from ozone depleting substances as specified (see legal reference). ht: Legal reference has no maximum concentration values.	in the Montrea			

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Nodel n	umber *	20F5, 20F6			
ssue da	te *	2015-12-29 Logo	Len	OVO.	
Product	t environ	mental attributes - Market requirements - Environmental conscious design	Require	ement	met
tem		tory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P6		nt information			
P6.1*	Informati	on for recyclers/treatment facilities is available (see legal reference).	$\boxtimes$		
97	Design Disasse	mbly, recycling			
P7.1*	Parts that	t have to be treated separately are easily separable	$\square$		
P7.2*	Plastic m	aterials in covers/housing have no surface coating.	Ē		
P7.3*	Plastic pa	arts >100g consist of one material or of easily separable materials.			
P7.4*	-	arts >25g have material codes according to ISO 11469 referring ISO 1043.		⊢⊢	
P7.5		arts are free from metal inlays or have inlays that can be removed with commonly available tools.		⊢⊢	
7.6*				- [-]	
-7.0		re easily separable. (This requirement does not apply to safety/regulatory labels).			
P7.7*	Product				_
		g can be done e.g. with processor, memory, cards or drives		<u> </u>	
P7.8*	Upgradin	g can be done using commonly available tools			
P7.9.	Spare pa	rts are available after end of production for: 5 years			
P7.10	Service is	s available after end of production for: 5 years			
		and substance requirements			
P7.11*		cover/housing material type:			
7.40		type: PA+GF50% Material type: PC+ABS Material type:			
P7.12		cable insulation materials of power cables are PVC free.			
P7.13	Electrica	cable insulation materials of signal cables are PVC free		$\square$	
P7.14	All cover	/housing plastic parts >25g are free from chlorine and bromine.	$\boxtimes$		
P7.15	All printe Note B2)	d circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (S	ee 🔀		
P7.16	Flame re Marking:	tarded plastic parts >25g in covers / housings are marked according ISO 1043-4:	$\boxtimes$		
97.17	Alt. 1 Chemica TBBPA (	additive) , TBBPA (reactive) , Other; chemical name: 9,10-Dihydro-9-oxa-10- aphenanthrene 10-Oxide, CAS #: 35948-25-5			
	ISO 1043	l specifications of flame retardants in printed circuit boards (without components) >25g according 3-4: FR(40)			
97.18	concentra	etarded plastic parts >25g contain the following flame retardant substances/preparations ations above 0.1%:	in 🔀		
	1. Chemi 2. Chemi 3. Chemi Alt. 2	ent: No legal limits exist, this is a market requirement. cal name: <i>halogen-free organic phosphorus compound</i> , CAS #: <i>confidential</i> cal name: , CAS #: cal name: , CAS #:			
P7.19	FR(40)	I specifications of flame retardants in plastic parts >25g according ISO 1043-4: arts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45,			
	R40, R46	6, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)			
P7.20		lastic parts' weight >25g, recycled material content is 0.013%.			
P7.21		lastic parts' weight >25g, biobased material content is 0%.	<b>~</b>		
P7.22	If mercur	rces are free from mercury y is used specify: Number of lamps: and max. mercury content per lamp: mg			
<b>28</b>	Batteries				_
P8.1*		hemical composition: Lithium Ion/Lithium Manganese Dioxide			
P8.2	Batteries	meet the requirements of the following voluntary program/s: US Call2Recycle, and EPBA, JBRC			

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model number *		20F5,	20F6					
Issue date *	2015-1				L	.ogo	Lenovo	)
Product environm	nontal att	ributes - Market I	requirements (d	continued)			Requireme	ant mot
Item		ibutes - market	requirements (t	,ontinucuj				lo n.a.
	consumption	on					100 1	10 m.a.
- 55		following power leve	els or energy consi	umptions are re	ported: See P14			
Energy mode *		Power level at	Power level at	Power level a	t Reference / Star	ndard for e	energy modes a	nd
		100 V AC	115 V AC	230 V AC	test method *		anoigy mouse a	
Peak (On-max)		<b>45/65</b> W	<b>45/65</b> W	<b>45/65</b> W	Full load			
Category I1								
Short Idle State - W	OL Enable	d 7.07 W	6.69 W	<mark>6.20</mark> W	Use for ENERGY	STAR V6.1	registration(P <sub>idle</sub> ,	· 🗌
Long Idle State - W	OL Enable	d 3.43 W	3.61 W	3.52 W	Use for ENERGY	STAR V6.1	registration(P <sub>idle</sub> ,	
Sleep (S3) - WOL E	nabled	0.63 W	0.63 W	0.69 W	Use for ENERGY	STAR V6.1	registration (P <sub>sle</sub>	ер)
Off (S5) - WOL Disa	abled	0.25 W	0.26 W	0.31 W	Use for ENERGY	STAR V6.1	registration(Poff)	
EPS No-load		0.07 W	0.08 W	<mark>0.14</mark> W				
(External power sup plugged in the wall o		r						
disconnected from th	ne product.)							
PTEC *		W	W	W				-
Typical Energy Cons	sumption							
750.0								
TEC * Typical Energy Cons	sumption	kWh/week	kWh/week	kWh/week				$\square$
. , ,								
ETEC*		<b>24.06</b>	<b>23.24</b>	<b>22.17</b>	$E_{TEC} = (8760/1000)$			+
Annual Energy Cons	sumption	kWh/year	kWh/year	kWh/year	P <sub>long_Idle</sub> x 0.10+ P <sub>sl</sub>	hort_Idle X U.3	0)	
		Poff: Off Mode(S	5) - WOL Enabled; I	P <sub>sleep</sub> : Sleep Mode	e(S3) - WOL Enabled;	Pidle: Idle St	tate - WOL Enabled	1
Display resolution*	: <b>1366*768</b>	Megapixels						
Print Speed *	: Ima	iges per minute	s per minute					
Default time to enter	energy sav	e mode: 20 minutes	6					
P9.2* Informat	ion about th	e energy save funct	tion is provided wit	h the product.				
P9.3* The proc	duct meets t	he energy requirem	ents of the following	ng voluntary pro	gram/s:			
ENERG Others s		ersion: Version 6.1	Tier: Pro	duct category:				
P10 Emissio								
		Declared according	to ISO 9296					
P10.1 Mode		ode description		Declared		eclared A-w	0	
				A-weighte sound pow		essure leve	el $L_{p{\sf Am}}$ (dB)	
				level $L_{WAd}$		ion 🔀	Bystander positio	ns
				WAu		top 🔀 💡		
					or Desk si	ide 🗌 🤇 (d	only if product is r operator attende	
Idle	*	ldle		* 2.8	18		16	
Operatio		HDD		* 2.8	19		16	
Other me		CPU operating		3.4	26		23	
Measure	ed according	) to: 🔀 ISO7779						
	P10.2 The product meets the acoustic noise requirements of the following voluntary program/s:							
			•	0	<b>71 0</b>	Dive America		
		coustic Test ; STD- 017 ver 2.4 Annoyi			-016 ver 2.3 Swan-I	SiueAngel		

Model num	ber *	20F5, 20F6					
Issue date *	•	2015-12-29	Logo	L	eno	VO.	
Product e	nvironm	nental attributes - Market requirements (continued)		Re	quire	ment	met
Item					Yes	No	n.a.
	Chemica	al emissions from printing products					
		ormed according to ECMA-328 (ISO/IEC 28360) standard , other specify:					
		mission rate (print phase) is (mg/h):					
	••	Dust Ozone Styrene Benzene TVOC					
P10.5		I emission requirements of the following voluntary program/s are met for :					$\square$
			TVOC				
	Electron	nagnetic emissions					
	Compute program/	er display meets the requirement for low frequency electromagnetic fields of the follo 's:	wing volunt	ary	$\square$		
P11	Consum	able materials for printing products					
P11.1*	A Safety	Data Sheet (SDS) is available for the ink/toner preparation, even if not legally requi	red (see P4	.3).			$\boxtimes$
	Paper co EN12281	ontaining post-consumer recycled fibers can be used, provided that it meets th	e requireme	ents of			$\boxtimes$
P11.3*	2-sided (	duplex) printing/copying is an integrated product function.					$\square$
		nics for computing products					
P12.1*	The disp	lay meets the ergonomic requirements of ISO 9241-307 for visual display technolog	jies.		$\boxtimes$		
P12.2*	The phys	ical input device meets the requirements of ISO 9995 and ISO 9241-410.					
P13	Packagii	ng and documentation					
P13.1*	Product p	packaging material type(s): Corrugated Cardboard weight (kg): 0.599					
I	Product p	backaging material type(s): Others (Plastic Bag) weight (kg): 0.020					
P13.2*	Product p	plastic packaging is free from PVC.			$\boxtimes$		
P13.3*	Specify n	nedia for user and product documentation (tick box):					
		c 🔀, Paper 🔀, Other 📃					
	For pape fiber: 0%	r user and product documentation, please specify contained percentage of post-co	nsumer recy	cled			
P14	Addition	al information (See Note B4)					
	information knowledg provided information		t is provided te such info	based o	n supp The inf	olier's ormati	ion
		rgy Star Qualified Notebooks & Tablet Computers for the latest information: vw.energystar.gov/index.cfm?fuseaction=find_a_product.showProductGroup	&pgw_code	e=CO			

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19

## Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

## Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	ThinkPad X260	Logo
Model Number	20F5, 20F6	Lonovo
Issue Date	2015-12-29	Lenovo
Additional information		

P7.1.1	Product environmental attributes	
(d)	year of manufacture:	2015
(e)	<b>E TEC value</b> (kWh) per ErP Lot 3 Category and capability adjustments applied when <b>all discrete graphics can</b> <b>disabled</b> and if the system is tested with switchable graphics mode with UMA driving the display:	rds (dGfx) are
	Category (according to ErP Lot 3): A Etec: 13.84	
(f)	E TEC value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics car enabled:	ds (dGfx) are
	Category (according to ErP Lot 3): Etec:	
(g)	idle state power demand (Watts);	4.74
(h)	sleep mode power demand (Watts);	0.57
(i)	sleep mode with WOL enabled power demand (Watts) (where enabled);	0.71
(j)	off mode power demand (Watts);	0.18
(k)	off mode with WOL enabled power demand (Watts) (where enabled);	0.34
(I)	internal power supply efficiency at 10 %, 20 %, 50 % and 100 % of rated output power (if applicable):	
	10% 20% 50% 100% Average	
(m)	external power supply efficiency (if applicable):	
	Average: 45W: 87,27%,87,31%,88,83%	
(o)	the minimum number of loading cycles that the batteries can withstand (applies only to notebook computers):	500 cycles
(p-1)	the measurement methodology used to determine information mentioned in points (I) - internal PSU efficiency:	
	N/A	
(p-2)	the measurement methodology used to determine information mentioned in points (m) – external PSU efficiency: EPA "Test Method for Calculating the Energy Efficiency of Single-Voltage External AC-DC and AC-AC	
	Power Supplies" dated August 11, 2004	
(p-3)	the measurement methodology used to determine information mentioned in points (o) – loadingcycles batteries:	
(p-4)	IEC 61960 measurement methodology the measurement methodology used to determine information mentioned in maximum, idle, sleep, off mode	
(P-4)	power as defined in Point P9.1 in the Product IT Eco Declaration:	

		IEC	62623 measurement methodology					
(q) sequence	of steps for achieving	g a stabl	e condition with respect to power demand:					
	IEC 62623 measurement methodology							
(r) description	description of how sleep and/or off mode was selected or programmed:							
	By selectin	g sleep	and/or off mode thru Windows operating system					
(s) sequence off mode:	of events required to	reach tl	ne mode where the equipment automatically changes to sleep and/or					
	refer to powe	r mana	gement, 20mins automatically reaches sleep mode					
			efore the computer automatically reaches sleep mode, or another oplicable power demand requirements for sleep mode (in minutes):	20				
			er inactivity in which the computer automatically reaches a power d requirement than sleep mode (in minutes):	N/A				
(v) the <b>length</b>	the length of time before the display sleep mode is set to activate after user inactivity (in minutes):							
(w) information	on the energy-savir	ng poten	tial of power management functionality:					
User i	information describ	ed in U	ser Guide and Power Manager under ThinkVantage menu in all programs					
(x) user inform	nation on how to ena	ble the p	power management functionality:					
User i	nformation describ	ed in U	ser Guide and Power Manager under ThinkVantage menu in all programs					
electricity s	(z) test parameters for measurements: — test voltage in V and frequency in Hz, — total harmonic distortion of the electricity supply system, — information and documentation on the instrumentation, set-up and circuits used for electrical testing:							
		230V, 8	50Hz, Total Harmonic Distortion <2 %					
Addition Notebook Ba	attery Information:							
Yes	No	n/a	This notebook computer is operated by battery/ies that can be accessed and a non-professional user.	I replaced by				
(Battery <b>not</b> user replaceable)	(Battery user replaceable)		The battery[ies] in this product can be easily replaced themselves	by users				
	L							

Additional information	