

Product environmental attributes – THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P14.

Brand *	ThinkServer	Logo
Company name *	Lenovo	
Contact information *	Alvin L Carter 1009 Think Place Building 2 / 5J3 Morrisville, North Carolina 27560 alcarter@lenovo.com	lenovo
Internet site *	www.pc.ibm.com/ww/lenovo/about/environment	
Additional information		

	The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.							
Type of product *	Server							
Commercial name *	ThinkServer RS110							
Model number *	6435, 6436, 6437, 6438							
Issue date *	010, February 22							
Intended market *	Global 📃 Europe 📃 Asia, Pacific & Japan 📃 Americas 📃 Other							
Additional information								

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality	Requireme	nt met	
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	\boxtimes	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality contro such as organized by IT-Företagen (see www.itecodeclaration.org).	ol 🔀	

Model n	umber *	ThinkServer RS110 MT: 6435, 6436, 6437, 643	8					
Issue da	te *	2010, February 22 Logo	lenovo					
Produc	t environ	mental attributes - Legal requirements	Reg	uire	ment	met		
Item				es	No	n.a.		
P1	Hazardo	ous substances and preparations						
P1.1*	0.1% po	s do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chroi lybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal e and Note B1)	nium,	\triangleleft				
P1.2*	Products	s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.	[\triangleleft				
P1.3*	Products hydrobro trichloroe	s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), omofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1, ethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum ration values.		\triangleleft				
P1.4*	Products	s do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated ((PCT) in preparations (see legal reference).	[\triangleleft				
P1.5*	Products	s do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	n the	\triangleleft				
P1.6*	Textile a Tris-(azi	nd leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TF ridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). ht: Legal reference has no maximum concentration values.	IS),					
P1.7*	Textile a	nd leather parts with direct skin contact do not contain more than 0.003% Azo colorants that s amines. (See legal reference and Note B1)	plit			\square		
P1.8*	Wooden pentachl	parts do not contain arsenic and chromium as a wood preservation treatment as well as orophenol and derivatives (see legal reference). ht: Legal reference has no maximum concentration values.	[
P1.9*	Parts wit microgra	th direct and prolonged skin contact do not release nickel in concentrations above 0.5 mm/cm ² /week (see legal reference). nt: Max limit in legal reference when tested according to EN1811:1998.	[\triangleleft				
P1.10*	REACH	Article 33 information about substances in articles is available at (add URL or mail contact): ww.lenovo.com/social_responsibility/us/en/environment.html	[\triangleleft				
P2	Batterie	S						
P2.1*	more that marked	duct contains a battery or an accumulator, it is labeled with the disposal symbol and if it conta an 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall b with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is I in user manual. (See legal reference)	e	\triangleleft				
P2.2*	Button c	ells used in the product do not contain more than 2% by weight of mercury. Other batteries or ators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal referer		\triangleleft				
P2.3*	design o or data i	s and accumulators are easily removable by either users or service providers (as dependent of f the product). Exception: Batteries that are permanently installed for safety, performance, me ntegrity reasons do not have to be "easily removable". (See legal reference)		\triangleleft				
P3		EMC connection to the telephone network and labeling						
P3.1*	The proc	duct complies with legally required safety standards as specified (see legal reference).		\triangleleft				
P3.2* P3.3*		duct complies with legally required standards for electromagnetic compatibility (see legal reference of is intended for connection to a public telecom network or contains a radio transmitter, it com	,					
P3.4*	with lega	ally required standards for radio and telecommication devices (see legal reference). Juct is labeled to show conformance with applicable legal requirements (see legal reference).		∆ ⊼				
				<u></u>				
P4 P4.1*	If a phot	nable materials o conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (s erence and Note B1).	ee [
P4.2*		er is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference	e).	-		\boxtimes		
P4.3*	If the ink product/	/toner formulation/preparation is classified as hazardous according to applicable regulations, to packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these nents is available (see legal reference).						
P5		packaging						
P5.1*	Packagi	ing and packaging components do not contain more than 0.01% lead, mercury, cadmiur ant chromium by weight of these together.	n and	\triangleleft				
P5.2*		ackaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference)	1	2				
P5.3*	Protocol	duct packaging material is free from ozone depleting substances as specified in the Mc (see legal reference). (see legal reference has no maximum concentration values.						

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model n	umber *	ThinkServer RS110 MT: 6435, 6436, 6437, 643	38		
Issue da	ate *	2010, February 22 Logo	len	ovo	
Produc	t environ	mental attributes - Market requirements - Environmental conscious design	Requir	omont	met
Item	*=manda	atory to fill in. Additional information regarding each item may be found under P14.	Yes		n.a.
P6		ent information			
P6.1*	Informat	ion for recyclers/treatment facilities is available (see legal reference).	\square		
P7	Design				
		mbly, recycling			
P7.1*	Parts that	at have to be treated separately are easily separable	\square		
P7.2*	Plastic n	naterials in covers/housing have no surface coating.		\boxtimes	
P7.3*	Plastic p	arts >100g consist of one material or of easily separable materials.	\boxtimes		
P7.4*	Plastic p	arts >25g have material codes according to ISO 11469 referring ISO 1043.	\boxtimes		
P7.5	Plastic p	arts are free from metal inlays or have inlays that can be removed with commonly available to	ols. 🔀		
P7.6*		re easily separable. (This requirement does not apply to safety/regulatory labels).			Ħ
		lifetime			
P7.7*		ng can be done e.g. with processor, memory, cards or drives			
P7.8*		ng can be done using commonly available tools		-Ħ	H
P7.9.		arts are available after end of production for: 5 years			⊢⊢
P7.10		is available after end of production for: 5 years			╶╞┤
		and substance requirements			<u> </u>
P7.11*		cover/housing material type:			
		laterial type: ABS Material type: Steel Material type:			
P7.12	Electrica	I cable insulation materials of power cables are PVC free.		\square	
P7.13		I cable insulation materials of signal cables are PVC free	— <u> </u>		Ħ
P7.14		/housing plastic parts >25g are free from chlorine and bromine.			⊢⊢
P7.15		ed circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-2'			╶╞╡
F7.15	Note B2				
P7.16		etarded plastic parts >25g in covers / housings are marked according ISO 1043-4:			\square
P7.17	Alt. 1	al specifications of flame retardants in printed circuit boards >25g (without components): TBBPA (additive) , TBBPA (reactive) , Other; chemical name: , CAS #:			
DT (0)	ISO 104	al specifications of flame retardants in printed circuit boards (without components) >25g accor 3-4: <i>Brominated Epoxy Resin See P14</i>	ding 🔀		
P7.18	concent	retarded plastic parts >25g contain the following flame retardant substances/preparati rations above 0.1%:	ons in 🗌		
	Provide complete 1. Chem	 nt: No legal limits exist, this is a market requirement. a list of all used flame retardants including MSDS for each flame retardant. The list must be chemical name, CAS number and supplier. ical name: , CAS #: , Supplier: ical name: , CAS #: , Supplier: 	contain		
	Alt. 2	<pre>ical name: , CAS #: , Supplier: al specifications of flame retardants in plastic parts >25g according ISO 1043-4:</pre>			
P7.19	R40, R4	earts >25g are free from flame retardant substances/ preparations above 0.1% classified as R- 6, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)	45, 🔀		
P7.20		plastic parts' weight >25g, recycled material content is 0%.			
P7.21		plastic parts' weight >25g, biobased material content is 0%.			
P7.22	If mercu	urces are free from mercury ry is used specify: Number of lamps: and max. mercury content per lamp: mg			
P8	Batterie				
P8.1*	Battery	chemical composition: Lithium Manganese Dioxide			
P8.2	Batteries	s meet the requirements of the following voluntary program/s:			\boxtimes

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model nu	umber *	Thin	kServer F	RS110 M	Г: 6435, 64	36, 6437, 6438		
Issue da	te *		bruary 22			Logo	lenovo	
Product	t environr	nental at	tributes - Market	requirements (co	ontinued)		Requirement	met
Item							Yes No	n.a.
P9		consumpt						
9.1	For the p	product the	e following power leve	els or energy consur	mptions are reporte	d:		
Energy m	node		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference / Standard and test method *	for energy modes	
Peak (Or	n- max)		W	214 W	209 W	Full load		
Idle Sta	te		W	73 W	71 W	Idle State @ desktop		
Off			W	<mark>8</mark> W	7.7 W	Powered/plugged in bu	ıt Off	
			W	W	W			
			W	W	W			
			W	W	W			H
EPS No-I	laad		W	W	W			님
(External charger p	power sup blugged in th disconnect	he wall	v	vv	vv			
P _{TEC} Typical E	nergy Cons	sumption	W	W	W	(Workstation Levels) <i>P</i> _{TEC} = 0.35* <i>P</i> _{off} + 0.10 * <i>I</i>	P _{sleep} + 0.55* P _{idle}	
TEC Typical Energy Consumption			kWh/week	kWh/week	kWh/week			
ETEC * Annual Energy Consumption			kWh/week	kWh/week	kWh/week	(Desktop, Integrated Desktop, and $E_{TEC} = (8760/1000) * (T_{sleep} + P_{idle} * T_{idle})$		
Display re	esolution	: Me	egapixels					
Print Spe	ed	: Im	ages per minute					
Default ti	me to enter		ve mode: 10 minutes	3				
P9.2*			he energy save func		the product			님
				•	•			
P9.3*	•	Y STAR®	the energy requirem version:	nents of the following Product category:	g voluntary program	/s:		
P10	Emissio	ons						Ì
		1	Declared according	to ISO 9296	· · · · · · · · · · · · · · · · · · ·			
P10.1	Mode	Ν	Mode description		Declared A-weighted sound power	Declared A-w sound pressure leve	0	P1 0.1
					level L_{WAd} (B)	Operator position Desktop or Desk side		
	Idle	*	,		*			\boxtimes
	Operatio	n *	,		*			
	Other m							
	Measure	ed accordir	ng to: 🔀 ISO7779 [Other	ECMA-74	d by FCMA-74 with	L _{pAm} measurement distan	ce m)	
P10.2	The proc	duct meets	the acoustic noise r					

Model nu	umber *	Thin	kServ	er R	S110	0 1	MT:	643	35 ,	<mark>643</mark>	6, 6 4	437,	, 64	38				
Issue date *		2010, Fe	bruary 22									L	ogo		le	10	vo	2
Product	t environr	nental at	tributes - N	larket r	equirem	nents	(cont	tinued	d) (k						Re		ment	
Item																Yes	No	n.a.
	Chemic	al emissio	ns from prii	nting pro	ducts													
P10.3*			cording to EC		,	2836	0) star	ndard	, otl	her spe	cify:							
P10.4	Typical e	emission ra	ite (print pha	se) is (m	g/h):													\boxtimes
		Dust	Ozone		Styrene		Benze			TVOC								
P10.5			requirement	_	-		ary pro	-		_	met for		_					\bowtie
		Dust	Ozone		Styren	ie 🔄		Be	enzen	e		T۱					-	
D40.0		nagnetic e								- Calda	- 6 41	6-11						
P10.6	program		neets the rec	luiremen	t for low t	requei	ncy ele	ectroma	agneti	c fields	of the	TOIIOW	ing voi	untary				
P11			erials for pri															
P11.1*			et (SDS) is a															\square
P11.2*	Paper c EN1228		post-consum	er recycl	led fibers	s can	be us	ed, pro	ovided	I that i	t meet	s the	require	ments	of			\boxtimes
P11.3*	2-sided	(duplex) pr	inting/copyin	g is an in	tegrated	produ	ct func	tion.										\boxtimes
P12	Ergono	mics for c	omputing pr	oducts														
P12.1*	The disp	lay meets	the ergonom	ic require	ements of	f ISO 9	9241-3	807 for	visual	display	y techn	ologie	s.			\boxtimes		
P12.2*	The phys	sical input	device meets	s the requ	uirements	s of IS	O 9995	5 and I	SO 92	241-410).					\boxtimes		
P13	Packagi	ing and do	cumentatio	n														
P13.1*	Product	packaging	material type material type material type	e(s): EPF		cardb	,	weight weight weight	(kg):									
P13.2*	Product	plastic pac	kaging is fre	e from P	VC.											\boxtimes		
P13.3*			iser and proc per 🔀. Othe		Imentatio	n (tick	box):											
P13.4*	For pape		product doc		on, pleas	e spe	cify co	ntaineo	d perc	entage	of pos	t-cons	umer re	ecyclec	1			
P14			ation (See N															
D7 47	informati knowled provided informati	ion contain ge availabl I here is ap ion.	nakes no rep ed in this do e at the time proximate an	cument. of comp nd provid	All inform letion, an ed for info	ation p d supp ormati	provide plier sh ional p	ed by s nall hav ourpose	upplie /e no (es only	er in this obligati ⁄. See a	s docur on to u a Lenov	ment is ipdate vo Acc	s provio such ir ount R	ied bas format	sed of tion. 1	n supp The in	olier's forma	
P7.17	Product	t does not	contain free	I BBPA	in printe	ed circ	cuit bo	bards(vithol	ut com	ponen	ts)>25	g .					

Legal references Europe Annex B

Reference	Declaration item						
2002/95/EC (ROHS Directive)	P1.1, P4.1						
REACH, Annex XVII	P1.6, P1.8, P4.2						
REACH, Annex XVII	P1.4						
REACH, Annex XVII	P1.2						
REACH, Annex XVII	P1.7						
REACH, Annex XVII	P1.9						
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3						
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5						
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1						
2006/95/EC (Low Voltage Directive)	P3.1, 3.4						
2004/108/EEC (New EMC Directive)	P3.2, 3.4						
1999/5/EC (R&TTE Directive)	P3.3, 3.4						
"REACH" Regulation (1907/2006), annex VII	P1.10						
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3						
REACH article 31, annex II	P4.3						
2004/12/EC (Directive on packaging and packaging waste)	P5.1						
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2						
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3						
2002/96/EC (WEEE directive)	P3.4, P6.1						
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19						