

Product environmental attributes - THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable).

Additional information regarding each item may be found under P14.

| Brand * | ThinkStation | Logo |
|------------------------|--|--------|
| Company name * | Lenovo | |
| Contact information * | Lenovo Global Environmental Affairs Alvin L Carter 1009 Think Place Building 2 / 5J3 Morrisville, North Carolina 27560 alcarter@lenovo.com | lenovo |
| Internet site * | http://www.lenovo.com/social_responsibility/us/en/environment.html | |
| Additional information | | |

| | The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration. | | | | |
|------------------------|--|--|--|--|--|
| Type of product * | Workstation | | | | |
| Commercial name * | ThinkStation C20/C20x | | | | |
| Model number * | 4262, 4263, 4264, 4265, 4266, 4269,4271, 4272 | | | | |
| Issue date * | 2010-06-24 | | | | |
| Intended market * | Global Europe Asia, Pacific & Japan Americas Other | | | | |
| Additional information | ENERGY STAR® 5.0 Qualified (select models); EPEAT GOLD Rating; GREENGUARD Certified | | | | |

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

| Quality | Control | Requireme | nt met |
|---------|--|-----------|--------|
| Item | | Yes | No |
| QC1 * | The company enforces an internal quality control scheme to ensure the correctness of this eco declaration | | |
| QC2 * | The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org). | ol 🔀 lc | |

| Model number * | ThinkStation C20/C20x | | |
|----------------|---|------------|--|
| | MTs: 4262, 4263, 4264, 4265, 4266, 4269,4271, 4 | 272 | |
| Issue date * | 2010-06-24 Logo | lenovo | |

| Product | duct environmental attributes - Legal requirements | | | | |
|---------|---|-------------|----|-------------|--|
| Item | | Yes | No | n.a. | |
| P1 | Hazardous substances and preparations | | | | |
| P1.1* | Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1) | | | | |
| P1.2* | Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value. | | | | |
| P1.3* | Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values. | | | | |
| P1.4* | Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference). | \boxtimes | | | |
| P1.5* | Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference). | \boxtimes | | | |
| P1.6* | Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values. | | | | |
| P1.7* | Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split aromatic amines. (See legal reference and Note B1) | | | | |
| P1.8* | Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (see legal reference). Comment: Legal reference has no maximum concentration values. | | | \boxtimes | |
| P1.9* | Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm²/week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:1998. | | | | |
| P1.10* | REACH Article 33 information about substances in articles is available at (add URL or mail contact): http://www.lenovo.com/social_responsibility/us/en/ThinkGreen_products.html#environment | | | | |
| P2 | Batteries | | | | |
| P2.1* | If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference) | | | | |
| P2.2* | Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference) | \boxtimes | | | |
| P2.3* | Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference) | | | | |
| P3 | Safety, EMC connection to the telephone network and labeling | | | | |
| P3.1* | The product complies with legally required safety standards as specified (see legal reference). | \boxtimes | | | |
| P3.2* | The product complies with legally required standards for electromagnetic compatibility (see legal reference). | | T | | |
| P3.3* | If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference). | | | | |
| P3.4* | The product is labeled to show conformance with applicable legal requirements (see legal reference). | \boxtimes | | | |
| P4 | Consumable materials | | | | |
| P4.1* | If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1). | | | | |
| P4.2* | If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference). | | | X | |
| P4.3* | If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference). | | | | |
| P5 | Product packaging | | | | |
| P5.1* | Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together. | | | | |
| P5.2* | Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference). | \boxtimes | | | |
| P5.3* | The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). Comment: Legal reference has no maximum concentration values. | | | | |

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

| Model number * | ThinkStation C20/C20x | | |
|----------------|---|--------|--|
| | MTs: 4262, 4263, 4264, 4265, 4266, 4269,4271, 4 | 272 | |
| Issue date * | 2010-06-24 Logo | lenovo | |

| Produc | t environmental attributes - Market requirements - Environmental conscious design | ∍quire | ement | met |
|----------------|--|-------------|-------------|-------------------|
| Item | *=mandatory to fill in. Additional information regarding each item may be found under P14. | Yes | No | n.a. |
| P6.1* | Treatment information Information for recyclers/treatment facilities is available (see legal reference). | | _ | |
| | | | Щ | |
| P7 | Design Disassembly, recycling | | | |
| P7.1* | Parts that have to be treated separately are easily separable | | П | П |
| P7.2* | Plastic materials in covers/housing have no surface coating. | Ħ | | 市 |
| P7.3* | Plastic parts >100g consist of one material or of easily separable materials. | | | Ħ |
| P7.4* | Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043. | | Ħ | Ħ |
| P7.5 | Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools. | | Ħ | $\overline{}$ |
| P7.6* | Labels are easily separable. (This requirement does not apply to safety/regulatory labels). | | Ħ | $\overline{}$ |
| | Product lifetime | | | |
| P7.7* | Upgrading can be done e.g. with processor, memory, cards or drives | \square | П | П |
| P7.8* | Upgrading can be done using commonly available tools | | 一百 | $\overline{\Box}$ |
| P7.9. | Spare parts are available after end of production for: 5 years | | | 市 |
| P7.10 | Service is available after end of production for: 5 years | | | 一百 |
| | Material and substance requirements | | | |
| P7.11* | Product cover/housing material type: | | | |
| | Material type: Steel Material type: ABS, PC/ABS Material type: | | | |
| P7.12 | Electrical cable insulation materials of power cables are PVC free. | | \boxtimes | |
| P7.13 | Electrical cable insulation materials of signal cables are PVC free | | \boxtimes | |
| P7.14 | All cover/housing plastic parts >25g are free from chlorine and bromine. | \boxtimes | | |
| P7.15 | All printed circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (See | | \boxtimes | |
| D7.40 | Note B2) | | | |
| P7.16 | Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4: Marking: ISO FR(nn): | \boxtimes | | |
| P7.17 | Alt. 1 | | | |
| | Chemical specifications of flame retardants in printed circuit boards >25g (without components): | | | |
| | TBBPA (additive) , TBBPA (reactive) , Other; chemical name: , CAS #: | | | |
| | Alt. 2 | | | |
| | Chemical specifications of flame retardants in printed circuit boards (without components) >25g according | | | |
| | ISO 1043-4: Brominated Epoxy Resin See P14 | | | |
| P7.18 | Alt. 1 | | | |
| | Flame retarded plastic parts >25g contain the following flame retardant substances/preparations in concentrations above 0.1%: | | | |
| | Comment: No legal limits exist, this is a market requirement. | | | |
| | Provide a list of all used flame retardants including MSDS for each flame retardant. The list must contain | | | |
| | complete chemical name, CAS number and supplier. | | | |
| | 1. Chemical name: , CAS #: , Supplier: | | | |
| | 2. Chemical name: , CAS #: , Supplier: | | | |
| | 3. Chemical name: , CAS #: , Supplier: Alt. 2 | \boxtimes | | |
| | Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4: | | _ | |
| | | | | |
| P7.19 | Plastic parts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45, | \boxtimes | | |
| D7.00 | R40, R46, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3) | | | |
| P7.20 P7.21 | Of total plastic parts' weight >25g, recycled material content is +10%. Of total plastic parts' weight >25g, biobased material content is 0%. | | | |
| P7.22 | Light sources are free from mercury | | | |
| P8 | Batteries | | | |
| P8.1* | Battery chemical composition: Lithium Manganese Dioxide | | | |
| P8.2 | Batteries meet the requirements of the following voluntary program/s: | | | Ħ |

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

| Model number * | ThinkStation C20/C20x | | |
|----------------|--|---------|--------|
| | MTs: 4262, 4263, 4264, 4265, 4266, 4269,42 | 271, 42 | 272 |
| Issue date * | 2010-06-24 | Logo | lenovo |

| Product | t environmental attributes - Market requirements (continued) Requiremen | | | nent | met | | | |
|---------------------------------|---|---|-------------------------|--|--|---|----------|------|
| Item | | | | | | Yes | No | n.a. |
| P9 | Energy consur | • | | | | | | |
| 9.1 | | the following power leven shipped w/ WOL Enable | | mptions are reported | d: See P14 | | | |
| Energy mo | ode * | Power level at 100 V AC | Power level at 115 V AC | Power level at 230 V AC | Reference / Standard and test method * | for energy m | odes | |
| Peak (On- | ·max) | 151 W | 150 W | 147 W | Full load | | | |
| Idle State | - WOL Enabled | 88.4 W | 87.8 W | 86.0 W | Use for Energy Star V5 | registration(P | idle) | |
| Sleep (S3) |) - WOL Enabled | 5.4 W | 5.3 W | 5.2 W | Use for Energy Star V5 | registration(P | sleep) | |
| Off (S5) - | WOL Enabled | 2.0 W | 1.9 W | 1.9 W | Use for Energy Star V5 | registration(P | off) | |
| | | W | W | W | | | | |
| | | W | W | W | | | | |
| | | W | W | W | | | | |
| EPS No-lo | ad | W | W | W | | | | |
| charger plu | power supply / ugged in the wall disconnected fron ct.) | n | | | | | | |
| PTEC * Typical En | ergy Consumptio | 49.8 W | 49.5 W | 48.5 W | $P_{\text{TEC}} = 0.35^* P_{\text{off}} + 0.10^*$ | P _{sleep} + 0.55* F | idle | |
| TEC Typical En | ergy Consumptio | | kWh/week | kWh/week | | | | |
| ETEC * Annual En | ergy Consumptio | kWh/year n | kWh/year | kWh/year | $E_{TEC} = (8760/1000) \times (F_{0.1} + P_{idle} \times 0.3)$ | $P_{\rm off} \times 0.6 + P_{\rm si}$ | eep X | |
| | | Poff: Off Mode(S5) - I | WOL Enabled; Psleep: | Sleep Mode(S3) - WO | L Enabled; Pidle: Idle State - | WOL Enabled | | |
| Display res | solution : | Megapixels | | | | | | |
| Print Speed : Images per minute | | | - | | | | | |
| Default tim | ne to enter energy | save mode: 25 minute: | S | | | | | 愩 |
| P9.2* | Information abo | out the energy save fund | tion is provided with | the product. | | \square | \Box | 〒 |
| P9.3* | • | eets the energy requirem R® version: Version 5.0 | • | ,, , | s: | | | |
| P10 | Emissions | . Dealers descending | 4- 100 0000 | | | | | |
| P10.1 | | n - Declared according Mode description | | Declared | Declared A- | weighted | | |
| 1 10.1 | Mode | Wood doodingson | | ted sound power | sound pressure le | • |) | |
| | | | leve | el $L_{W 	extsf{Ad}}$ (B) | Operator position Desktop (coor Desk side (coo | Bystander posionly if product is operator atten | tions | |
| | Idle | * System is on under t Windows screen, no d activities. | lisk 7.2K RPM S | SATA (1x CPU) – 4.0 ATA (2x CPU) – 4.1 IS (1/2x CPU) - 4.5 | | 2x CPU) - 25 | | |
| | | * Hard disk drive is randomly seeking by I Doctor. | PC- 7.2K RPM S | ATA (1x CPU) – 4.0 ATA (2x CPU) – 4.1 IS (1/2x CPU) - 4.7 | | 2x CPÚ) – 29 | | |
| | Other mode | | | | | | |] |
| | Measured acco | rding to: X ISO7779 C | ECMA-74 | red by ECMA-74 with | n L _{pAm} measurement distar | nce m) | | |
| P10.2 | The product me | eets the acoustic noise r | • | | | | \sqcap | |

| Model number * | ThinkStation C20/C20x | | |
|----------------|---|---------|--|
| | MTs: 4262, 4263, 4264, 4265, 4266, 4269,427 | 1, 4272 | |
| Issue date * | 2010-06-24 Lo | lenovo | |

| Product 6 | environmental attributes - Market requirements (continued) Re | quire | ment | met | |
|-----------|---|-------------|-------|-------------|--|
| Item | | Yes | No | n.a. | |
| | Chemical emissions from printing products | | | | |
| P10.3* | Test performed according to ECMA-328 (ISO/IEC 28360) standard, other specify: | | | \boxtimes | |
| P10.4 | Typical emission rate (print phase) is (mg/h): | | | \boxtimes | |
| | Dust Ozone Styrene Benzene TVOC | | | | |
| P10.5 | Chemical emission requirements of the following voluntary program/s are met for : | | | \boxtimes | |
| | Dust Ozone Styrene Benzene TVOC | | | | |
| | Electromagnetic emissions | | | | |
| P10.6 | Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary program/s: | | | | |
| P11 | Consumable materials for printing products | | | | |
| P11.1* | A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3). | | | \boxtimes | |
| P11.2* | Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of EN12281. | | | | |
| P11.3* | 2-sided (duplex) printing/copying is an integrated product function. | | | \boxtimes | |
| P12 | Ergonomics for computing products | | | | |
| P12.1* | The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies. | \boxtimes | | | |
| P12.2* | The physical input device meets the requirements of ISO 9995 and ISO 9241-410. | | | | |
| P13 | Packaging and documentation | | | | |
| P13.1* | Product packaging material type(s): Corrugated cardboard weight (kg): 1.4 | | | | |
| | Product packaging material type(s): <i>EPS/EPE</i> weight (kg): <i>0.3</i> | | | | |
| | Product packaging material type(s): weight (kg): | | | | |
| P13.2* | Product plastic packaging is free from PVC. | \boxtimes | | | |
| P13.3* | Specify media for user and product documentation (tick box): | | | | |
| | Electronic , Paper , Other | | | | |
| P13.4* | For paper user and product documentation, please specify contained percentage of post-consumer recycled fiber: 0% (Japan only 70%) | | | | |
| P14 | Additional information (See Note B4) | | | | |
| | NOTE: Supplier makes no representations, guarantees, assurances or warranties whether express or implied, | | | | |
| | information contained in this document. All information provided by supplier in this document is provided based of | | | | |
| | knowledge available at the time of completion, and supplier shall have no obligation to update such information. provided here is approximate and provided for informational purposes only. See a Lenovo Account Representative | | | on | |
| | information. | ve ioi i | IIUIE | | |
| P7.17 | Product does not contain free TBBPA in printed circuit boards(without components)>25g. | | | | |
| P9 | See Energy Star Qualified WorkStations for the latest information: | | | | |
| | http://downloads.energystar.gov/bi/qplist/workstations_prod_list.pdf | | | | |

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B

| Reference | Declaration item |
|--|------------------------------|
| 2002/95/EC (ROHS Directive) | P1.1, P4.1 |
| REACH, Annex XVII | P1.6, P1.8, P4.2 |
| REACH, Annex XVII | P1.4 |
| REACH, Annex XVII | P1.2 |
| REACH, Annex XVII | P1.7 |
| REACH, Annex XVII | P1.9 |
| Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000 | P1.3 |
| Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002 | P1.5 |
| 2006/66/EC (Battery and accumulators Directive) | P2.1, P2.2, P2,3, P3.4, P8.1 |
| 2006/95/EC (Low Voltage Directive) | P3.1, 3.4 |
| 2004/108/EEC (New EMC Directive) | P3.2, 3.4 |
| 1999/5/EC (R&TTE Directive) | P3.3, 3.4 |
| "REACH" Regulation (1907/2006), annex VII | P1.10 |
| (EC) No.1272/2008 regulation on classification, labeling and packaging (CLP) | P4.3 |
| REACH article 31, annex II | P4.3 |
| 2004/12/EC (Directive on packaging and packaging waste) | P5.1 |
| (97/129/EC) (Commission Decision on Identification System for Packaging Materials | P5.2 |
| 2037/2000/EC Regulation on Substances that Deplete the Ozone Layer | P5.3 |
| 2002/96/EC (WEEE directive) | P3.4, P6.1 |
| (EC) No.1272/2008 regulation on classification, labeling and packaging (CLP) | P7.19 |