



Product environmental attributes – THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable).

Additional information regarding each item may be found under P14.

Brand *	Lenovo	Logo			
Company name *	Lenovo				
Contact information *	Alvin L Carter 1009 Think Place Building 2 / 5J3 Morrisville, North Carolina 27560 alcarter @lenovo.com	lenovo			
Internet site *	www.lenovo.com http://www.lenovo.com/social_responsibil				
Additional information	•				

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	product * Workstation			
Commercial name *	ThinkStation D20			
Model number *	4155, 4158, 4218			
Issue date *	2009-04-27			
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other			
Additional information	ENERGY STAR®4.0 Qualified; EPEAT GOLD Rating			

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality (Quality Control		
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	\boxtimes	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org).		

Model number *	ThinkStation D20 Models: 4155, 4158, 4218		
Issue date *	2009-04-27	Logo	lenovo

Product	environmental attributes - Legal requirements	Require	emer	t met
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain lead max 0.1%, cadmium max 0.01%, mercury max 0.1%, hexavalent chromium max 0.1%, polybrominated biphenyls (PBB) max 0.1% and polybrominated diphenyl ethers (PBDE) max 0.1% (see legal reference and Note 1).			
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.			
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.4*	Products do not contain polychlorinated biphenyl (PCB) max 0.005% by weight, polychlorinated terphenyl (PCT) max 0.005% by weight (see legal reference).			
P1.5*	Products do not contain short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP max 0.1% (see legal reference).			
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.7*	Textile and leather parts with direct skin contact do not contain Azo colorants that split aromatic amines max 0.003% by weight (see legal reference and Note 1).			
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm2/week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:1998.			
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference)			
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)	\boxtimes		
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference)			
P3	Safety, EMC connection to the telephone network and labeling		_	
P3.1*	The product complies with legally required safety standards as specified (see legal reference).	\boxtimes		
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal reference).			
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference).	\boxtimes		
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).	$\overline{\mathbb{X}}$		
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note 1).			
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).			\boxtimes
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS/MSDS) in accordance with these requirements (see legal reference).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain lead, mercury, cadmium and hexavalent chromium max 0.01% by weight of these together.			
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	\boxtimes		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.			

Note 1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model number *	ThinkStation D20 Models: 4155, 4158, 4218		
Issue date *	2009-04-27	Logo	lenovo

Produ	oduct environmental attributes - Market requirements - Environmental conscious design Requirement met					
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.		
P6	Treatment information					
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).		Ш	Щ		
P7	Design Disassembly, recycling					
P7.1*	Parts that have to be treated separately are easily separable					
P7.2*	Plastic materials in covers/housing have no surface coating.	X	\blacksquare	\blacksquare		
P7.3*	Plastic parts >100g consist of one material or of easily separable materials.		∺	Ħ		
P7.4*	Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043.		\forall	Ħ		
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.		Ħ	Ħ		
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).		Ħ	T		
	Product lifetime					
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	\square	П	\Box		
P7.8*	Upgrading can be done using commonly available tools		Ħ	Ħ		
P7.9.	Spare parts are available after end of production for: 5 years			Ħ		
P7.10	Service is available after end of production for: 5 years			T		
	Material and substance requirements					
P7.11*	Product cover/housing material type:					
	Material type: Steel Material type: ABS, PC/ABS Material type:					
P7.12	Electrical cable insulation material of power cables are halogen free (including PVC). (See Note 1)		\boxtimes			
P7.13	Electrical cable insulation material of signal cables are halogen free (including PVC). (See Note 1)		\boxtimes			
P7.14	All cover/housing plastic parts >25g are halogen free. (See Note 1)	\boxtimes				
P7.15	All printed circuit boards (without components) >25g are halogen free. (See Note 2)		\boxtimes			
P7.16	Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4: Marking: ISO FR(nn):					
P7.17	Alt. 1 Chemical specifications of flame retardants in printed circuit boards >25g (without components): TBBPA (additive) , TBBPA (reactive) , Other; chemical name: , CAS #:					
D= 40	Alt. 2 Chemical specifications of flame retardants in printed circuit boards (without components) >25g according ISO 1043-4: <i>Brominated Epoxy Resin See P14</i>					
P7.18	Alt. 1 Flame retarded plastic parts >25g contain the following flame retardant substances/preparations in concentrations above 0.1%: Comment: No legal limits exist, this is a market requirement.					
	1. Chemical name: , CAS #: 2. Chemical name: , CAS #: 3. Chemical name: , CAS #:					
	Alt. 2 Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4:					
P7.19	Of total plastic parts' weight >25g, recycled material content is 14 %.					
P7.20	Of total plastic parts' weight >25g, biobased material content is 0 %.					
P7.21	Light sources are free from mercury					
P8	If mercury is used specify: Number of lamps: and max. mercury content per lamp: mg Batteries mg					
P8.1*	Battery chemical composition: Lithium Manganese Dioxide					
P8 2	Batteries meet the requirements of the following voluntary program/s:					

Note 1 For cables, covers & housing plastic parts and plastic packaging materials in this standard; halogens include fluorine, chlorine, bromine, and iodine.

Note 2 In accordance with JPCA-ES-01; printed wiring boards must not contain more than 0.09% by weight (900ppm) of chlorine or bromine.

Model number *	ThinkStation D20 Models: 4155, 4158, 4218		
Issue date *	2009-04-27	Logo	lenovo

Produc	oduct environmental attributes - Market requirements (continued) Requirement met						met		
Item							Yes	No	n.a.
P9	Energy consump	tion							
9.1 For the product the following power levels or energy consumptions have been measured:									
Energy n	node *	Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC		Reference / Star and test method	ndard for energy mo	des	
Max		186.2 W	162.2 W	158.8 W		ENERGY STA	R® version 4.0		
ldle		102.7 W	102.7 W	99.9 W		ENERGY STA	R® version 4.0		
Sleep		5.5 W	5.5 W	5.4 W		ENERGY STA	R® version 4.0		
Off		2.0 W	2.0 W	1.9 W		ENERGY STA	R® version 4.0		
		W	W	W					
		W	W	W					\boxtimes
charger poutlet but the production	l power supply / olugged in the wall t disconnected from	W	W	W					
PTEC * Typical E	Energy Consumption	72.8 W	72.4 W	70.9 W					
TEC *	Energy Consumption	kWh/week	kWh/week	kWh/we	eek				
	me to enter energy		nutes						
P9.2*	- 0,	the energy save function		o product			\square		H
P9.3*		s the energy requiremen		•	/			Ш	Ш
P9.3	•	version 4.0 dated July	U	oluniary program	11/5.				
P10	Emissions								
	Noise emission -	 Declared according to I 	SO 9296						
P10.1	Mode	Mode description	Decla				A-weighted		
			A-weighted s	•		sound pressure	elevel $L_{p{\sf Am}}$ (dB)		
			level $L_{\it V}$	_{WAd} (B)	Oper			20	
					Open	ator position	Bystander position (only if product		
						Desktop	operator atte		
			* 0474.0		(or Desk side	•	,	
	Idle	* System is on under the Windows screen, n	* SATA 3. SATA 3.				3.5" – 31 3.5" – 32		Ш
		disk activities.	SAS – 4.			SAS -			
	Operation	* Hard disk drive is	* SATA 3.	5" - 4.2		SATA	3.5" – 32		
		randomly seeking by	SATA 3.				3.5" – 33		_
		PC-Doctor.	SAS - 5.	.0		SAS –	38		
	Other mode								
		ng to: X ISO7779	ECMA-74						
P10.2									
	Chemical emissions from printing products								
P10.3*		cording to ECMA-328 (I		ndard other	specify	V.			
P10.4		ate (print phase) is (mg/		idaid, Olliel	JPG011	<i>y</i> ·			
. 10.4	i ypiodi cillicololi i	Dust Ozone	Styrene	Benzene		TVOC			\square
P10.5	Chemical emission	n requirements of the fol			are me				
1 10.5	Chemical cinission	•	ust	ogranii/s ozone		Styrene		Ш	
			enzene	TVOC	_	Styrene			
	Electromagnetic emissions								
P10.6		meets the requirement f	or low frequency ele	ectromagnetic fie	elds of	the following volu	ıntarv		
	nrogram/s.							ш	

Model number *	ThinkStation D20 Models: 4155, 4158, 4218		
Issue date *	2009-04-27	Logo	lenovo

Droduc	ct environmental attributes - Market requirements (continued)	Require	mont	mot	
Item	t environmental attributes - market requirements (continueu)	Yes	No	n.a.	
P11	Consumable materials for printing products	163	140	II.a.	
P11.1*	A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3).		$\overline{}$		
P11.2*	Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of		+		
PII.2	EN12281.		Ш		
P11.3*	2-sided (duplex) printing/copying is an integrated product function.			\boxtimes	
P12	Ergonomics for computing products				
P12.1*	The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies.	\boxtimes			
P12.2*	The physical input device meets the requirements of ISO 9995 and ISO 9241-410.	\boxtimes			
P13	Packaging and documentation	•			
P13.1*	Product packaging material type(s): Corrugated cardboard weight (kg): 1.4				
	Product packaging material type(s): <i>EPS/EPE</i> weight (kg): 0.3				
	Product packaging material type(s): weight (kg):				
P13.2*	Product plastic packaging is halogen free (including PVC). (See Note 1)	\boxtimes			
P13.3*	Specify media for user and product documentation (tick box):				
	Electronic Paper Other				
P13.4*	For paper user and product documentation, please specify contained percentage of post-consumer recycled			\boxtimes	
D4.4	fiber. %				
P14	Additional information	d rogardin	a the		
	NOTE: Supplier makes no representations, guarantees, assurances or warranties whether express or implie information contained in this document. All information provided by supplier in this document is provided base				
	knowledge available at the time of completion, and supplier shall have no obligation to update such information			n	
	provided here is approximate and provided for informational purposes only. See a Lenovo Account Representative for more				
	information.				
P7.17	Product does not contain free TBBPA in printed circuit boards.	•			

Note 1 For cables, covers & housing plastic parts and plastic packaging materials in this standard; halogens include fluorine, chlorine, bromine, and iodine.

Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
76/769/EEC (Marketing and Use Directive)	P1.6, P1.8, P4.2
amendment 89/677/EEC	P1.4
amendment 1999/77/EC	P1.2
amendment 2003/3/EC	P1.7
amendment 94/27/EEC	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P4.2
1999/45/EC (Dangerous Preparations Directive)	P4.3
2001/58/EC (Directive on Safety Data Sheets)	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1