

Product environmental attributes – THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P14.

Brand *	Lenovo	Logo			
Company name *	Lenovo				
Contact information *					
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environmen	t.html			
Additional information	The latest version of this document can be found at http://www.lenovo.com/social_responsibility/us/en/datasheets_monitors.html				

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.						
Type of product *	Display					
Commercial name *	E2223s Wide					
Model number *	MT: 60AF-HA*1					
Issue date *	013.11.25					
Intended market *	🔀 Global 📃 Europe 📃 Asia, Pacific & Japan 📃 Americas 📃 Other					
Additional information						

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality	Quality Control			
Item		Yes	No	
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	\boxtimes		
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality contro such as organized by IT-Företagen (see www.itecodeclaration.org).	ol 🔀		

Model number *	E2223swA	MT: 60AF-HA*1		
Issue date *	2013.11.25		Logo	lenovo

	t environmental attributes - Legal requirements	Require		met
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1)			
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.	\boxtimes		
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.4*	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference).	\square		
P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).	\square		
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.7*	Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split aromatic amines. (See legal reference and Note B1)			\square
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (see legal reference). Comment: Legal reference has no maximum concentration values.			\square
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm ² /week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:1998.			
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact): http://www.lenovo.com/social_responsibility/us/en/materials.html	\boxtimes		
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference)			
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)			\boxtimes
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medica or data integrity reasons do not have to be "easily removable". (See legal reference)			
P3	Safety, EMC connection to the telephone network and labeling			
P3.1*	The product complies with legally required safety standards as specified (see legal reference).	\square		
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal reference).	\boxtimes		
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference).			\boxtimes
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).	\bowtie		
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).			\square
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).			\boxtimes
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium an hexavalent chromium by weight of these together.	d 🔀		
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	\square		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montrea Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.			

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

		E2223swA MT: 60AF-HA*1	-	2000		
Issue d	ate *	2013.11.25	Logo	lena	NO	
Produc	ct environ	mental attributes - Market requirements - Environmental conscious	design	Require	ment	met
Item		atory to fill in. Additional information regarding each item may be found under P14.		Yes	No	n.a
P6		ent information				
P6.1*	Informat	ion for recyclers/treatment facilities is available (see legal reference).		\square		
P7	Design					
		mbly, recycling				
P7.1*		at have to be treated separately are easily separable		\square		
P7.2*		naterials in covers/housing have no surface coating.			\square	
P7.3*	-	arts >100g consist of one material or of easily separable materials.		\square		
P7.4*	Plastic p	arts >25g have material codes according to ISO 11469 referring ISO 1043.		\bowtie		
P7.5	Plastic p	arts are free from metal inlays or have inlays that can be removed with commonly	available tools.	\boxtimes		
P7.6*	Labels a	re easily separable. (This requirement does not apply to safety/regulatory labels).		\square		
	Product	lifetime				
P7.7*	Upgradir	ng can be done e.g. with processor, memory, cards or drives		\boxtimes		
P7.8*	Upgradir	ng can be done using commonly available tools		\boxtimes		
P7.9.	Spare pa	arts are available after end of production for: 5 years				
P7.10		is available after end of production for: 5 years		_		
		and substance requirements				
P7.11*		cover/housing material type:				
	Material	type: ABS Material type: PC Materia	al type:			
P7.12		al cable insulation materials of power cables are PVC free.			\square	
P7.13	Electrica	al cable insulation materials of signal cables are PVC free			\square	
P7.14	All cover	r/housing plastic parts >25g are free from chlorine and bromine.		\boxtimes		
P7.15	All printe Note B2	ed circuit boards (without components) >25g are halogen free. as defined in IEC)	61249-2-21. (See	•	\square	
P7.16	Flame re Marking:	tearded plastic parts >25g in covers / housings are marked according ISO 1043-4:				\geq
P7.17		al specifications of flame retardants in printed circuit boards >25g (without compon (additive), TBBPA (reactive) X, Other; chemical name: , CAS #:	ents):			
	ISO 104	al specifications of flame retardants in printed circuit boards (without components) 3-4: <i>FR(16)</i>	>25g according			
P7.18	concenti Comm	retarded plastic parts >25g contain the following flame retardant substance rations above 0.1%: ent: No legal limits exist, this is a market requirement. ical name: , CAS #:	s/preparations ir			
	2. Chem 3. Chem Alt. 2	<pre>ical name: , CAS #: ical name: , CAS #: ical name: , CAS #: al specifications of flame retardants in plastic parts >25g according ISO 1043-4:</pre>				
P7.19		ars >25g are free from flame retardant substances/ preparations above 0.1% class	ssified as R45,			
P7.20	R40, R4	6, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3) plastic parts' weight >25g, recycled material content is <i>0</i> %.				
P7.21		plastic parts' weight >25g, biobased material content is 0%.				
P7.22	Light so	ry is used specify: Number of lamps: and max. mercury content per lamp:	mg			
P8	Batterie					
P8.1*	Battery of	chemical composition:				\geq
P8.2	Batteries	s meet the requirements of the following voluntary program/s:				

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model num	ber * E	222	3swA	MT:	60AF-HA ³	*1					
Issue date *	20	13.11.2	5					Logo	leno	VO	
	nvironmen	tal att	ributes -	Market	requirements (continued)			Require		met
Item	_								Yes	No	n.a.
	Energy con	-		owerlow	a or operation	umptions are re	ported: See P14				
Energy mode			Power le 100 V A		Power level at 115 V AC	230 V AC	method *	indard for	energy modes an	d test	
Peak (On-max)			18.26 W		18.12 W	18.1 W	Full load				
Category											
Idle State -			18.26 W		18.12 W	18.1 W			V6 registration (
Sleep (S3) -			0.28 W		0.27 W	0.28 W	Use for ENER	GY STAR	V6 registration(P	sleep)	
Sleep (S3) -			0.28 W		0.27 W	0.28 W	Reference				
Off (S5) - W			0.22 W		0.22 W	0.23 W	Use for ENER	GY STAR	V6 registration(P	off)	
Off (S5) - W	OL Disable	d	0.22 W		0.22 W	0.23 W	Use for EuP				
Category											
Idle State -			W		W	W	Use for ENER	GY STAR	V6 registration(F	Pidle)	
Sleep (S3) -	WOL Enab	led	W	-	W	W	Use for ENER	GY STAR	V6 registration (P _{sleep})	
Sleep (S3) -	WOL Disat	bled	W		W	W	Reference				
Off (S5) - W	OL Enabled	d	W		W	W	Use for ENER	GY STAR	V6 registration(P	P _{off})	
Off (S5) - W	OL Disable	d	W		W	W	Use for EuP				
EPS No-load	b		W		W	W					
(External por charger plug outlet but dis the product.)	ged in the w sconnected f	/all									
PTEC * Typical Ener	rgy Consum	ption	W		W	W					
TEC * Typical Ener	rgy Consum	ption	kW	/h/week	kWh/week	kWh/week					
ETEC * Annual Ener	gy Consump	otion	49.39 kW	h/year	49.01kWh/year	49.02kWh/ye ar	$E_{TEC} = (8760/10)$ $P_{idle} \times 0.3)$	000) x (P _o	ff x 0.6 + P sleep x (0.1 +	
			Poff: Off Mo	ode(S5) -	WOL Enabled; P _{slee}	p: Sleep Mode(S3)	- WOL Enabled; P	Pidle: Idle St	ate - WOL Enabled		
Display reso	lution* : 19	20*108	Megapixe	ls							
Print Speed	* :	Ima	ages per mi	inute							\square
Default time	to enter ene	ergy sav	ve mode: 1	5 Second	ls						
P9.2* I	Information a	about th	ne energy s	ave func	tion is provided wi	th the product.			\boxtimes		
P9.3*		STAR			ements of the follo 6.0 Tier: 1 Prod						
P10 I	Emissions										
1	Noise emise				to ISO 9296						
P10.1	Mode	М	ode descrip	otion		Declared A-weighted sound powe	d sound		A-weighted level $L_{p Am}$ (dB)		
						level L_{WAd}	(B) Operator po	sktop 🔀	Bystander pos (only if product operator atte	is not	
	Idle * HDD:Idle			*				nueu)			
(Operation	*	HDD: Ope	erating		*					\boxtimes
	Other mode			_]
r	Measured ad	ccording			ECMA-74						
P10.2		menter		her c poise r	only if not cove) equirements of the		with LpAm measu	urement d	istance m)		
1 10.2	ine product	116612		0 10158 1	equirements of the	s ronowing volum	ary program/s.				\bowtie

Model nur	^{nber*} E2223swA MT: 60AF-HA*1	
Issue date	* 2013.11.25 Logo	lenovo
	environmental attributes - Market requirements (continued)	Requirement met
Item		Yes No n.a.
	Chemical emissions from printing products	
P10.3*	Test performed according to ECMA-328 (ISO/IEC 28360) standard, other specify:	
P10.4	Typical emission rate (print phase) is (mg/h): Dust Ozone Styrene Benzene TVOC	
P10.5	Chemical emission requirements of the following voluntary program/s are met for : Dust Ozone Styrene Benzene TVOC	
	Electromagnetic emissions	
P10.6	Computer display meets the requirement for low frequency electromagnetic fields of the following voluntar program/s: CE	у 🛛 🗆 🗆
P11	Consumable materials for printing products	
P11.1*	A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3).
P11.2*	Paper containing post-consumer recycled fibers can be used, provided that it meets the requirement EN12281.	s of
P11.3*	2-sided (duplex) printing/copying is an integrated product function.	
P12	Ergonomics for computing products	
P12.1*	The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies.	
P12.2*	The physical input device meets the requirements of ISO 9995 and ISO 9241-410.	
P13	Packaging and documentation	
P13.1*	Product packaging material type(s):EPS +LDPEweight (kg):0.196Product packaging material type(s):PE Bagweight (kg):0.027Product packaging material type(s):Paperweight (kg):0.010Product packaging material type(s):Cartonweight (kg):0.954	
P13.2*	Product plastic packaging is free from PVC.	
P13.3*	Specify media for user and product documentation (tick box): Electronic , Paper , Other	
P13.4*	For paper user and product documentation, please specify contained percentage of post-consumer recycl fiber: 70%	ed 🗌
P14	Additional information (See Note B4)	
	NOTE: Supplier makes no representations, guarantees, assurances or warranties whether express or imp information contained in this document. All information provided by supplier in this document is provided by knowledge available at the time of completion, and supplier shall have no obligation to update such inform provided here is approximate and provided for informational purposes only. See a Lenovo Account Represe information.	based on supplier's nation. The information
P9	See Energy Star Qualified Notebooks & Tablet Computers for the latest information: http://www.energystar.gov/index.cfm?fuseaction=find_a_product.showProductGroup&pgw_code=	CO

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19