

Product environmental attributes – THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P14.

Brand *	ThinkPad	Logo
Company name *	Lenovo	
Contact information *	Alvin L Carter 1009 Think Place Building 2 / 5J3 Morrisville, North Carolina 27560 alcarter@lenovo.com	lenovo
Internet site *	www.pc.ibm.com/ww/lenovo/about/environment	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	Monitor			
Commercial name *	ThinkVision L1951p Wide			
Model number *	M/T: 2448-H*6			
Issue date *	2009, September 03			
Intended market *	🛛 Global 📃 Europe 🗌 Asia, Pacific & Japan 🗌 Americas 🗌 Other			
Additional information	rmation ENERGY STAR® 5.0 Qualified; EPEAT Gold Rating, GREENGUARD Certification			

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality Control			Requirement met		
Item		Yes	No		
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	\boxtimes			
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality contro such as organized by IT-Företagen (see www.itecodeclaration.org).	ol 🔀			

Model n	umber *	ThinkVision L1951p Wide M/T: 2448-H*6				
Issue da	ite *		lend	DVC		
Produc	t environ	mental attributes - Legal requirements	Require	ment	met	
Item			Yes	No	n.a.	
P1	Hazardo	us substances and preparations				
P1.1*	0.1% po	do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium, ybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal e and Note B1)	, 🛛			
P1.2*	Products	s do not contain Asbestos (see legal reference). it Legal reference has no maximum concentration value.	\square			
P1.3*	Products hydrobro trichloroe	a do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), mofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- ethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum ation values.				
P1.4*	Products	do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated I (PCT) in preparations (see legal reference).	\square			
P1.5*	Products	do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).				
P1.6*	Textile a Tris-(azi	nd leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), idinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). ht: Legal reference has no maximum concentration values.				
P1.7*	Textile a	nd leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split amines. (See legal reference and Note B1)			\boxtimes	
P1.8*	Wooden pentachl	parts do not contain arsenic and chromium as a wood preservation treatment as well as orophenol and derivatives (see legal reference). ht: Legal reference has no maximum concentration values.			\square	
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentration values. Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 Image: Concentration values. Comment: Max limit in legal reference when tested according to EN1811:1998.					
P1.10*	REACH	Article 33 information about substances in articles is available at (add URL or mail contact): w.lenovo.com/social_responsibility/us/en/environment.html	\square			
P2	Batterie	S		•		
P2.1*	more that marked	duct contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains in 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is in user manual. (See legal reference)				
P2.2*	Button c	ells used in the product do not contain more than 2% by weight of mercury. Other batteries or ators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)			\boxtimes	
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference)					
P3		EMC connection to the telephone network and labeling				
P3.1*	The proc	luct complies with legally required safety standards as specified (see legal reference).	\boxtimes			
P3.2*	The proc	luct complies with legally required standards for electromagnetic compatibility (see legal reference)	. 🖂			
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies					
P3.4*	The proc	luct is labeled to show conformance with applicable legal requirements (see legal reference).	\boxtimes			
P4	Consum	able materials				
P4.1*	legal refe	o conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see erence and Note B1).			\square	
P4.2*	If ink/ton	er is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).			\boxtimes	
P4.3*	product/	/toner formulation/preparation is classified as hazardous according to applicable regulations, the backaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these ents is available (see legal reference).				
P5		packaging				
P5.1*	Packagii hexavale	ng and packaging components do not contain more than 0.01% lead, mercury, cadmium and int chromium by weight of these together.	ы 🖂			
P5.2*	Plastic p	ackaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	\boxtimes			
P5.3*	The pro Protocol	duct packaging material is free from ozone depleting substances as specified in the Montrea (see legal reference). (see legal reference has no maximum concentration values.				

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model n							
Issue da	te * 2009, September 03 Logo	leno	vo	l.			
Produc	t environmental attributes - Market requirements - Environmental conscious design	Require	nent	met			
ltem	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a			
P6	Treatment information						
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	\bowtie					
P7	Design Disassembly, recycling						
P7.1*	Parts that have to be treated separately are easily separable	\boxtimes					
P7.2*	Plastic materials in covers/housing have no surface coating.						
P7.3*	Plastic parts >100g consist of one material or of easily separable materials.						
P7.4*	Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043.	\boxtimes					
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	\square					
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).			T			
	Product lifetime						
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives			X			
P7.8*	Upgrading can be done using commonly available tools			X			
P7.9.	Spare parts are available after end of production for: 5 years			Ē			
P7.10	Service is available after end of production for: 5 years			╞			
	Material and substance requirements	1					
P7.11*	Product cover/housing material type:						
	Material type: ABS Material type: Material type:						
P7.12	Electrical cable insulation materials of power cables are PVC free.		\boxtimes				
P7.13	Electrical cable insulation materials of signal cables are PVC free			Г			
P7.14	All cover/housing plastic parts >25g are free from chlorine and bromine.		Ē	T			
P7.15	All printed circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (See Note B2)	e 🔀					
P7.16	Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4: Marking:			\mathbf{X}			
P7.17	Alt. 1 Chemical specifications of flame retardants in printed circuit boards >25g (without components): TBBPA (additive), TBBPA (reactive), Other; chemical name: , CAS #:						
D7 40	Alt. 2 Chemical specifications of flame retardants in printed circuit boards (without components) >25g according ISO 1043-4: <i>Brominated Epoxy Resin See P14</i>						
P7.18	Alt. 1 Flame retarded plastic parts >25g contain the following flame retardant substances/preparations in concentrations above 0.1%: Comment: No legal limits exist, this is a market requirement.	n 🗌					
	 Provide a list of all used flame retardants including MSDs for each flame retardant. The list must contai complete chemical name, CAS number and supplier. 1. Chemical name: , CAS #: , Supplier: 2. Chemical name: , CAS #: , Supplier: 	n					
	3. Chemical name: , CAS #: , Supplier: Alt. 2 Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4:						
P7.19	Plastic parts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45, R40, R46, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)						
P7.20	Of total plastic parts' weight >25g, recycled material content is +25%.						
P7.21	Of total plastic parts' weight >25g, biobased material content is 0%.						
P7.22	Light sources are free from mercury If mercury is used specify: Number of lamps: 2 and max. mercury content per lamp: 1.1 mg						
P8	Batteries						
P8.1*	Battery chemical composition:			\boxtimes			
P8.2	Batteries meet the requirements of the following voluntary program/s:						

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model num	number* ThinkVision L1951p Wide M/T: 2448-H*6								
Issue date	*		ptember 03 Logo lenovo					ř.	
Broduct	Product environmental attributes Market requirements (continued)								mot
Item	Product environmental attributes - Market requirements (continued) Requirement m tem Yes No n							n.a.	
P9									ind.
9.1									
Energy mode		Power level at Power level at Power level at 100 V AC 115 V AC 230 V AC			Reference / S and test metho		energy modes		
Poak (On-max)		W	23 W	230 V AC 21 W					
Peak (On-max) On-idle		W	19 W	18 W	On Mode/Active Power				
Save 1		W	0.42 W	0.38 W	Sleep Mode/Low Power			H	
Off			W	0.42 W	0.38 W	Off Mode/Star	dby Power		
			W	W	W				
			W	W	W				
EPS No-loa	ad		W	W	W				
(External p charger plu	igged in th	e wall							
outlet but of the product		ed from							
PTEC Typical End	ergy Cons	* umption	W	W	W				
TEC *			kWh/week	kWh/week kWh/week					
Typical En	0,	•							
Display res	olution :	1440*90	0 Megapixels						
Print Spee	d :	In	nages per minute						
Default tim	e to enter	energy sa	ave mode: 10 minutes	S					
P9.2*			the energy save func	•	•			\boxtimes \Box	
P9.3*		STAR®	the energy requirem version: 5.0 Produce			/s:			
P10	Emissio	-							
	Noise er	nission –	Declared according	to ISO 9296					
D 10.1					Destand	Deals		ada tanal	
P10.1	Mode		Mode descriptior	1	Declared A-weighted		ared A-wei	•	
					sound	sound pres	sure level	L_{pAm} (dB)	
					power	Oper	ator		
					level	position			
					L_{WAd} (B)	Desktor			
						or Desk side	e 🗌		
	Idle	÷			*				\mathbb{X}
	Operat		*		*				
	Other r		ording to: 🔀 ISO		74				-
	weasu		Ording to: 📉 ISO		•74 ed by ECMA-74 wit	h Laam measure	ment distanc	ce m)	
P10.2	The prod	uot mooto				-		····/	
P10.2	The product meets the acoustic noise requirements of the following voluntary program/s:								

Model nu	mber *	ThinkVision L1951p Wide M/T: 2448-H*6				
Issue date *		2009, September 03	Logo	leno	vo	
Dreduct		eentel ettrikutee Market reguinemente (eentimusel)		Desuire		met
Item	environn	nental attributes - Market requirements (continued)		Require Yes	No	
item	Chemica	al emissions from printing products		res	INO	n.a.
P10.3*		ormed according to ECMA-328 (ISO/IEC 28360) standard , other specify:				X
P10.4		mission rate (print phase) is (mg/h):				
		Dust Ozone Styrene Benzene TVOC				
P10.5	Chemica	I emission requirements of the following voluntary program/s are met for :				\boxtimes
	_					
		nagnetic emissions				
P10.6		er display meets the requirement for low frequency electromagnetic fields of the follo /s: MPR-II	wing voluntary		Ш	Ш
P11		able materials for printing products				
P11.1*	A Safety	Data Sheet (SDS) is available for the ink/toner preparation, even if not legally requi	red (see P4.3).			\boxtimes
P11.2*	Paper co EN1228	ontaining post-consumer recycled fibers can be used, provided that it meets th	e requirements	of 🗌		\square
P11.3*	2-sided (duplex) printing/copying is an integrated product function.				\mathbb{X}
P12	Ergonor	nics for computing products				
P12.1*	The disp	lay meets the ergonomic requirements of ISO 9241-307 for visual display technolog	ies.	\boxtimes		
P12.2*	The phys	sical input device meets the requirements of ISO 9995 and ISO 9241-410.		\boxtimes		
P13	<u> </u>	ng and documentation				
P13.1*	Product	packaging material type(s): <i>EPS</i> weight (kg): <i>0.19</i> packaging material type(s): <i>Corrugated</i> weight (kg): <i>1.05</i> packaging material type(s): weight (kg):				
P13.2*	Product	plastic packaging is free from PVC.		\square		
P13.3*		nedia for user and product documentation (tick box):				
		c 🔀, Paper 🔀, Other 📃				
P13.4*		r user and product documentation, please specify contained percentage of post-con	nsumer recycled			
D14		%(Japan only 70%)				
P14		al information (See Note B4) Supplier makes no representations, guarantees, assurances or warranties whether	ovpross or implie	d rogardi	a tho	
	informati knowledg provided informati	on contained in this document. All information provided by supplier in this documen ge available at the time of completion, and supplier shall have no obligation to upda here is approximate and provided for informational purposes only. See a Lenovo A on.	t is provided base te such information ccount Represen	ed on supp on. The inf	lier's ormat	
P7.17		does not contain free TBBPA in printed circuit boards(without components)>	25g.			
P9		rgy Star Qualified Computers for the latest information: ww.energystar.gov/index.cfm?fuseaction=find_a_product.ShowProductGroup	&pgw_code=MC)		

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19