

Product environmental attributes - THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable).

Additional information regarding each item may be found under P14.

Brand *	Lenovo Logo				
Company name *	Lenovo				
Contact information *	Lenovo Global Environmental Affairs Alvin L Carter 1009 Think Place Building 2 / 5F1 When the Carting 2 / 5F3				
	Morrisville, North Carolina 27560 alcarter@lenovo.com				
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment.html				
Additional information	The latest version of this document can be found at http://www.lenovo.com/social_responsibility/us/en/datasheets_monitors.html				

	The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.					
Type of product *	Display					
Commercial name *	LT2323z Wide					
Model number *	MT: 3028-LB2					
Issue date *	2013/11/25					
Intended market *	☑ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other					
Additional information						

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality	Control	Requireme	nt met
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration		
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org).	I 🔀	

Model number *	LT2323zwC	MT: 3028-LB2		
Issue date *	2013/11/25		Logo	lenovo

Product	environmental attributes - Legal requirements	Requirement met			
Item		Yes	No	n.a.	
P1	Hazardous substances and preparations				
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1)				
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.				
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	\boxtimes			
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.	_	_		
P1.4*	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference).	\boxtimes			
P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).	\boxtimes			
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference).				
P1.7*	Comment: Legal reference has no maximum concentration values. Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split				
	aromatic amines. (See legal reference and Note B1)		<u> </u>		
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (see legal reference). Comment: Legal reference has no maximum concentration values.				
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5	\square			
	microgram/cm²/week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:1998.				
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact):	\square			
	http://www.lenovo.com/social_responsibility/us/en/materials.html				
P2	Batteries				
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains			\boxtimes	
	more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference)				
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)			\boxtimes	
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference)				
P3	Safety, EMC connection to the telephone network and labeling				
P3.1*	The product complies with legally required safety standards as specified (see legal reference).	\square			
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal reference).				
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference).				
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).	\boxtimes			
P4	Consumable materials				
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).				
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).			\boxtimes	
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).				
P5	Product packaging				
P5.1*	Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together.	d 🔀			
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	\boxtimes			
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montrea Protocol (see legal reference).	al 🔀			
	Comment: Legal reference has no maximum concentration values.				

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model number *	LT2323zwC	MT: 3028-LB2		
Issue date *	2013/11/25		Logo	lenovo

Product		equirer	nent	met		
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.		
P6	Treatment information					
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	\boxtimes				
P7	Design Disassembly, recycling					
P7.1*	Parts that have to be treated separately are easily separable	\boxtimes				
P7.2*	Plastic materials in covers/housing have no surface coating.		Ħ			
P7.3*	Plastic parts >100g consist of one material or of easily separable materials.	\boxtimes				
P7.4*	Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043.	\boxtimes				
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	\boxtimes				
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	\boxtimes				
	Product lifetime					
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives			\boxtimes		
P7.8*	Upgrading can be done using commonly available tools			\boxtimes		
P7.9.	Spare parts are available after end of production for: 5 years					
P7.10	Service is available after end of production for: 5 years					
	Material and substance requirements					
P7.11*	Product cover/housing material type:					
	Material type: ABS Material type: PC Material type:					
P7.12	Electrical cable insulation materials of power cables are PVC free.					
P7.13	Electrical cable insulation materials of signal cables are PVC free		\boxtimes			
P7.14	All cover/housing plastic parts >25g are free from chlorine and bromine.	\boxtimes				
P7.15	All printed circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (See		\boxtimes			
D7.40	Note B2)					
P7.16	Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4: Marking:		Ш			
P7.17	Alt. 1 Chemical specifications of flame retardants in printed circuit boards >25g (without components):	\boxtimes				
	TBBPA (additive), TBBPA (reactive), Other; chemical name:, CAS #: 79-94-7		ш	ш		
	, and the second of the second					
	Alt. 2	_				
	Chemical specifications of flame retardants in printed circuit boards (without components) >25g according	\boxtimes	Ш	Ш		
D7 40	ISO 1043-4: <i>FR(16)</i>					
P7.18	Alt. 1 Flame retarded plastic parts >25g contain the following flame retardant substances/preparations in			\square		
	concentrations above 0.1%:	ш	ш			
	Comment: No legal limits exist, this is a market requirement.					
	1. Chemical name: , CAS #:					
	2. Chemical name: , CAS #:					
	3. Chemical name: , CAS #: Alt. 2					
	Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4:					
D7.40	Disable months Of months from the control of the co		_			
P7.19	Plastic parts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45, R40, R46, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)		Ш			
P7.20	Of total plastic parts' weight >25g, recycled material content is 85%.		-			
P7.21	Of total plastic parts' weight >25g, biobased material content is 0%.		_			
P7.22	Light sources are free from mercury	\boxtimes	Ш			
P8	If mercury is used specify: Number of lamps: and max. mercury content per lamp: mg Batteries mg					
P8.1*	Battery chemical composition:					
P8.2	Batteries meet the requirements of the following voluntary program/s:					
1 0.2	Datables most the requirements of the following voluntary program/s.					

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model number *	LT2323zwC	MT: 3028-LB2		
Issue date *	2013/11/25		Logo	lenovo

Product environ	mental at	tributes - Market	requirements (continued)		Requirement	met
Item						Yes No	n.a.
P9 Energy consumption 9.1 For the product the following power levels or energy consumptions are reported: See P14							
	product the						
Energy mode *		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference / Standard for emethod *	energy modes and test	
Peak (On-Max)		28.3 W	28.2 W	28.1 W	Full load		
Category A			l	1			
Idle State - WOL E	nabled	20.42 W	20.41 W	20.29 W	Use for Energy Star V6 r	egistration(P _{idle})	П
Sleep (S3) - WOL I	Enabled	0.37 W	0.39 W	0.45 W	Use for Energy Star V6 r	registration (P _{sleep})	Ħ
Sleep (S3) - WOL I	Disabled	0.37 W	0.39 W	0.45 W	Reference	·	市
Off (S5) - WOL End	abled	0.15 W	0.12 W	0.10 W	Use for Energy Star V6 r	registration(P _{off})	盲
Off (S5) - WOL Dis	abled	0.15 W	0.12 W	0.10 W	Use for EuP		$\dagger \overline{\Box}$
Category B			<u> </u>	<u> </u>			
Idle State - WOL E	nabled	W	W	W	Use for Energy Star V6 r	registration(P _{idle})	
Sleep (S3) - WOL I	Enabled	W	W	W	Use for Energy Star V6 r	registration (P _{sleep})	
Sleep (S3) - WOL I	Disabled	W	W	W	Reference		
Off (S5) - WOL End	abled	W	W	W	Use for Energy Star V6 r	egistration(P _{off})	
Off (S5) - WOL Dis	abled	W	W	W	Use for EuP		
EPS No-load		W	W	W			
(External power sup charger plugged in outlet but disconnect the product.)	the wall						
PTEC * Typical Energy Con	sumption	W	W	W			
							<u> </u>
TEC * Typical Energy Con	sumption	kWh/week	kWh/week	kWh/week			
ETEC * Annual Energy Con	sumption	54.8 kWh/year	54.6kWh/year	54.5 kWh/year	$E_{TEC} = (8760/1000) \times (P_{off} P_{idle} \times 0.3)$	x 0.6 + P _{sleep} x 0.1 +	
		Poff: Off Mode(\$5) -	 WOL Enabled: Psiesi	: Sleep Mode(S3)	- WOL Enabled; P _{idle} : Idle Sta	te - WOL Enabled	+
Display resolution*	: 2.1 Mega		3.00	, , , , , , , , , , , , , , , , , , , ,			\vdash
Print Speed *	: Im	ages per minute					
Default time to ente	r energy sa	ve mode: 15 second	1				Ħ
		he energy save func		th the product.			늄
P9.3* The pro	duct meets	the energy requirem	ents of the followi	ng voluntary pro	gram/s:		
	Y STAR® v				duct category: Display		
P10 Emissi		Declared according	to 100 0206				
P10.1 Mode		Declared according Mode description	10 150 9296	Declared	Declared A	A-weighted	T
		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		A-weighted	sound pressure I		
				sound power	**	Bystander positions	-
				level L_{WAd} (Desktop X		
					or Desk side	(only if product is not operator attended)	
Idle	*	HDD:Idle		*			
Operati		HDD: Operating		*			
Other m			_				1
Measur	ed accordin	· = -	ECMA-74	=0:::	W 1		
P10.2 The pro	duct mooto	Other			with L _{pAm} measurement dis	stance m)	
i 10.2 The pro	10.2 The product meets the acoustic noise requirements of the following voluntary program/s:						

wodei nu	ımber *	LT2323zwC	MT: 3	3028-LB2					
Issue dat	te *	2013/11/25				Logo	leno	VO.	
Product	environr	nental attributes - N	Market requirem	ents (continued)			Require	ment	met
Item			•	,			Yes		n.a.
	Chemic	al emissions from pri	nting products						
P10.3*	Test per	ormed according to EC	CMA-328 (ISO/IEC	28360) standard	, other specify:				\boxtimes
P10.4		emission rate (print pha		,	•				\square
		Oust Ozone	Styrene	Benzene	TVOC				_
P10.5	Chemica	l emission requirement	ts of the following v	oluntary program/s	are met for	:			\boxtimes
		Ozone Ozone	Styrene	e 🗌 Ber	nzene 🗌	TVOC			
	Electron	nagnetic emissions							
P10.6		er display meets the red	quirement for low fr	equency electromag	gnetic fields of the f	following voluntary			
	program								
P11		able materials for pri							
P11.1*		Data Sheet (SDS) is a							\boxtimes
P11.2*	Paper c EN1228	ontaining post-consum L	er recycled fibers	can be used, prov	ided that it meets	the requirements	of		\boxtimes
P11.3*	2-sided	duplex) printing/copying	g is an integrated p	product function.					\boxtimes
P12	Ergonoi	nics for computing pr	roducts						
P12.1*	The disp	lay meets the ergonom	ic requirements of	ISO 9241-307 for v	isual display techno	ologies.	\boxtimes		
P12.2*	The phys	sical input device meets	s the requirements	of ISO 9995 and IS	O 9241-410.				\boxtimes
P13	Packagi	ng and documentatio	n						
P13.1*		packaging material type		weight (k	0,				
		packaging material type		weight (k	0,				
		packaging material type		weight (k	g): 0.09				
P13.2*		plastic packaging is fre							
P13.3*		nedia for user and prod		n (tick box):					
i	Flectron	c Paner Othe	r						

For paper user and product documentation, please specify contained percentage of post-consumer recycled

See Energy Star Qualified Notebooks & Tablet Computers for the latest information: http://www.energystar.gov/index.cfm?fuseaction=find_a_product.showProductGroup&pgw_code=CO

NOTE: Supplier makes no representations, guarantees, assurances or warranties whether express or implied, regarding the information contained in this document. All information provided by supplier in this document is provided based on supplier's knowledge available at the time of completion, and supplier shall have no obligation to update such information. The information provided here is approximate and provided for informational purposes only. See a Lenovo Account Representative for more

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

P13.4*

P14

P9

fiber: 0%

information.

Additional information (See Note B4)

Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19