

ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Computer Monitors

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo				
Company name *	Lenovo				
Contact information *	Contact information * Lenovo Global Environmental Affairs		Lenovo		
e-mail address	Alvin L Carter				
	alcarter@lenovo.com				
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment.html				
Additional information					

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.					
Type of product *	Monitor				
Commercial name *	L24q-20				
Model number *	65D2, 65D3				
Issue date *	2017/4/5				
Intended market *	🔀 Global 📃 Europe 📃 Asia, Pacific & Japan 📃 Americas 🗌 Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products.

Model n	umber *	65D2, 65D3 Logo			
lssue da	te *	2017/4/5	Len		TM
Produc	t environ	mental attributes - Legal requirements	Require	men	t met
ltem			Yes	No	n.a.
P1		us substances and preparations			
P1.1*	Products	do comply with current European RoHS Directive. (See legal reference and NOTE B1)	\square		
P1.2*	Comme	do not contain Asbestos (see legal reference). t: Legal reference has no maximum concentration value.	\boxtimes		
P1.3*	hydrobro trichloro	do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), mofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- ethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum ation values.			
P1.4*	terpheny	do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated I (PCT) in preparations (see legal reference).	\boxtimes		
P1.5*	chain co	do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).			
P1.6*	(see lega	h direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm²/week al reference). it: Max limit in legal reference when tested according to EN1811:2011-5.			
P1.7*	REACH	Article 33 information about substances in articles is available at (add URL or mail contact): w.lenovo.com/social_responsibility/us/en/environment.html			
P2	Batterie	\$			
P2.1*		duct contains a battery or an accumulator, the battery/accumulator is labeled with the disposal Information on proper disposal is provided in user manual. (See legal reference)			\square
P2.2*	referenc				\square
P2.3*	Batteries	and accumulators are readily removable. (See legal reference)			\boxtimes
P3	Conform	nity verification & Eco design (ErP)			
P3.1*	•	luct is CE-marked to show conformance with applicable legal requirements (see legal reference). laration of Conformity can be requested at (add link or e-mail address):	\boxtimes		
P3.2*	The proc	luct complies with the Eco design requirements for energy-related products, al reference).	\boxtimes		
	, U	l information is; given in item P15 or added to this document, available at (add URL):			
P5	Product	packaging			
P5.1*	hexavale	g and packaging components do not contain more than 0,01% lead, mercury, cadmium an ant chromium by weight of these together.			
P5.2*	used (se	kaging materials are marked with abbreviations and numbers indicating the nature of the material(se e legal reference).			
P5.3*	(see lega	uct packaging material is free from ozone depleting substances as specified in the Montreal Protoco al reference).	ol 🔀		
-		t: Legal reference has no maximum concentration values.			
P6		nt information			
P6.1*	Informati	on for recyclers/treatment facilities is available (see legal reference).	\square		

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model nu	umber *	65D2, 65D3	Logo			
Issue date *		2017/4/5		Len	ovc	Тм
Product	t environ	mental attributes - Market requirements (See General NOTE GN	below)			
		onmental conscious design		Require	ment	met
Item		tory to fill in. Additional information regarding each item may be found under P14.		Yes	No	n.a.
P7	Design Disasse	mbly, recycling				
P7.1*	Parts that	t have to be treated separately are easily separable		\square		
P7.2*	Plastic m	aterials in covers/housing have no surface coating.				
P7.3*	Plastic p	arts > 100 g consist of one material or of easily separable materials.			Π	
P7.4*	Plastic p	arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.			Π	
P7.5	5 Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.				Π	
P7.6*	Labels a	re easily separable. (This requirement does not apply to safety/regulatory labels).			Ē	Ē
	Product					
P7.7*	Upgradir	g can be done e.g. with processor, memory, cards or drives				\square
P7.8*	Upgradir	g can be done using commonly available tools				$\overline{\boxtimes}$
P7.9	Spare pa	rts are available after end of production for: 2 years				
P7.10	Service i	s available after end of production for: 2 years				
-	Material	and substance requirements				
P7.11*	Product	cover/housing material type (e.g. plastics, metal, aluminum):				
57.40		type: ABS Material type: SGCC Materia	al type:			
P7.12		n materials of external electrical cables are PVC free.		<u> </u>	<u> </u>	
P7.13		n materials of internal electrical cables are PVC free.				
P7.14	weight (´ polyvinyl	plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) b 1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in n 25% post-consumer recycled content.	e retardants, an	d		
P7.15		ircuit boards, PCBs (without components) are low halogen: all 🔀 PCBs > 25 g 🗌 ed in IEC 61249-2-21. (See 1NOTE B2)	are low haloge	n 🗌	\square	
P7.16	Flame re Marking:	tarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:				\square
P7.17		nemical specifications of flame retardants in printed circuit boards > 25 g (without co PA (additive), TBBPA (reactive) (See NOTE B3), Other: chemical name , CAS				\square
		nemical specifications of flame retardants in printed circuit boards (without compone g ISO 1043-4:	ents) > 25 g			\square
P7.18	concentr 1. Chemi 2. Chemi	ame retarded plastic parts > 25 g contain the following flame retardant substance ations above 0,1%: ical name: , CAS #: (See NOTE B4) ical name: , CAS #: " ical name: , CAS #: "	s/preparations i	n		
		nemical specifications of flame retardants in plastic parts > 25 g according ISO 104	3-4:			\boxtimes
P7.19	assigned	parts > 25 g, flame retardant substances/preparations above 0,1% are used which the following Risk phrases; and Hazard statements:				
P7.20*			See note B5)			
P1.20"	Postcons	sumer recycled plastic material content is used in the product (See Note B6):		\boxtimes		
	a) Oft ape or	t least one of the two alternatives below shall be answered; otal plastic parts' weight > 25 g, the postconsumer recycled plastic material conten ercentage of total plastic by weight) is 25.6% .	t (calculated as			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number * 6	65D2, 65D3	Logo	
Issue date * 20	2017/4/5		Leiiuvu

Product environmental attributes - Market requirements (continued)

Item

Requirement metYesNon.a.

	Material and substance requirements (continued)							
P7.21*	Biobased plastic material content is used in the product (See NOTE B7):							
	 If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the biobased plastic material content (calculated as a percentage of total plastic by weight) is %. or b) The said black is been beneficiated by the biobased plastic material content (calculated as a percentage of total plastic by weight) is %. 							
		f the biobased plastic n						
P7.22*		specify: Number of lan	less than 0,1 mg/lamp.	im mercury content per	lamp: mg			
P8	Batteries	specify. Number of lan		in mercury content per	lamp. mg			
P8.1*	Battery chemical c	omposition:						
P9	Energy consump	tion (See NOTE B8)						
P9.1			s or energy consumptio	ins are reported:				
Energy mod	de *	Power level at	Power level at	Power level at	Reference/Standard for energy			
		100 V AC	115 V AC	230 V AC	modes and test method *			
ENERGY S (System Idl	TAR® On Mode* e)	16.09 W	15.99 W	16.19 W	ENERGY STAR® Program Requirements for Computer Monitors: Ver. 7.0			
ENERGY S	TAR® Low Power	0.22 W	0.23 W	0.30 W	ENERGY STAR® Program Requirements for Computer Monitors: Ver. 7.0			
ENERGY STAR® Off / Apparent Off Mode*		0.29 W	0.29 W	0.29 W	ENERGY STAR® Program Requirements for Computer Monitors: Ver. 7.0			
PTEC * Typical Ene	ergy Consumption	W	W	W				
	ergy Consumption	50.5 kWh/year	50.3 kWh/year	51.4 kWh/year				
External Po	ower Supply Efficier	cy Level (International	Efficiency Marking Pro	tocol) * : <mark>6</mark>				
Display res	olution* : 3.7 mega	apixels			ENERGY STAR® Program Requirements for Computer Monitors: Ver. 7.0			
Default time		ive mode: 0.5 minutes			ENERGY STAR® Program Requirements for Computer Monitors: Ver. 7.0			
P9.2*	Information about	the energy save function	on is provided with the	product.				
P9.3*		s the energy requireme version: 7.0 Product ca	nts of the following volu ategory: Display .	untary program/s:				
P10	Emissions							
	Noise emission – Declared according to ISO 9296 (See NOTE B9)							
P10.1		Iode description		Statistical upper limit	A-weighted sound power level, <i>L</i> _{WA,c} (B)			
	Idle *			*				
	Operation *			*				
	Other mode	Declared A-weighted sound	d pressure level (dB) L _{pAm}	(operator pos	ition desktop – idle)			
	Other mode	Declared A-weighted sound	d pressure level (dB) $L_{p \text{Am}}$	(operator pos	(operator position desktop – operating)			
	Measured accordi	ng to: ISO 7779	ECMA-74 (only if not covered by	ECMA-74)				
			(only if not covered by					

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see <u>http://www.ecma-international.org/publications/standards/Ecma-370.htm</u>

NOTE B9 A Guidance document on Acoustic Noise is available;

 $^{{\}tt see } \underline{\tt http://www.ecma-international.org/publications/standards/Ecma-370.htm}$

Model nu	umber *	65D2, 65D3				Logo			
Issue dat	te *	2017/4/5					Lenc	VO,	гм
Product	t environi	nental attribu	tes - Market require	ments (continued)			Require	ment	me
Item							Yes	No	n.a
		magnetic emiss							
P10.4	program	(s):	•	v frequency electromagneti	c fields of the foll	owing volun	itary		
P12		mics for compu							
P12.1*	The disp	olay meets the e	rgonomic requirements	of ISO 9241-307 for visual	display technolog	gies.	\square		
P12.2*	The phy	sical input devic	e meets the requiremen	nts of ISO 9995 and ISO 92	41-410.				\mathbf{X}
P13	Packag	ing and docum	entation						
P13.1*	Product	packaging mate	rial type(s): <i>Carton</i> rial type(s): <i>EPS</i> rial type(s): <i>PE bag</i>	weight (kg): 0.880 weight (kg): 0.221 weight (kg): 0.029					
P13.2*	Product	plastic primary	backaging is free from P	VC.			\square		
P13.3*	For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post- consumer recovered fiber content: 45 %								
P13.4*	Specify media for user and product documentation (tick box):								
P13.5	Úser an If Yes, p		nis item if paper docume nentation on paper medi						
		al chlorine-free					H		
		ed chlorine-free					H		
P14		ry programs							
P14.1			equirements of the follo	wing voluntary program(s):					
	Eco-lab Eco-lab	el:	Criteria version: Criteria version: Criteria version:	Date: Date: Date:	Product o Product o Product o	ategory:			
P15			(See NOTE B10)						
P9				on may vary; description					
	informat knowled	ion contained in ge available at t I here is approxi	this document. All inform he time of completion, a	rantees, assurances or wa mation provided by supplie and supplier shall have no o nformational purposes only	r in this documer obligation to upda	it is provide ate such info	d based on support	olier's format	ion
P9	See Ene	ergy Star Qualifie	ed Monitors & Displays f gov/products/office_equ	for the latest information: ipment/displays					

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1