

## Product environmental attributes - THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an \* are filled-in (n.a. for not applicable).

Additional information regarding each item may be found under P14.

Brand *	Lenovo Logo				
Company name *	Lenovo				
Contact information *	Lenovo Global Environmental Affairs Alvin L Carter 1009 Think Place Building 2 / 5J3 Morrisville, North Carolina 27560 alcarter@lenovo.com				
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment.html				
Additional information	The latest version of this document can be found at				
	http://www.lenovo.com/social_responsibility/us/en/datasheets_notebooks.html				

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	Monitor			
Commercial name *	L12224A			
Model number *	MT: 65C2-HCC1-WW			
Issue date *	2016/05/10			
Intended market *	☑ Global   Europe   Asia, Pacific & Japan   Americas   Other			
Additional information				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality Control R			ent met
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	$\boxtimes$	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality contro such as organized by IT-Företagen (see www.itecodeclaration.org).	ol 🖂	

Model number *	LI2224A		
Issue date *	2016/05/10	Logo	Lenovo.

<b>Product</b>	oduct environmental attributes - Legal requirements			t met
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1)			
P1.2*	Products do not contain Asbestos (see legal reference).  Comment: Legal reference has no maximum concentration value.			
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.4*	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference).			
P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).	$\boxtimes$		
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.7*	Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split aromatic amines. (See legal reference and Note B1)			
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (see legal reference).  Comment: Legal reference has no maximum concentration values.			
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm²/week (see legal reference).  Comment: Max limit in legal reference when tested according to EN1811:1998.			
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact): http://www.lenovo.com/social_responsibility/us/en/ThinkGreen_products.html#environment			
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference)		Ш	
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)			
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference)			
P3	Safety, EMC connection to the telephone network and labeling			
P3.1*	The product complies with legally required safety standards as specified (see legal reference).			
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal reference).	$\boxtimes$		
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference).	s 🔀		
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).	$\boxtimes$		
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).			
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).			M
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium an hexavalent chromium by weight of these together.	d 🔀		
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	$\boxtimes$		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montrea Protocol (see legal reference).  Comment: Legal reference has no maximum concentration values.	al 🔀		

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model number *	LI2224A		
Issue date *	2016/05/10	Logo	Lenovo.

Product	environmental attributes - Market requirements - Environmental conscious design	Require	ment	met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P6	Treatment information			
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	$\boxtimes$		
P7	Design Disassembly, recycling			
P7.1*	Parts that have to be treated separately are easily separable	$\boxtimes$		
P7.2*	Plastic materials in covers/housing have no surface coating.		$\boxtimes$	
P7.3*	Plastic parts >100g consist of one material or of easily separable materials.		$\overline{\Box}$	
P7.4*	Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043.		$\overline{\Box}$	
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.		$\overline{\Box}$	市
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).		Ħ	Ħ
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives		П	$\Box$
P7.8*	Upgrading can be done using commonly available tools		Ħ	Ħ
P7.9.	Spare parts are available after end of production for: 5 years			Ħ
P7.10	Service is available after end of production for: 5 years	_		∺
	Material and substance requirements			
P7.11*	Product cover/housing material type:			
	Material type: ABS Material type: PC Material type: SGCC			
P7.12	Electrical cable insulation materials of power cables are PVC free.		$\boxtimes$	
P7.13	Electrical cable insulation materials of signal cables are PVC free		$\boxtimes$	
P7.14	All cover/housing plastic parts >25g are free from chlorine and bromine.	$\boxtimes$		
P7.15	All printed circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (See Note B2)	,	$\boxtimes$	
P7.16	Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4:		П	$\square$
	Marking:			
P7.17	Alt. 1 Chemical specifications of flame retardants in printed circuit boards >25g (without components): TBBPA (additive), TBBPA (reactive), Other; chemical name:, CAS #:			
	Alt. 2 Chemical specifications of flame retardants in printed circuit boards (without components) >25g according ISO 1043-4:			
P7.18	Alt. 1 Flame retarded plastic parts >25g contain the following flame retardant substances/preparations in concentrations above 0.1%:	ı 🗌		
	Comment: No legal limits exist, this is a market requirement.  Provide a list of all used flame retardants including MSDS for each flame retardant. The list must contain complete chemical name, CAS number and supplier.  1. Chemical name: , CAS #: , Supplier:  2. Chemical name: , CAS #: , Supplier:	1		
	3. Chemical name: , CAS #: , Supplier: Alt. 2 Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4:			
P7.19	Plastic parts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45, R40, R46, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)			
P7.20	Of total plastic parts' weight >25g, recycled material content is 0%		_	
P7.21	Of total plastic parts' weight >25g, biobased material content is <b>0%</b> .			
P7.22	Light sources are free from mercury			
P8	Batteries			
P8.1*	Battery chemical composition:			
P8.2	Batteries meet the requirements of the following voluntary program/s:			$\times$

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model number *	LI2224A		
Issue date *	2016/05/10	Logo	Lenovo.

P9.3* The product meets the energy requirements of the following voluntary program/s:  ENERGY STAR® version: Version7.0 Product category: Display Others specify:  P10 Emissions  Noise emission – Declared according to ISO 9296  P10.1 Mode Mode description Declared A-weighted Sound pressure level Long (dB)	Product environmental attributes - Market requirements (continued) Requirement met						
For the product the following power levels or energy consumptions are reported: See P14   The product is shipped w/ WOL Enabled.   Power level at Power level at 115 VAC 230 VAC   Reference / Standard for energy modes   100 VAC 115 VAC 230 VAC   Reference / Standard for energy modes   100 VAC 115 VAC 230 VAC   Reference / Standard for energy modes   100 VAC 115 VAC 230 VAC   Reference / Standard for energy modes   100 VAC 115 VAC 230 VAC   Reference / Standard for energy modes   100 VAC 115 VAC 230 VAC   Reference / Standard for energy modes   100 VAC 115 VAC 230 VAC   Reference / Standard for energy modes   100 VAC 115 VAC 230 VAC   Reference / Standard for energy modes   100 VAC 115 VAC 230 VAC   Reference / Standard for energy modes   100 VAC 115 VAC 230 VAC   Reference / Standard for energy modes   100 VAC 115 VAC 230 VAC   Reference / Standard for energy modes   100 VAC 115 VAC 230 VAC   Reference / Standard for energy modes   100 VAC 115 VAC 230 VAC   Reference / Standard for energy modes   100 VAC 115 VAC 230 VAC   Reference / Standard for energy modes   100 VAC 115 VAC 230 VAC   Reference / Standard for energy modes   100 VAC 115 VAC 230 VAC   Reference / Standard for energy modes   100 VAC 115 VAC 230 VAC   Reference / Standard for energy modes   100 VAC 115 VAC 230 VAC   Reference / Standard for energy modes   100 VAC 115 VAC 230 VAC   VAC 230							
The product is shipped w WOL Enabled.  Energy mode*  Power level at Power level at Power level at Reference / Standard for energy modes and test method*  100 V AC  115 V VAC  115 VAC  1230 V AC  and test method*  Full load  Category A  (Ide State - WOL Enabled 15.7W 15.9W 15.9W 15.3W Use for Energy Star V5 registration(P <sub>rodo</sub> )  Sleep (S3) - WOL Enabled 0.2W 0.2W 0.4W Use for Energy Star V5 registration(P <sub>rodo</sub> )  Sleep (S3) - WOL Disabled 0.2W 0.2W 0.4W Reference  Off (S5) - WOL Disabled 0.73W 0.13W 0.26W Use for Energy Star V5 registration(P <sub>rodo</sub> )  Off (S5) - WOL Disabled 0.73W 0.13W 0.26W Use for Energy Star V5 registration(P <sub>rodo</sub> )  Off (S5) - WOL Disabled 0.73W 0.13W 0.26W Use for Energy Star V5 registration(P <sub>rodo</sub> )  Off (S5) - WOL Disabled 0.73W 0.13W 0.26W Use for Energy Star V5 registration(P <sub>rodo</sub> )  Off (S5) - WOL Disabled 0.7W 0.73W 0.26W Use for Energy Star V5 registration(P <sub>rodo</sub> )  Off (S5) - WOL Disabled 0.7W 0.73W 0.26W Use for Energy Star V5 registration(P <sub>rodo</sub> )  Off (S5) - WOL Disabled 0.73W 0.73W 0.26W Use for Energy Star V5 registration(P <sub>rodo</sub> )  Off (S5) - WOL Disabled 0.73W 0.73W 0.26W Use for Energy Star V5 registration(P <sub>rodo</sub> )  Off (S5) - WOL Disabled 0.73W 0.73W 0.26W Use for Energy Star V5 registration(P <sub>rodo</sub> )  Off (S5) - WOL Disabled 0.73W 0.73W 0.26W Use for Energy Star V5 registration(P <sub>rodo</sub> )  Off (S5) - WOL Disabled 0.73W 0.73W 0.26W Use for Energy Star V5 registration(P <sub>rodo</sub> )  Off (S5) - WOL Disabled 0.73W 0.73W 0.26W Use for Energy Star V5 registration(P <sub>rodo</sub> )  Off (S5) - WOL Disabled 0.73W 0.73W 0.26W Use for Energy Star V5 registration(P <sub>rodoo</sub> )  Off (S5) - WOL Disabled 0.73W 0.73W 0.26W Use for Energy Star V5 registration(P <sub>rodoo</sub> )  Off (S5) - WOL Disabled 0.73W 0.26W Use for Energy Star V5 registration(P <sub>rodoo</sub> )  Off (S5) - WOL Disabled 0.73W 0.26W Use for Energy Star V5 registration(P <sub>rodoo</sub> )  Off (S5) - WOL Disabled 0.73W 0.26W Use for Energy Star V5 registration(P <sub>rodoo</sub> )  Off (S5) - WOL Disabled 0.73W 0.26W Use for Energy Star V5 registration(P <sub>rodoo</sub> )  Off (S5) - WO	· · · · · · · · · · · · · · · · · · ·						
100 VAC							
Category A  Idle State - WOL Enabled 15.7W 15.9W 15.9W Use for Energy Star V5 registration(Pow)   Sleep (S3) - WOL Enabled 0.2W 0.2W 0.4W Use for Energy Star V5 registration(Pow)   Sleep (S3) - WOL Disabled 0.2W 0.2W 0.4W Reference   Off (S5) - WOL Disabled 0.2W 0.13W 0.13W 0.26W Use for Energy Star V5 registration(Pow)   Off (S5) - WOL Disabled 0.13W 0.13W 0.13W 0.26W Use for Energy Star V5 registration(Pow)   Off (S5) - WOL Disabled 0.13W 0.13W 0.13W 0.26W Use for Energy Star V5 registration(Pow)   Off (S5) - WOL Disabled 0.13W 0.13W 0.26W Use for ErP   Off (S5) - WOL Disabled 0.13W 0.13W 0.26W Use for ErP   Off (S5) - WOL Disabled 0.13W 0.13W 0.26W Use for ErP   Off (S5) - WOL Disabled 0.13W 0.13W 0.26W Use for ErP   Off (S5) - WOL Disabled 0.13W 0.13W 0.26W Use for ErP   Off (S5) - WOL Disabled 0.13W 0.13W 0.26W Use for ErP   Off (S5) - WOL Disabled 0.13W 0.13W 0.26W Use for ErP   Off (S5) - WOL Disabled 0.13W 0.13W 0.26W Use for ErP   Off (S5) - WOL Disabled 0.13W 0.13W 0.26W Use for ErP   Off (S5) - WOL Disabled 0.13W 0.13W 0.26W Use for ErP   Off (S5) - WOL Disabled 0.13W 0.13W 0.26W Use for ErP   Off (S5) - WOL Disabled 0.13W 0.13W 0.26W Use for ErP   Off (S5) - WOL Disabled 0.26W Us	Energy mode *				1		
Idle State - WOL Enabled	Peak (On-max)	15.7W	15.5W	15.3W	Full load		
Sleep (S3) - WOL Enabled   0.2W   0.2W   0.4W   Use for Energy Star V5 registration(P <sub>susp</sub> )	Category A	Category A					
Sleep (S3) - WOL Disabled   0.2W   0.2W   0.4W   Reference	Idle State - WOL Enabled	15.7W	15.5W	15.3W	Use for Energy Star V5 registration(P <sub>idle</sub> )		
Off (S5) - WOL Enabled 0.13W 0.13W 0.26W Use for Energy Star V5 registration(P <sub>ort</sub> )   Off (S5) - WOL Disabled 0.13W 0.13W 0.26W Use for ErP   Off (S5) - WOL Disabled 0.13W 0.13W 0.26W Use for ErP   Off (S5) - WOL Disabled 0.13W 0.13W 0.26W Use for ErP   Off (S5) - WOL Disabled	Sleep (S3) - WOL Enabled	0.2W	0.2W	<b>0.4</b> W	Use for Energy Star V5 registration(P <sub>sleep</sub> )		
Off (S5) - WOL Disabled 0.13W 0.13W 0.26W Use for ErP  Category B  W W W W (Prom)  W W W (Pote)  W W W W (Pote)  W W W W (Pote)  EPS No-load (External power supply / charger plugged in the wall outlet but disconnected from the product.)  TEC Typical Energy Consumption   Authority	Sleep (S3) - WOL Disabled	0.2W	0.2W	<b>0.4</b> W	Reference		
Category B    W   W   W   (P <sub>steept</sub> )	Off (S5) - WOL Enabled	0.13W	0.13W	0.26W	Use for Energy Star V5 registration(Poff)		
W   W   W   (P <sub>stepp</sub> )	Off (S5) - WOL Disabled	0.13W	0.13W	0.26W	Use for ErP		
W   W   W   W   (Palesp)	Category B				1		
W   W   W   W   W   W   W   W   W   W		W	W	W	(P <sub>idle</sub> )		
W   W   W   W   W   W   W   W   W   W		W	W	W	(P <sub>sleep</sub> )		
W   W   W   W   W   W   W   W   W   W		W	W	W			
EPS No-load   W   W   W   W   W   W   W   W   W		W	W	W	(P <sub>off</sub> )		
(External power supply / charger plugged in the wall outlet but disconnected from the product.)  TEC Typical Energy Consumption  ETEC * Annual Energy Consumption  Pent: Off Mode(S5) - WOL Enabled; Paleep: Sleep Mode(S3) - WOL Enabled; Pidle State - WOL Enabled  Display resolution : 1920*1080Megapixels  Print Speed : Images per minute  Default time to enter energy save mode: 15 seconds  P9.2* Information about the energy requirements of the following voluntary program/s: ENERGY STAR® version: Version7.0 Product category: Display Others specify:  P10 Emissions  Noise emission - Declared according to ISO 9296  P10.1 Mode Mode description  P42.03kWh/year 42.03kWh/year 42.03kWh/year 5.1 Energe (8760/1000) x (Pont x 0.6 + Psleep x 1.00 to 1.1 + Pidle x 0.3)  P15.01 Frict = (8760/1000) x (Pont x 0.6 + Psleep x 1.00 to 1.1 + Pidle x 0.3)  P16.02 Frict = (8760/1000) x (Pont x 0.6 + Psleep x 1.00 to 1.1 + Pidle x 0.3)  P16.03 Frict = (8760/1000) x (Pont x 0.6 + Psleep x 1.00 to 1.1 + Pidle x 0.3)  P17.04 Frict = (8760/1000) x (Pont x 0.6 + Psleep x 1.00 to 1.1 + Pidle x 0.3)  P18.03 Frict = (8760/1000) x (Pont x 0.6 + Psleep x 1.00 to 1.1 + Pidle x 0.3)  P18.04 Frict = (8760/1000) x (Pont x 0.6 + Psleep x 1.00 to 1.1 + Pidle x 0.3)  P18.04 Frict = (8760/1000) x (Pont x 0.6 + Psleep x 1.00 to 1.1 + Pidle x 0.3)  P18.04 Frict = (8760/1000) x (Pont x 0.6 + Psleep x 1.00 to 1.1 + Pidle x 0.3)  P19.04 Frict = (8760/1000) x (Pont x 0.6 + Psleep x 1.00 to 1.0 + Pidle x 0.3)  P19.04 Frict = (8760/1000) x (Pont x 0.6 + Psleep x 1.00 to 1.0 + Pidle x 0.3)  P18.04 Frict = (8760/1000) x (Pont x 0.6 + Psleep x 1.00 to 1.0 + Pidle x 0.3)  P19.04 Frict = (8760/1000) x (Pont x 0.6 + Psleep x 1.00 to 1.0 + Pidle x 0.3)  P19.04 Frict = (8760/1000) x (Pont x 0.6 + Psleep x 1.0 to 1.0 + Pidle x 0.3)  P19.04 Frict = (8760/1000) x (Pont x 0.6 + Psleep x 1.0 to 1.0 + Pidle x 0.3)  P19.04 Frict = (8760/1000) x (Pont x 0.6 + Psleep x 1.0 to 1.0 + Pidle x 0.3)  P19.04 Frict = (8760/1000) x (Pont x 0.6 + Psleep x 1.0 to 1.0 + Pidle x 0.3)  P19.04		W	W	W			
Typical Energy Consumption kWh/week kWh	(External power supply / charger plugged in the wall outlet but disconnected from	W	W	W			
Annual Energy Consumption    Display resolution : 1920*1080Megapixels   Default time to enter energy save mode: 15 seconds   Display resolution about the energy save function is provided with the product.   Default time to enter specify:   Default time to enter specify:   Default time to enter energy save function is provided with the product.   Default time to enter specify:   Display   Display   Display   Display   Display   Display   Display   Display   Default time to enter energy save function is provided with the product.   Declared A-weighted   Declared A-wei		kWh/week	kWh/week	kWh/week			
Display resolution: 1920*1080Megapixels  Print Speed: Images per minute  Default time to enter energy save mode: 15 seconds  P9.2* Information about the energy save function is provided with the product.  P9.3* The product meets the energy requirements of the following voluntary program/s:  ENERGY STAR® version: Version7.0 Product category: Display Others specify:  P10 Emissions  Noise emission – Declared according to ISO 9296  P10.1 Mode Mode description Declared A-weighted sound pressure level Loans (dB)	-	42.12kWh/year 41.60kWh/year 42.03kWh/year E <sub>TEC</sub> = (8760/1000) x (P <sub>off</sub> x 0.6 + P <sub>sleep</sub> x 0.1 + P <sub>idle</sub> x 0.3)					
Print Speed : Images per minute  Default time to enter energy save mode: 15 seconds  P9.2* Information about the energy save function is provided with the product.  P9.3* The product meets the energy requirements of the following voluntary program/s:  ENERGY STAR® version: Version7.0 Product category: Display  Others specify:  P10 Emissions  Noise emission – Declared according to ISO 9296  P10.1 Mode Mode description Declared Sound pressure level Load (dB)	P <sub>off</sub> : Off Mode(S5) - WOL Enabled; P <sub>sleep</sub> : Sleep Mode(S3) - WOL Enabled; P <sub>idle</sub> : Idle State - WOL Enabled						
Default time to enter energy save mode: 15 seconds  P9.2* Information about the energy save function is provided with the product.  P9.3* The product meets the energy requirements of the following voluntary program/s:  ENERGY STAR® version: Version7.0 Product category: Display Others specify:  P10 Emissions  Noise emission – Declared according to ISO 9296  P10.1 Mode Mode description Declared A-weighted sound pressure level Lyappe (dB)	Display resolution : 1920*1080Megapixels						
Default time to enter energy save mode: 15 seconds  P9.2* Information about the energy save function is provided with the product.  P9.3* The product meets the energy requirements of the following voluntary program/s:  ENERGY STAR® version: Version7.0 Product category: Display Others specify:  P10 Emissions  Noise emission – Declared according to ISO 9296  P10.1 Mode Mode description Declared A-weighted sound pressure level Load (dB)	Print Speed : Images p	per minute				$\square$	
P9.3* The product meets the energy requirements of the following voluntary program/s:  ENERGY STAR® version: Version7.0 Product category: Display Others specify:  P10 Emissions  Noise emission – Declared according to ISO 9296  P10.1 Mode Mode description Declared A-weighted Sound pressure level Loam (dB)	Default time to enter energy sa	ave mode: 15 second	ds			$\overline{\Box}$	
ENERGY STAR® version: Version7.0 Product category: Display Others specify:  P10 Emissions  Noise emission – Declared according to ISO 9296  P10.1 Mode Mode description Declared A-weighted Sound pressure level Long (dB)	P9.2* Information about	the energy save fund	ction is provided with	the product.			
P10.1 Mode Mode description Declared A-weighted A-weighted Sound pressure level Loan (dB)	ENERGY STAR®						
P10.1 Mode Mode description Declared Declared A-weighted A-weighted sound pressure level Loam (dB)							
A-weighted sound pressure level Loam (dB)							
	I TO.1 WIOGE						
Sourid power				-			
$\begin{array}{ c c c c c c c c c c c c c c c c c c c$				level $L_{WAd}$ (B)	Sporator position 2		
or Dock side (only if product is not					or Dock side (only if product is not		
Idle * HDD: Idle *	Idle	— operator attend		operator attended)	1		
Operation * HDD: Operating *					1 1		
Other mode	Other mode						
Measured according to: SO7779 ECMA-74	Measured according		_				
Other (only if not covered by ECMA-74 with L <sub>pAm</sub> measurement distance m)  P10.2 The product meets the acoustic noise requirements of the following voluntary program/s:	P10.2 The product meets						

Model nun	nber *	LI2224A				
Issue date	*	2016/05/10	Logo	Lenov	<b>/O</b> .	
Product e	nvironn	nental attributes - Market requirements (continued)		Require	ment	met
Item		market requirements (contained)		Yes	No	n.a
	Chemica	al emissions from printing products				
P10.3*		formed according to ECMA-328 (ISO/IEC 28360) standard, other specify:			П	$\boxtimes$
P10.4		emission rate (print phase) is (mg/h):				
	• •	Dust Ozone Styrene Benzene TVOC				
P10.5		al emission requirements of the following voluntary program/s are met for :				$\boxtimes$
		Oust Ozone Styrene Benzene	TVOC 🗌			
		nagnetic emissions				
P10.6	Compute program.	er display meets the requirement for low frequency electromagnetic fields of the foll /s: TCO 7.0	owing voluntary		$\boxtimes$	
P11	Consum	nable materials for printing products				
P11.1*	-	Data Sheet (SDS) is available for the ink/toner preparation, even if not legally requ				$\boxtimes$
P11.2*	EN1228		e requirements of	of		
P11.3*	2-sided (	(duplex) printing/copying is an integrated product function.				$\boxtimes$
P12		nics for computing products				
P12.1*	The disp	lay meets the ergonomic requirements of ISO 9241-307 for visual display technological	gies.	$\boxtimes$		
P12.2*	The phys	sical input device meets the requirements of ISO 9995 and ISO 9241-410.				$\boxtimes$
P13	Packagi	ng and documentation				
P13.1*	Product Product	packaging material type(s): PE Bag weight (kg): 0.029 packaging material type(s): Paper weight (kg): 0.01 packaging material type(s): Carton weight (kg): 0.624 packaging material type(s): EPS weight (kg): 0.17				
P13.2*	Product	plastic packaging is free from PVC.	$\triangleright$	]		
P13.3*		media for user and product documentation (tick box):				
P13.4*	For pape	er user and product documentation, please specify contained percentage of poster recycled fiber: 70% (Japan only 70%)				$\boxtimes$
P14	Addition	nal information (See Note B4)				
	informati knowledg	Supplier makes no representations, guarantees, assurances or warranties whether ion contained in this document. All information provided by supplier in this document ge available at the time of completion, and supplier shall have no obligation to updathere is approximate and provided for informational purposes only. See a Lenovo Alon.	nt is provided bas ate such informati	ed on sup on. The in	plier's forma	

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19