

Product environmental attributes – THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P14.

Brand *	Lenovo	Logo
Company name *	Lenovo	
Contact information *	Alvin L Carter 1009 Think Place Building 2 / 5F1 Morrisville, North Carolina 27560 alcarter@lenovo.com	lenovo
Internet site *	www.lenovo.com/environment	
Additional information		

	The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.		
Type of product *	Monitor		
Commercial name *	ThinkVision LS2221 Wide		
Model number *	M/T: 5453-LS1		
Issue date *	2011, August 16		
Intended market *	🛛 Global 📃 Europe 🗌 Asia, Pacific & Japan 📃 Americas 📃 Other		
Additional information	ENERGY STAR® Qualified		

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality Control			Requirement met	
Item		Yes	No	
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	\boxtimes		
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality contro such as organized by IT-Företagen (see www.itecodeclaration.org).	bl 🔀		

Model n	umber *	ThinkVision LS2221 Wide M/T: 5453-LS1				
Issue date *		2011, August 16 Logo				
Produc	t environ	mental attributes - Legal requirements		Require	ment	met
tem				Yes	No	n.a.
P1	Hazardo	us substances and preparations				
P1.1*	Products 0.1% po	do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hex ybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (e and Note B1)		nium, 🔀		
P1.2*	Products	do not contain Asbestos (see legal reference). ht: Legal reference has no maximum concentration value.		\square		
P1.3*	Products hydrobro trichloroe	do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), mofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrac ethane, methyl bromide (see legal reference). Comment: Legal reference has no ation values.		-		
P1.4*	Products	do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polyce (PCT) in preparations (see legal reference).	chlorinated	\square		
P1.5*		do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 can taining at least 48% per mass of chlorine in the SCCP (see legal reference).	arbon atoms i	n the 🔀		
P1.6*	Tris-(azi	nd leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-ph idinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal referer nt: Legal reference has no maximum concentration values.		IS),		\square
P1.7*	Textile a	nd leather parts with direct skin contact do not contain more than 0.003% Azo col amines. (See legal reference and Note B1)	orants that sp	olit		\square
P1.8*	pentachl	parts do not contain arsenic and chromium as a wood preservation treatment as orophenol and derivatives (see legal reference). ht: Legal reference has no maximum concentration values.	well as			\square
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5					
P1.10*	Comment: Max limit in legal reference when tested according to EN1811:1998. REACH Article 33 information about substances in articles is available at (add URL or mail contact): http://www.lenovo.com/social_responsibility/us/en/environment.html					
P2	Batterie	S				
P2.1*	more that marked	duct contains a battery or an accumulator, it is labeled with the disposal symbol a in 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of le with the chemical symbol for the metal concerned, Hg or Pb. Information on prope in user manual. (See legal reference)	ad, it shall be			
P2.2*					\boxtimes	
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference)					
P3	Safety, I	EMC connection to the telephone network and labeling				
P3.1*	The proc	luct complies with legally required safety standards as specified (see legal referer	nce).	\square		
P3.2*	The proc	luct complies with legally required standards for electromagnetic compatibility (se	e legal refere	nce). 🔀		Ē
P3.3*		If product is intended for connection to a public telecom network or contains a radio transmitter, it complies				
P3.4*		luct is labeled to show conformance with applicable legal requirements (see legal		\boxtimes		
P4		able materials				
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).					
P4.2*	If ink/ton	er is used in the product, it does not contain cadmium max 0.1% by weight (see le	egal reference	e).		\boxtimes
P4.3*	product/j requirem	/toner formulation/preparation is classified as hazardous according to applicable i packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance w ients is available (see legal reference).		ne		\square
P5	Product	packaging				
P5.1*	Packagii hexavale	ng and packaging components do not contain more than 0.01% lead, mercu ant chromium by weight of these together.		n and 🔀		
P5.2*	Plastic p	ackaging material is marked according to ISO 11469 referring ISO 1043 (see lega	al reference).	\square		
P5.3*	Protocol	duct packaging material is free from ozone depleting substances as specifie (see legal reference). t: Legal reference has no maximum concentration values.	d in the Mo	ntreal 🔀		

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model n	ThinkVision LS2221 Wide M/T: 5453-LS1					
Issue da		lenovo				
Produc	t environmental attributes - Market requirements - Environmental conscious design	Requirement met				
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes No n.a.				
P6	Treatment information					
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).					
P7	Design Disassembly, recycling					
P7.1*	Parts that have to be treated separately are easily separable					
P7.2*	Plastic materials in covers/housing have no surface coating.					
P7.3*	Plastic parts >100g consist of one material or of easily separable materials.					
P7.4*	Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043.					
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.					
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).					
	Product lifetime					
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives					
P7.8*	Upgrading can be done using commonly available tools					
P7.9.						
P7.10	Spare parts are available after end of production for: 5 years					
F7.10	Service is available after end of production for: 5 years	<u>. </u>				
P7.11*	Material and substance requirements Product cover/housing material type:					
F 7.11	Material type: Material type: Material type: Material type:					
P7.12	Electrical cable insulation materials of power cables are PVC free.					
P7.13	Electrical cable insulation materials of signal cables are PVC free					
P7.14	All cover/housing plastic parts >25g are free from chlorine and bromine.					
P7.14	All printed circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (Se					
F7.15	Note B2)	e 🛛 📋 📋				
P7.16	Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4: Marking:					
P7.17	Alt. 1 Chemical specifications of flame retardants in printed circuit boards >25g (without components): TBBPA (additive) , TBBPA (reactive) , Other; chemical name: , CAS #:					
DT (0	Alt. 2 Chemical specifications of flame retardants in printed circuit boards (without components) >25g according ISO 1043-4:					
P7.18	Alt. 1 Flame retarded plastic parts >25g contain the following flame retardant substances/preparations i concentrations above 0.1%:	n 🗌 🗌 🖾				
	Comment: No legal limits exist, this is a market requirement. Provide a list of all used flame retardants including MSDS for each flame retardant. The list must contai complete chemical name, CAS number and supplier. 1. Chemical name: , CAS #: , Supplier: 2. Chemical name: , CAS #: , Supplier:	n				
	3. Chemical name: , CAS #: , Supplier: Alt. 2 Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4:					
P7.19	Plastic parts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45, R40, R46, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)					
P7.20	Of total plastic parts' weight >25g, recycled material content is +10%.					
P7.21	Of total plastic parts' weight >25g, biobased material content is 0% .					
P7.22	Light sources are free from mercury					
Do	If mercury is used specify: Number of lamps: and max. mercury content per lamp: mg					
P8.1*	Batteries					
	Battery chemical composition:					
P8.2	Batteries meet the requirements of the following voluntary program/s:	\boxtimes				

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model nur	umber* ThinkVision LS2221 Wide M/T: 5453-LS1								
Issue date)*	2011, Au	ıgust 16		Logo	lenovo			
Broduct	Deduct environmental attributes. Market remainments (certinued)							tmot	
Item	Product environmental attributes - Market requirements (continued) Requirement m em							n.a.	
P9								n.a.	
9.1									
Energy mo	de		Power level at	Power level at	Power level at	Reference	/ Standard for	energy modes	
			100 V AC	115 V AC	230 V AC	and test met	thod *		
Peak (On-max)		W	20.5 W	20.4 W	Full load				
On-idle			W	14.3 W	14.4 W		ctive Power		
Save 1			W	0.5 W	0.5 W	Sleep Mode/Low Power			
Off			W	0.3 W	0.4 W	Off Mode/S	tandby Power		
			W	W	W				
			W	W	W				
EPS No-lo	ad		W	W	W				
(External p									
charger plu outlet but o									
the produc		eu nom							
PTEC		*	W	W	W				
Typical En	ergy Cons	umption							
TEC *			kWh/week kWh/week		kWh/week				
Typical En	ergy Cons	umption							
Display res	solution	1 92 0*10	80 Megapixels						
Print Spee	d :	: In	nages per minute						
Default tim	e to enter	energy sa	ave mode: 10 minutes	S					
P9.2*	Informati	on about	the energy save func	tion is provided with	the product.			\square	
P9.3*		Y STAR®	the energy requirem version: 5.0 Product			/s:			
P10	Emissio								
	Noise er	nission -	Declared according	to ISO 9296					
	NUISE EI	11551011 -		10 130 9290					
P10.1	Mode		Mode description	ו	Declared	De	clared A-wei	ghted	
					A-weighted sound	sound pr	essure level	$L_{p Am}$ (dB)	
					power	Op	erator		
					level	posit			
					L_{WAd} (B)	Desk			
						or Desk s	ide 🗌		
	Idle	,	*		*	or Book o			
	Operat	ion	k		*				
	Other r	node							
	Measu	red acco	ording to: 🔀 ISO	97779 🗌 ECMA-	-74				
			Other	(only if not cover	ed by ECMA-74 wit	h L _{pAm} measi	urement distand	ce m)	
P10.2	The product meets the acoustic noise requirements of the following voluntary program/s:								

Model nu	mber *	ThinkVision LS2221 Wide M/T: 5453-LS1				
Issue date) *	2011, August 16	Logo	leno	vo	
Product	environn	nental attributes - Market requirements (continued)		Require	ment	met
Item				Yes	No	n.a.
	Chemica	al emissions from printing products				
P10.3*		formed according to ECMA-328 (ISO/IEC 28360) standard, other specify:				\square
P10.4		emission rate (print phase) is (mg/h):				
		Dust Ozone Styrene Benzene TVOC				
P10.5		Il emission requirements of the following voluntary program/s are met for :				\boxtimes
	Electron	nagnetic emissions				
P10.6		er display meets the requirement for low frequency electromagnetic fields of the follo /s: <i>MPR-II</i>	wing voluntary	\square		
P11		able materials for printing products				
P11.1*	A Safety	Data Sheet (SDS) is available for the ink/toner preparation, even if not legally requi	red (see P4.3).			\square
P11.2*	EN1228		e requirements o	of		\boxtimes
P11.3*	2-sided (duplex) printing/copying is an integrated product function.				\boxtimes
P12		nics for computing products				
P12.1*	The disp	lay meets the ergonomic requirements of ISO 9241-307 for visual display technolog	ies.	\square		
P12.2*	The phys	sical input device meets the requirements of ISO 9995 and ISO 9241-410.		\boxtimes		
P13	Packagi	ng and documentation				
P13.1*	Product	packaging material type(s): <i>LDPE</i> weight (kg): <i>0.002</i> packaging material type(s): <i>Corrugated</i> weight (kg): <i>0.77</i> packaging material type(s): <i>EPS</i> weight (kg): <i>0.27</i>				
P13.2*	Product	plastic packaging is free from PVC.		\square		
P13.3*		nedia for user and product documentation (tick box):				
P13.4*		er user and product documentation, please specify contained percentage of post-cor %(Japan only 70%)	sumer recycled			
P14		al information (See Note B4)				
	informati knowled provided informati		is provided base te such information ccount Represen	ed on supp on. The inf	olier's formati	
P7.17		does not contain free TBBPA in printed circuit boards(without components)>.	25g.			
P9		rgy Star Qualified Computers for the latest information: ww.energystar.gov/index.cfm?fuseaction=find_a_product.ShowProductGroup	&pgw_code=MC)		

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19