

Product environmental attributes - THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable).

Additional information regarding each item may be found under P14.

Brand *	Lenovo	Logo			
Company name *	Lenovo				
Contact information *	Lenovo Global Environmental Affairs Alvin L Carter 1009 Think Place Building 2 / 5F1 Morrisville, North Carolina 27560 alcarter@lenovo.com	lenovo.			
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment.html				
Additional information	The latest version of this document can be found at http://www.lenovo.com/social_responsibility/us/en/datasheets_monitors.html				

	The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	Display				
Commercial name *	LT1421 Wide				
Model number *	MT:1452				
Issue date *	2013.11.25				
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality	Quality Control R		
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration		
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality contro such as organized by IT-Företagen (see www.itecodeclaration.org).	I 🔀	

Model number *	LT1421wD	MT:1452		
Issue date *	2013.11.25		Logo	lenovo.

Product	oduct environmental attributes - Legal requirements				
Item		Yes	No	n.a.	
P1	Hazardous substances and preparations				
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1)				
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.				
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.				
P1.4*	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference).				
P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).	\boxtimes			
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values.				
P1.7*	Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split aromatic amines. (See legal reference and Note B1)				
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (see legal reference). Comment: Legal reference has no maximum concentration values.				
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm²/week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:1998.				
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact): http://www.lenovo.com/social_responsibility/us/en/materials.html				
P2	Batteries				
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference)				
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)				
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference)				
P3	Safety, EMC connection to the telephone network and labeling				
P3.1*	The product complies with legally required safety standards as specified (see legal reference).	\boxtimes			
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal reference).				
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference).				
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).	\boxtimes	\Box		
P4	Consumable materials				
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).				
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).			\square	
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).				
P5	Product packaging				
P5.1*	Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together.	d 🔀			
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	\boxtimes			
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montrea Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.	d 🔀			

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model number *	LT1421wD	MT:1452		
Issue date *	2013.11.25		Logo	lenovo

Product		quirer	nent	met	
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.	
P6	Treatment information				
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	\boxtimes			
P7	Design Disassembly, recycling				
P7.1*	Parts that have to be treated separately are easily separable	\boxtimes			
P7.2*	Plastic materials in covers/housing have no surface coating.		$\overline{\boxtimes}$		
P7.3*	Plastic parts >100g consist of one material or of easily separable materials.		Ħ	Ħ	
P7.4*	Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043.		$\overline{\sqcap}$		
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	$\overline{\boxtimes}$	$\overline{\Box}$		
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	\boxtimes			
	Product lifetime				
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	\boxtimes			
P7.8*	Upgrading can be done using commonly available tools				
P7.9.	Spare parts are available after end of production for: 5 years				
P7.10	Service is available after end of production for: 5 years				
	Material and substance requirements				
P7.11*	Product cover/housing material type:				
	Material type: ABS Material type: PC Material type:				
P7.12	Electrical cable insulation materials of power cables are PVC free.		\boxtimes		
P7.13	Electrical cable insulation materials of signal cables are PVC free		\boxtimes		
P7.14	All cover/housing plastic parts >25g are free from chlorine and bromine.	\boxtimes			
P7.15	All printed circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (See		\boxtimes		
	Note B2)				
P7.16	Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4: Marking:				
P7.17	Alt. 1 Chamical appointance of flower retardents in printed sixual boards a 25% (without components).				
	Chemical specifications of flame retardants in printed circuit boards >25g (without components): TBBPA (additive) , TBBPA (reactive) , Other; chemical name: , CAS #:	\boxtimes	Ш	Ш	
	Tibbli A (additive) [], Tibbli A (reactive) [], Other, Chemical Hame. , CAS #.				
	Alt. 2				
	Chemical specifications of flame retardants in printed circuit boards (without components) >25g according	\boxtimes			
D7.10	ISO 1043-4: <i>FR(16)</i>				
P7.18	Alt. 1 Flame retarded plastic parts >25g contain the following flame retardant substances/preparations in				
	concentrations above 0.1%:	Ш	ш		
	Comment: No legal limits exist, this is a market requirement.				
	1. Chemical name: , CAS #:				
	2. Chemical name: , CAS #:				
	3. Chemical name: , CAS #: Alt. 2				
	Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4:				
	ending openion of hame retained in places parts / 20g according to 0 10 in			\boxtimes	
P7.19	Plastic parts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45, R40, R46, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)				
P7.20	Of total plastic parts' weight >25g, recycled material content is 85 %.				
P7.21	Of total plastic parts' weight >25g, biobased material content is 0%.				
P7.22	Light sources are free from mercury				
	If mercury is used specify: Number of lamps: and max. mercury content per lamp: mg				
P8	Batteries				
P8.1*	Battery chemical composition:				
P8.2	Batteries meet the requirements of the following voluntary program/s:				

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model number *	LT1421wD	MT:1452		
Issue date *	2013.11.25		Logo	lenovo

Product 6	roduct environmental attributes - Market requirements (continued) Requirement met					
Item					Yes No	n.a.
P9	Energy consump					
9.1 For the product the following power levels or energy consumptions are reported: See P14						
Energy mo	de *	Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference / Standard for energy modes and test method *	
Peak (On-	max)	N/A	5.78 W	5.89 W	Full load	
Category A						
Idle State	- WOL Enabled	N/A	5.78 W	5.89 W	Use for ENERGY STAR V6 registration (P _{idle})	
Sleep (S3)	- WOL Enabled	N/A	0.42 W	0.45W	Use for ENERGY STAR V6 registration(P _{sleep})	
Sleep (S3)	- WOL Disabled	N/A	0.42 W	0.45 W	Reference	
Off (S5) - I	WOL Enabled	N/A	N/A	N/A	Use for ENERGY STAR V6 registration(Poff)	
Off (S5) - I	WOL Disabled	N/A	N/A	N/A	Use for EuP	
Categor	y B					
Idle State	- WOL Enabled	W	W	W	Use for ENERGY STAR V6 registration(Pidle)	
Sleep (S3)	- WOL Enabled	W	W	W	Use for ENERGY STAR V6 registration (P _{sleep})	
Sleep (S3)	- WOL Disabled	W	W	W	Reference	
Off (S5) - I	WOL Enabled	W	W	W	Use for ENERGY STAR V6 registration(Poff)	
Off (S5) - I	WOL Disabled	W	W	W	Use for EuP	
EPS No-loa		W	W	W		
charger plu	ower supply / ugged in the wall lisconnected from t.)					
PTEC * Typical En	ergy Consumption	W	W	W		
71	3, 11 11					
TEC * Typical En	ergy Consumption	kWh/week	kWh/week	kWh/week		
ETEC * Annual Ene	ergy Consumption	kWh/year	15.56 KWh/year	15.87 kWh/year	$E_{TEC} = (8760/1000) \times (P_{off} \times 0.6 + P_{sleep} \times 0.1 + P_{idle} \times 0.3)$	
		D . Off Mada(CE)	NOI Emphisis D. 18	Non Mode(C2) MC	DL Enabled; P _{idle} : Idle State - WOL Enabled	
Display res	solution* : 1366*76		VOL EHADIEG, Psleep. S	sieep wode(33) - wo	L Ellabled, Fidle. Idle State - WOL Ellabled	
Print Spee		nages per minute				
Default tim		ave mode: 15 second	s			
P9.2*		the energy save funct		the product.		\dashv
P9.3*		eets the energy require	•	•		
	Others specify:	R® version: 6.0 Tier:	1 Product category	Display		
P10	Emissions Noise emission	Doclared according t	20.150.0206			
Noise emission – Declared according to ISO 9296 P10.1 Mode Mode description Declared Declared A-w		Declared A-weighted				
		·		A-weighted sound power	sound pressure level L_{max} (dB)	
				level $L_{W\!Ad}$ (E		
				WAG (Desktop (only if product is not	ı
					or Desk side operator attended)	
	Idle	* HDD:Idle		*		\boxtimes
	Operation	* HDD: Operating		*		\bowtie
	Other mode	to VIOO	FOMA 74			
	ivieasurea accordi	ng to: ISO7779 Other	ECMA-74	d by ECMA-74 with	L _{pAm} measurement distance m)	
P10.2	The product meet	s the acoustic noise re				

Model nu	ımber *	LT1421wD MT:1452				
Issue dat	e *	2013.11.25 Logo	I	eno	VO.	
Product	environr	nental attributes - Market requirements (continued)	Re	equire	ement	met
Item				Yes	No	n.a.
	Chemic	al emissions from printing products				
P10.3*		formed according to ECMA-328 (ISO/IEC 28360) standard, other specify:				\boxtimes
P10.4		emission rate (print phase) is (mg/h):				
	• •	Dust Ozone Styrene Benzene TVOC				
P10.5		al emission requirements of the following voluntary program/s are met for :			П	\square
		Oust Ozone Styrene Benzene TVOC				
	Electro	nagnetic emissions				
P10.6		er display meets the requirement for low frequency electromagnetic fields of the following volunta	ry			
P11	Consun	nable materials for printing products				
P11.1*	A Safety	Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3	3).			\boxtimes
P11.2*	Paper c EN1228	ontaining post-consumer recycled fibers can be used, provided that it meets the requiremen 1.	ts of			
P11.3*	2-sided	(duplex) printing/copying is an integrated product function.				\boxtimes
P12	Ergono	mics for computing products				
P12.1*	The disp	lay meets the ergonomic requirements of ISO 9241-307 for visual display technologies.		\boxtimes		
P12.2*	The phy	sical input device meets the requirements of ISO 9995 and ISO 9241-410.		Ī	T	$\overline{\boxtimes}$
P13	Packagi	ng and documentation				
P13.1*		packaging material type(s): <i>EPE</i> weight (kg): 0.049				
		packaging material type(s): PE Bag weight (kg): 0.008				
		packaging material type(s): Paper weight (kg): 0.255				
D (0 0 0 0		packaging material type(s): Paper weight (kg): 1.039				
P13.2*		plastic packaging is free from PVC.		\boxtimes	Ш	Щ
P13.3*		media for user and product documentation (tick box): ic ☑, Paper ☑, Other ☐				
P13.4*	For pape fiber: 8	er user and product documentation, please specify contained percentage of post-consumer recyc	led			
P14		nal information (See Note B4)				
	informat knowled provided informat		based nation.	on sup The ir	oplier's nforma	
P9		ergy Star Qualified Notebooks & Tablet Computers for the latest information: ww.energystar.gov/index.cfm?fuseaction=find_a_product.showProductGroup&pgw_code:	=CO			

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19