

Product environmental attributes - THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable).

Additional information regarding each item may be found under P14.

Brand *	Lenovo Logo			
Company name *	Lenovo			
Contact information *	Alvin L Carter 1009 Think Place Building 2 / 5F1 Morrisville, North Carolina 27560			
Internet site *	alcarter@lenovo.com http://www.lenovo.com/social_responsibility/us/en/environment.html			
Additional information	The latest version of this document can be found at http://www.lenovo.com/social_responsibility/us/en/datasheets_monitors.html			

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	Display			
Commercial name *	LT1423p Wide			
Model number *	MT: 60A3-UAR2			
Issue date *	2013/11/25			
Intended market *	☑ Global Europe Asia, Pacific & Japan Americas Other			
Additional information				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality (Control	Requireme	ent met
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	\boxtimes	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org).	ol 🔀	

Model number *	LT1423pwC	MT: 60A3-UAR2		
Issue date *	2013/11/25		Logo	lenovo

Product	t environmental attributes - Legal requirements	Require	ment	met
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1)			
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.			
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.4*	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference).			
P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).	\boxtimes		
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.7*	Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split aromatic amines. (See legal reference and Note B1)			
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm²/week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:1998.			
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact): http://www.lenovo.com/social_responsibility/us/en/materials.html			
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference)			
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)			
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medica or data integrity reasons do not have to be "easily removable". (See legal reference)			
P3	Safety, EMC connection to the telephone network and labeling			
P3.1*	The product complies with legally required safety standards as specified (see legal reference).			
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal reference).			
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference).			
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).	\boxtimes		
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).			
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).			\square
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together.	d 🔀		
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	\boxtimes		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montrea Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.	I 🔯		
	Comment. Legal reference has no maximum concentration values.			

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model number *	LT1423pwC	MT: 60A3-UAR2		
Issue date *	2013/11/25		Logo	lenovo

Product		equirer	nent	met		
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.		
P6	Treatment information					
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	\boxtimes				
P7	Design Disassembly, recycling					
P7.1*	Parts that have to be treated separately are easily separable	\boxtimes				
P7.2*	Plastic materials in covers/housing have no surface coating.		\boxtimes			
P7.3*	Plastic parts >100g consist of one material or of easily separable materials.					
P7.4*	Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043.					
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.		$\overline{\boxtimes}$			
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	$\overline{\boxtimes}$	Ħ			
	Product lifetime					
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	\square				
P7.8*	Upgrading can be done using commonly available tools		$\overline{\sqcap}$			
P7.9.	Spare parts are available after end of production for: 5 years			$\overline{\Box}$		
P7.10	Service is available after end of production for: 5 years			Ħ		
	Material and substance requirements					
P7.11*	Product cover/housing material type:					
	Material type: <i>ABS</i> Material type: <i>PA-G50</i> Material type: <i>Mg alloy</i>					
P7.12	Electrical cable insulation materials of power cables are PVC free.		\boxtimes			
P7.13	Electrical cable insulation materials of signal cables are PVC free		\boxtimes			
P7.14	All cover/housing plastic parts >25g are free from chlorine and bromine.	\boxtimes				
P7.15	All printed circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (See		\boxtimes			
	Note B2)					
P7.16	Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4: FR(40) Marking: PA-G50					
P7.17	Alt. 1 Chamical appointance of flame retardants in printed circuit boards > 25g (without components):					
	Chemical specifications of flame retardants in printed circuit boards >25g (without components): TBBPA (additive), TBBPA (reactive), Other; chemical name: , CAS #: 79-94-7	\boxtimes	Ш	Ш		
	Tobli A (additive) , Tobli A (reactive) , Other, chemical manie. , OAC #. 10 04 1					
	Alt. 2					
	Chemical specifications of flame retardants in printed circuit boards (without components) >25g according	\boxtimes				
5=	ISO 1043-4: <i>FR(16)</i>					
P7.18	Alt. 1 Flame retarded plastic parts >25g contain the following flame retardant substances/preparations in			\square		
	concentrations above 0.1%:	Ш	ш			
	Comment: No legal limits exist, this is a market requirement.					
	1. Chemical name: , CAS #:					
	2. Chemical name: , CAS #:					
	3. Chemical name: , CAS #:					
	Alt. 2 Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4:	\boxtimes				
	FR(40)		_			
P7.19	Plastic parts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45, R40, R46, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)					
P7.20	Of total plastic parts' weight >25g, recycled material content is 0%.					
P7.21	Of total plastic parts' weight >25g, biobased material content is 0%.					
P7.22	Light sources are free from mercury	\boxtimes				
Do	If mercury is used specify: Number of lamps: and max. mercury content per lamp: mg					
P8 P8.1*	Batteries Battery chemical composition:					
P8.2	Batteries meet the requirements of the following voluntary program/s:					
1 0.2	Batteries meet the requirements of the following voluntary program/s:					

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model number *	LT1423pwC	MT: 60A3-UAR2		
Issue date *	2013/11/25		Logo	lenovo

	nmentai at	tributes - Market	requirements (continuea)			Yes No	
P9 Energ	gy consumpt	ion					res ino	n.a.
		following power leve	els or energy cons	umptions are re	porte	ed: See P14		
Energy mode *		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC		erence / Standard for e	nergy modes and test	
Peak (On-Max)		8.65 W	8.59 W	8.71 W	Full	Il load		
Category A					1			
Idle State - WOL	Enabled	8.65 W	8.59 W	8.71 W	Use	e for Energy Star V6 re	egistration(P _{idle})	
Sleep (S3) - WOL	Enabled	0.47 W	0.46 W	0.46 W	Use	e for Energy Star V6 re	egistration (P _{sleep})	
Sleep (S3) - WOL	Disabled	0.47 W	0.46 W	0.46 W	Ref	ference		
Off (S5) - WOL E	nabled	NA W	NA W	NA W	Use	e for Energy Star V6 re	egistration(P _{off})	
Off (S5) - WOL D	isabled	NA W	NA W	NA W	Use	e for EuP		
Category B			I	I.				I
Idle State - WOL	Enabled	W	W	W	Use	e for Energy Star V6 re	egistration(P _{idle})	
Sleep (S3) - WOL	Enabled	W	W	W	Use	e for Energy Star V6 re	egistration (P _{sleep})	
Sleep (S3) - WOL	Disabled	W	W	W	Ref	ference		
Off (S5) - WOL E	nabled	W	W	W	Use	e for Energy Star V6 re	egistration(P _{off})	
Off (S5) - WOL D	isabled	W	W	W	Use	e for EuP		
EPS No-load		W	W	W				
(External power s charger plugged i outlet but disconn the product.)	n the wall							
PTEC * Typical Energy Co	onsumption	W	W	W				
TEC * Typical Energy Co	onsumption	kWh/week	kWh/week	kWh/week				
ETEC * Annual Energy Co	onsumption	23.14 kWh/year	22.98 kWh/year	23.29 kWh/year		$E_C = (8760/1000) \times (P_{\text{off}})$ $E_C = (8760/1000) \times (P_{\text{off}})$	x 0.6 + P _{sleep} x 0.1 +	
		P _{off} : Off Mode(S5) -	l WOL Enabled; P _{sleel}	: Sleep Mode(S3)	- WO	L Enabled; P _{idle} : Idle Stat	e - WOL Enabled	
Display resolution	* : 1.44 Meg	apixels						
Print Speed *	: Im	ages per minute						\boxtimes
Default time to en	ter energy sa	ve mode: 15 second	1					
P9.2* Inform	nation about t	he energy save func	tion is provided wi	th the product.				
ENER		the energy requirem version: <i>Version 6.0</i>			_			
	sions							
P10.1 Mode		Declared according Mode description	to ISO 9296	Declared		Declared A	-weighted	1
I TO. I	,,	node description		A-weighted sound power	d	sound pressure le		
				level $L_{W\!Ad}$ (Operator position	Bystander positions	
						Desktop 🔀 or Desk side 🗌	(only if product is not operator attended)	
Idle	*	HDD:Idle		*	\dashv		operator attenueu)	
Opera	ation *	HDD: Operating		*				
	mode							
Meas	ured accordin	_	ECMA-74		4	.1		
P10.2 The p	roduct meets	Other the acoustic noise re	· •	•		L _{pAm} measurement dis program/s:	tance m)	

Model nu	ımber *	LT1423pwC	MT:	60A3-UAR	2				
Issue dat	e *	2013/11/25				Logo	leno	VO.	
Draduat	anvirant	mantal attributes. I	Aprilent requirement	anta (aantinuad)			Doguiro		mat
	environi	nental attributes - I	narket requireme	ents (continuea)			Require		
Item							Yes	No	n.a.
	Chemic	al emissions from pri	nting products						
P10.3*	Test per	formed according to E0	CMA-328 (ISO/IEC	28360) standard	, other specify:				\boxtimes
P10.4	Typical 6	emission rate (print pha	ise) is (mg/h):						\boxtimes
		Dust Ozone	Styrene	Benzene	TVOC				
P10.5	Chemica	al emission requiremen	ts of the following v	oluntary program/s	are met for :				X
		Ozone Ozone			zene	TVOC			
	Electron	nagnetic emissions	·						
P10.6	Compute	er display meets the re	quirement for low fre	equency electromage	netic fields of the fo	llowing voluntary	X		\Box
	program	/s: CE	•					_	
P11	Consun	nable materials for pri	nting products						
P11.1*	A Safety	Data Sheet (SDS) is a	vailable for the ink/	toner preparation, e	ven if not legally req	uired (see P4.3).			\boxtimes
P11.2*	Paper c	ontaining post-consum	er recycled fibers	can be used, prov	ided that it meets the	he requirements	of		X
	EN1228	1.	•			•			
P11.3*	2-sided	(duplex) printing/copyin	g is an integrated p	roduct function.					\boxtimes
P12	Ergono	mics for computing p	roducts						
P12.1*	The disp	lay meets the ergonom	nic requirements of	ISO 9241-307 for vi	sual display technolo	ogies.	X		
P12.2*	The physical input device meets the requirements of ISO 9995 and ISO 9241-410.								
P13	Packagi	ng and documentation	n						
P13.1*	Product	packaging material typ	e(s): EPE	weight (ko	g): 0.016				
		packaging material typ		weight (k	g): 0.772				
	Product	packaging material typ	e(s): <i>Plastics</i>	weight (kg	g): 0.166				

For paper user and product documentation, please specify contained percentage of post-consumer recycled

See Energy Star Qualified Notebooks & Tablet Computers for the latest information: http://www.energystar.gov/index.cfm?fuseaction=find_a_product.showProductGroup&pgw_code=CO

NOTE: Supplier makes no representations, guarantees, assurances or warranties whether express or implied, regarding the information contained in this document. All information provided by supplier in this document is provided based on supplier's knowledge available at the time of completion, and supplier shall have no obligation to update such information. The information provided here is approximate and provided for informational purposes only. See a Lenovo Account Representative for more

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Product plastic packaging is free from PVC.

Electronic , Paper , Other

Additional information (See Note B4)

fiber: 0%

information.

Specify media for user and product documentation (tick box):

P13.2*

P13.3

P13.4*

P14

P9

Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19