

Product environmental attributes – THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P14.

Brand *	Lenovo	Logo			
Company name *	Lenovo				
Contact information *	Lenovo Global Environmental Affairs Alvin L Carter 1009 Think Place Building 2 / 5F1 Morrisville, North Carolina 27560 alcarter@lenovo.com				
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment.html				
Additional information	The latest version of this document can be found at http://www.lenovo.com/social_responsibility/us/en/datasheets_monitors.html				

	based on product specification or test results based obtained from sample testing), that the product ts given in this declaration.				
Type of product *	Display				
Commercial name *	LT1953 Wide				
Model number *	MT:1453				
Issue date *	2013.11.25				
Intended market *	🔀 Global 📃 Europe 📃 Asia, Pacific & Japan 📃 Americas 📃 Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality	Requireme	nt met	
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	\boxtimes	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality contro such as organized by IT-Företagen (see www.itecodeclaration.org).	ol 🔀	

Model number *	LT1953wA	MT:1453
Issue date *	2013.11.25	

Logo

lenovo

Product	Require	ment	met	
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1)			
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.	\square		
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	\square		
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.4*	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference).	\square		
P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).	\square		
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS) Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.7*	Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split aromatic amines. (See legal reference and Note B1)			
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (see legal reference).			
	Comment: Legal reference has no maximum concentration values.			
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm ² /week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:1998.			
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact): http://www.lenovo.com/social_responsibility/us/en/materials.html	\square		
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is			
DO OT	provided in user manual. (See legal reference)			
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)			
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medic or data integrity reasons do not have to be "easily removable". (See legal reference)			
P3	Safety, EMC connection to the telephone network and labeling			
P3.1*	The product complies with legally required safety standards as specified (see legal reference).	\square		
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal reference).	\square		
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference).	s 🗌		\square
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).	\square		
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).			\square
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).			\boxtimes
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium ar hexavalent chromium by weight of these together.	id 🔀		
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	\square		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montre Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.	al 🔀		
	oommon. Eeganetetteenee has no maximum oondentiation values.			

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Issue da	number * LT1953wA MT:1453 ate * 2013.11.25	Logo			
15500 0	2013.11.25	LOGO	lend	NO.	
Produc	ct environmental attributes - Market requirements - Environmental consci	ous desian	Require	ment	met
Item	*=mandatory to fill in. Additional information regarding each item may be found under		Yes	No	n.a
P6	Treatment information				
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).		\square		
P7	Design				
P7.1*	Disassembly, recycling Parts that have to be treated separately are easily separable				
P7.2*	Plastic materials in covers/housing have no surface coating.				
P7.3*	Plastic parts >100g consist of one material or of easily separable materials.				
P7.4*	Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043.			⊢⊢	
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with comm	only available tool			
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory lab		<u>3. </u>	-++	
17.0	Product lifetime	eis).			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives				
P7.8*	Upgrading can be done using commonly available tools			-H	
P7.9.					_ - -
P7.10	Spare parts are available after end of production for: 5 years				
7.10	Service is available after end of production for: 5 years				
P7.11*	Material and substance requirements Product cover/housing material type:				
7.11		laterial type:			
P7.12	Electrical cable insulation materials of power cables are PVC free.			\boxtimes	
P7.13	Electrical cable insulation materials of signal cables are PVC free		<u> </u>	X	
P7.14	All cover/housing plastic parts >25g are free from chlorine and bromine.				
P7.15	All printed circuit boards (without components) >25g are halogen free. as defined in Note B2)	IEC61249-2-21. (
P7.16	Flame retarded plastic parts >25g in covers / housings are marked according ISO 104 Marking:	13-4:			\geq
P7.17	Alt. 1 Chemical specifications of flame retardants in printed circuit boards >25g (without cor TBBPA (additive) , TBBPA (reactive) , Other; chemical name: , CAS #:	nponents):			
	Alt. 2 Chemical specifications of flame retardants in printed circuit boards (without compone ISO 1043-4: <i>FR(16)</i>	ents) >25g accordir	ng 🔀		
P7.18	Alt. 1 Flame retarded plastic parts >25g contain the following flame retardant subst concentrations above 0.1%: Comment: No legal limits exist, this is a market requirement. 1. Chemical name:, CAS #:	ances/preparations	sin 🗌		
	1. Chemical name: , CAS #: 2. Chemical name: , CAS #: 3. Chemical name: , CAS #: Alt. 2 Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-	-4:			
P7.19	Plastic parts >25g are free from flame retardant substances/ preparations above 0.1% R40, R46, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B	6 classified as R45	, 🛛		
P7.20	Of total plastic parts' weight >25g, recycled material content is 85% .	5)			
P7.20	Of total plastic parts' weight >25g, recycled material content is 85% . Of total plastic parts' weight >25g, biobased material content is 0% .				
P7.21	Light sources are free from mercury				
	If mercury is used specify: Number of lamps: and max. mercury content per la	mp: mg			
28	Batteries				
P8.1*	Battery chemical composition:				
P8.2	Batteries meet the requirements of the following voluntary program/s:				

Annex B of ECMA-370 4th edition, June 2009

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

	T1953 13.11.25		:1453			Logo	lenovo	
						-	ichiere	
Product environmen	tal attribu	ites - Market	requirements (continued)			Requiremen	
Item P9 Energy cons	sumption						Yes No	n.a
		wing power leve	els or energy cons	umptions are re	ported: See P14			
Energy mode *	Po	wer level at 00 V AC			•		ergy modes and test	
Peak (On-max)		.15W	15.13W	15.11 W	Full load			
Category A			1	1	1			
Idle State - WOL Enabl	ed 15.	. 15 W	15.13 ₩	15.11W	Use for ENER	GY STAR V6	registration (Pidle)	
Sleep (S3) - WOL Enab	led 0.4	26W	0.410W	0.433 ₩	Use for ENER	GY STAR V6	registration(P _{sleep})	
Sleep (S3) - WOL Disal	bled 0.4	26W	0.410W	0.433 ₩	Reference			
Off (S5) - WOL Enabled	1 0.0	95 ₩	0.098W	0.114W	Use for ENER	GY STAR V6	registration(Poff)	
Off (S5) - WOL Disable		9 5 W	0.098W	0.114W	Use for EuP		• • • • •	
Category B			·	•	·			
Idle State - WOL Enabl	ed	W	W	W	Use for ENER	GY STAR V6	registration(P _{idle})	
Sleep (S3) - WOL Enab	led	W	W	W	Use for ENER	GY STAR V6	registration (P _{sleep})	
Sleep (S3) - WOL Disal	bled	W	W	W	Reference			
Off (S5) - WOL Enabled	1	W	W	W	Use for ENER	GY STAR V6	registration(P _{off})	
Off (S5) - WOL Disable	d	W	W	W	Use for EuP			
EPS No-load		W	W	W				
(External power supply / charger plugged in the w outlet but disconnected f the product.)	all							
PTEC * Typical Energy Consum	otion	W	W	W				
TEC * Typical Energy Consum	otion	kWh/week	kWh/week	kWh/week				
Етес * Annual Energy Consump		. <mark>69</mark> kWh/year	40.64kWh/year	40.69 kWh/ye ar	$E_{TEC} = (8760/10)$ $P_{idle} \times 0.3$	000) x (P _{off} x	0.6 + P _{sleep} x 0.1 +	
	Pott	: Off Mode(S5) -	WOL Enabled; P _{sleel}	.: Sleep Mode(S3)	- WOL Enabled: F	Pidle: Idle State	- WOL Enabled	
Display resolution* : 14								
Print Speed * :	Images	per minute						
Default time to enter ene			s					
			tion is provided wi	th the product.				
	STAR® ve	0, 1	ements of the follo 6.0 Tier: 1 Produ	0 71	U			
P10 Emissions								
P10.1 Mode		ared according description	to ISO 9296	Declared		Declared A-w	reighted	
	INIOUE	Goodpion		A-weighted sound power	d sound		el $L_{p{\sf Am}}$ (dB)	
				level L_{WAd} ((B) Operator po	esktop 🔀	Bystander positions	-
Idle * HDD:Idle		*			operator attended)	_		
Operation		D: Operating		*				
Other mode								
								1
Measured ad	ccording to:	Other	-		with L _{pAm} meas			

Model nur	^{nber*} LT1953wA N	NT:1453						
Issue date	* 2013.11.25				Logo	lenov	10.	
Product	environmental attributes - Mark	ket requirem	nents (continued)			Require	ment m	net
Item		-				Yes	No r	n.a.
	Chemical emissions from printing	g products						
P10.3*	Test performed according to ECMA-	-328 (ISO/IEC	28360) standard	, other specify:				\boxtimes
P10.4	Typical emission rate (print phase) is							\boxtimes
	Dust Ozone	Styrene	Benzene	TVOC				_
P10.5	Chemical emission requirements of	f the following	voluntary program/s	are met for :				\boxtimes
	Dust Ozone	Styren	e 🗌 🛛 🛛 Benz	zene 🗌	TVOC			_
	Electromagnetic emissions							
P10.6	Computer display meets the require program/s: CE		requency electromag	netic fields of the fol	lowing voluntary	\square		
P11	Consumable materials for printing	g products						
P11.1*	A Safety Data Sheet (SDS) is availa	able for the ink	/toner preparation, ev	ven if not legally requ	uired (see P4.3).			\boxtimes
P11.2*	Paper containing post-consumer re EN12281.	ecycled fibers	can be used, provi	ded that it meets th	ne requirements c	f		\boxtimes
P11.3*	2-sided (duplex) printing/copying is a	an integrated	product function.					\boxtimes
P12	Ergonomics for computing produ	ucts						
P12.1*	The display meets the ergonomic re		f ISO 9241-307 for vis	sual display technolo	gies.	\square		
P12.2*	The physical input device meets the	e requirements	s of ISO 9995 and ISO) 9241-410.				
P13	Packaging and documentation							
P13.1*	Product packaging material type(s): Product packaging material type(s): Product packaging material type(s): Product packaging material type(s):	: PE Bag : Paper	weight (kg): 0.35 weight (kg): 0.32 weight (kg): 0.03 weight (kg): 1.00					
P13.2*	Product plastic packaging is free fro	om PVC.				\boxtimes		
P13.3*	Specify media for user and product \bigcirc Electronic \bigotimes , Paper \bigotimes , Other \square	documentatio	n (tick box):					
P13.4*	For paper user and product docume fiber: 70%	entation, pleas	e specify contained p	ercentage of post-co	onsumer recycled		[
P14	Additional information (See Note							
	NOTE: Supplier makes no represent information contained in this docume knowledge available at the time of co provided here is approximate and pr information.	nent. All inform completion, an provided for info	ation provided by sup d supplier shall have ormational purposes	pplier in this docume no obligation to upd only. See a Lenovo /	nt is provided base ate such information	ed on sup on. The in	plier's formatio	ิวท
P9	See Energy Star Qualified Notebo http://www.energystar.gov/index.				o&pgw_code=CC)		

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19