

Product environmental attributes - THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable).

Additional information regarding each item may be found under P14.

Brand *	Lenovo				
Company name *	Lenovo				
Contact information *	Lenovo Global Environmental Affairs Alvin L Carter 1009 Think Place Building 2 / 5F1 Morrisville, North Carolina 27560 alcarter @lenovo.com				
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment.html				
Additional information	The latest version of this document can be found at http://www.lenovo.com/social_responsibility/us/en/datasheets_monitors.html				

	The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	Display				
Commercial name *	LT3053p Wide				
Model number *	MT:60A4-RA*1				
Issue date *	2013.11.25				
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality	Quality Control R			
Item		Yes	No	
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration			
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality contro such as organized by IT-Företagen (see www.itecodeclaration.org).	I 🔀		

Model number *	LT3053pwA	MT:60A4-RA*1		
Issue date *	2013.11.25		Logo	lenovo.

	t environmental attributes - Legal requirements	Requirement me		
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1)			
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.			
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.4*	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference).			
P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).	\boxtimes		
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.7*	Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split aromatic amines. (See legal reference and Note B1)			
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm ² /week (see legal reference).			
P1.10*	Comment: Max limit in legal reference when tested according to EN1811:1998. REACH Article 33 information about substances in articles is available at (add URL or mail contact): http://www.lenovo.com/social_responsibility/us/en/materials.html			
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference)			
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)			
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medica or data integrity reasons do not have to be "easily removable". (See legal reference)			
P3	Safety, EMC connection to the telephone network and labeling			
P3.1*	The product complies with legally required safety standards as specified (see legal reference).	\boxtimes		
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal reference).			
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference).			
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).	\boxtimes		
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).			
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).			\square
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together.	ı 🖂		
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	\square		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montrea Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.			

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model number *	LT3053pwA	MT:60A4-RA*1		
Issue date *	2013.11.25		Logo	lenovo

Product	roduct environmental attributes - Market requirements - Environmental conscious design Requirement met						
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.			
P6	Treatment information						
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	\boxtimes					
P7	Design Disassembly, recycling						
P7.1*	Parts that have to be treated separately are easily separable	\boxtimes					
P7.2*	Plastic materials in covers/housing have no surface coating.			$\overline{\Box}$			
P7.3*	Plastic parts >100g consist of one material or of easily separable materials.		Ħ	Ħ			
P7.4*	Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043.	\boxtimes	$\overline{\sqcap}$				
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.		Ħ	$\overline{\Box}$			
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).		Ħ	Ħ			
	Product lifetime						
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	\boxtimes	П				
P7.8*	Upgrading can be done using commonly available tools		Ħ	Ħ			
P7.9.	Spare parts are available after end of production for: 5 years			$\overline{\Box}$			
P7.10	Service is available after end of production for: 5 years			Ħ			
	Material and substance requirements						
P7.11*	Product cover/housing material type:						
	Material type: <i>PC</i> Material type:						
P7.12	Electrical cable insulation materials of power cables are PVC free.		\boxtimes				
P7.13	Electrical cable insulation materials of signal cables are PVC free		\boxtimes				
P7.14	All cover/housing plastic parts >25g are free from chlorine and bromine.	\boxtimes					
P7.15	All printed circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (See		\boxtimes				
	Note B2)						
P7.16	Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4: Marking:						
P7.17	Alt. 1 Chemical specifications of flame retardants in printed circuit boards >25g (without components): TBBPA (additive) , TBBPA (reactive) , Other; chemical name: , CAS #:						
	Alt. 2 Chemical specifications of flame retardants in printed circuit boards (without components) >25g according ISO 1043-4: <i>FR(16)</i>						
P7.18	Alt. 1 Flame retarded plastic parts >25g contain the following flame retardant substances/preparations in concentrations above 0.1%:						
	Comment: No legal limits exist, this is a market requirement. 1. Chemical name: , CAS #:						
	2. Chemical name: , CAS #:						
	3. Chemical name: , CAS #:						
	Alt. 2						
	Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4:			\square			
P7.19	Plastic parts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45,		\forall				
	R40, R46, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)						
P7.20	Of total plastic parts' weight >25g, recycled material content is 85%.						
P7.21	Of total plastic parts' weight >25g, biobased material content is <i>0</i> %.		_				
P7.22	Light sources are free from mercury If mercury is used specify: Number of lamps: and max. mercury content per lamp: mg		Ш				
P8	Batteries						
P8.1*	Battery chemical composition:						
P8.2	Batteries meet the requirements of the following voluntary program/s:						

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model number *	LT3053pwA	MT:60A4-RA*1		
Issue date *	2013.11.25		Logo	lenovo

Product environr	nental att	tributes - Market	requirements (continued)	Require	ement	met
Item					Yes	No	n.a.
P9 Energy consumption							
9.1 For the p	product the	following power leve	els or energy cons	umptions are re	ported: See P14		
Energy mode *		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference / Standard for energy modes a method *	nd test	
Peak (On-max)		40.5 W	40.5W	40.8 W	Full load		
Category A							-
Idle State - WOL Er	nabled	40.5 W	40.5W	40.8 W	Use for ENERGY STAR V6 registration	(P _{idle})	
Sleep (S3) - WOL E	nabled	0.34W	0.34W	0.56 W	Use for ENERGY STAR V6 registration(P _{sleep})	
Sleep (S3) - WOL D	isabled	0.34 W	0.34W	<i>0.56</i> W	Reference		
Off (S5) - WOL Ena	bled	0.25W	0.25 W	0.48 W	Use for ENERGY STAR V6 registration(P _{off})	
Off (S5) - WOL Disa	abled	0.25 W	0.25 W	0.48 W	Use for EuP		
Category B		1	l				
Idle State - WOL Er	nabled	W	W	W	Use for ENERGY STAR V6 registration(P _{idle})	
Sleep (S3) - WOL E	nabled	W	W	W	Use for ENERGY STAR V6 registration	(P _{sleep})	
Sleep (S3) - WOL D	isabled	W	W	W	Reference		
Off (S5) - WOL Ena	bled	W	W	W	Use for ENERGY STAR V6 registration(P _{off})	
Off (S5) - WOL Disa	abled	W	W	W	Use for EuP		
EPS No-load		W	W	W			
(External power sup charger plugged in the outlet but disconnect the product.)	ne wall						
PTEC *		W	W	W			
Typical Energy Cons	sumption						
TEC * Typical Energy Cons	sumption	kWh/week	kWh/week	kWh/week			
ETEC * Annual Energy Cons	sumption	108.05kWh/year	108.05 kWh/ye ar	110.24 kWh/y ear	$E_{TEC} = (8760/1000) \times (P_{off} \times 0.6 + P_{sleep} \times P_{idle} \times 0.3)$	0.1 +	
		Poff: Off Mode(S5) -	WOL Enabled; P _{sleep}	: Sleep Mode(S3)	- WOL Enabled; Pidle: Idle State - WOL Enabled	1	†
Display resolution*	2560*160	00 Megapixels					
Print Speed *	: Im	ages per minute					
Default time to enter	energy sa	ve mode: 15 second	S				
P9.2* Informat	ion about tl	he energy save func	tion is provided wi	th the product.			
ENER	RGY STAR	ets the energy requir ® version : Version					
P10 Emissio	s specify:						
		Declared according	to ISO 9296				
P10.1 Mode	N	Node description		Declared	Declared A-weighted		
				A-weighted sound power)	
				level L_{WAd} (sitions	
				,,,,,,	Desktop (only if produc	t is not	
1.11.		1100.111		•	or Desk side operator atte		<u> </u>
Idle Operation	* *	HDD:Idle HDD: Operating		*			
Other me		Tibb. Operating					
		g to: ISO7779	ECMA-74	1			1
Modedite	Other (only if not covered by ECMA-74 with L _{pAm} measurement distance m)						
P10.2 The prod	duct meets	the acoustic noise re	· ·	•	•		

wodei nu	imber	<i>LT3053pwA</i>	MT:60A	44-RA*1					
Issue dat	te *	2013.11.25				Logo	leno	10.	
Product	environn	mental attributes - N	Market require	ments (continued)			Require	ment	t met
Item							Yes	No	n.a.
	Chemica	al emissions from pri	nting products						
P10.3*	Test per	formed according to EC	CMA-328 (ISO/IE	C 28360) standard	, other specify:				\boxtimes
P10.4	Typical e	emission rate (print pha	se) is (mg/h):						\boxtimes
		Dust Ozone	Styrene	Benzene	TVOC				
P10.5	Chemica	al emission requirement	ts of the following	g voluntary program/s	are met for :				\boxtimes
		Ozone Ozone	Styre	ne Ber	zene	TVOC			
		magnetic emissions							
P10.6		er display meets the red	quirement for low	frequency electromag	gnetic fields of the fo	llowing voluntary			
B44	program								
P11	Consum	nable materials for pri	nting products	1.11	26 4 1 11	· 1 (D10)		_	
P11.1*		/ Data Sheet (SDS) is a							\boxtimes
P11.2*	Paper co	ontaining post-consum 1.	er recycled fiber	rs can be used, prov	ided that it meets t	he requirements	of	Ш	
P11.3*	2-sided ((duplex) printing/copyin	g is an integrated	d product function.					\boxtimes
P12		mics for computing pr							
P12.1*		play meets the ergonom				ogies.			
P12.2*	The phys	sical input device meet	s the requiremen	ts of ISO 9995 and IS	O 9241-410.				\boxtimes
P13	Packagi	ing and documentatio	n						
P13.1*		packaging material type			13				
		packaging material type		weight (kg): 0.027					
		packaging material type		weight (kg): 0.050					
D40.0*		packaging material type		weight (kg): 2.570				_	
P13.2*		plastic packaging is fre		. (1.1.1.)			\boxtimes		ᆜ
P13.3*		media for user and prod		ion (tick box):					
D. () ()		ic 🔲, Paper 📐, Othe				<u>.</u>			
P13.4*	For pape fiber: 7	er user and product doc	cumentation, plea	ase specify contained	percentage of post-o	consumer recycle	d		
P14			lete DA)						
F14		<mark>nal information (See N</mark> Supplier makes no repre		rantage accurances o	r warranties whethou	evoress or impli	ed regardin	a the	
	informati	ion contained in this do	cument All inform	mation provided by su	polier in this docume	express of impli-	eu, regaruir ased on sun	nlier's	
		ge available at the time							
		here is approximate ar							
	informati		<u> </u>	· ·	<u> </u>	·			
P9		ergy Star Qualified No					20		

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19