

Product environmental attributes - THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable).

Additional information regarding each item may be found under P14.

Brand *	Lenovo	Logo		
Company name *	Lenovo			
Contact information *	Lenovo Global Environmental Affairs Alvin L Carter 1009 Think Place Building 2 / 5F1 Morrisville, North Carolina 27560 alcarter@lenovo.com	Lenovo		
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment.html			
Additional information	The latest version of this document can be found at http://www.lenovo.com/social_responsibility/us/en/datasheets_monitors.html			

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.					
Type of product *	Display				
Commercial name *	ThinkVision P27				
Model number *	60E3				
Issue date *	2016.01.07				
Intended market *	☑ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality	Quality Control		
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	\boxtimes	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org).	ol 🔀	

Model number *	60E3		
Issue date *	2016.01.07	Logo	Lenovo.

Product	luct environmental attributes - Legal requirements					
Item		Yes	No	n.a.		
P1	Hazardous substances and preparations					
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1)					
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.					
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	\boxtimes		-		
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.					
P1.4*	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference).	\boxtimes				
P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).	\boxtimes				
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values.					
P1.7*	Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split aromatic amines. (See legal reference and Note B1)			\boxtimes		
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (see legal reference). Comment: Legal reference has no maximum concentration values.					
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm²/week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:1998.					
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact): http://www.lenovo.com/social_responsibility/us/en/materials.html					
P2	Batteries					
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference)					
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)					
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference)					
P3	Safety, EMC connection to the telephone network and labeling					
P3.1*	The product complies with legally required safety standards as specified (see legal reference).	\boxtimes				
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal reference).	\boxtimes				
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference).					
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).	\square				
P4	Consumable materials					
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).					
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).		П	\square		
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).					
P5	Product packaging					
P5.1*	Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together.					
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	\boxtimes				
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.					

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model number *	60E3		
Issue date *	2016.01.07	Logo	Lenovo.

Product	environmental attributes - Market requirements - Environmental conscious design Re	quire	nent	met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P6	Treatment information Treatment information			
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	\boxtimes		
P7	Design			
D7.4*	Disassembly, recycling			
P7.1*	Parts that have to be treated separately are easily separable			Ц.
P7.2*	Plastic materials in covers/housing have no surface coating.	Ц_		Ц.
P7.3*	Plastic parts >100g consist of one material or of easily separable materials.		Щ.	\perp
P7.4*	Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043.		Щ	
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.		Ш	
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).			
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives			
P7.8*	Upgrading can be done using commonly available tools	\boxtimes		
P7.9.	Spare parts are available after end of production for: 5 years			
P7.10	Service is available after end of production for: 5 years			
	Material and substance requirements			
P7.11*	Product cover/housing material type:			
D7.40	Material type: PC Material type: PC Material type:			
P7.12	Electrical cable insulation materials of power cables are PVC free.	<u>Ц</u>		Ц.
P7.13	Electrical cable insulation materials of signal cables are PVC free	<u>Ц</u>		
P7.14	All cover/housing plastic parts >25g are free from chlorine and bromine.			
P7.15	All printed circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (See Note B2)			
P7.16	Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4: Marking:			
P7.17	Alt. 1 Chemical specifications of flame retardants in printed circuit boards >25g (without components): TBBPA (additive) , TBBPA (reactive) , Other; chemical name: , CAS #:			
	Alt. 2 Chemical specifications of flame retardants in printed circuit boards (without components) >25g according ISO 1043-4: FR(16)			
P7.18	Alt. 1 Flame retarded plastic parts >25g contain the following flame retardant substances/preparations in concentrations above 0.1%:			
	Comment: No legal limits exist, this is a market requirement.			
	1. Chemical name: , CAS #:			
	2. Chemical name: , CAS #:			
	3. Chemical name: , CAS #: Alt 2			
	Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4:			
	ending to the first terms of the			\boxtimes
P7.19	Plastic parts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45, R40, R46, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)			
P7.20	Of total plastic parts' weight >25g, recycled material content is 36.31%.			
P7.21	Of total plastic parts' weight >25g, biobased material content is 0 %.			
P7.22	Light sources are free from mercury	\boxtimes		
P8	If mercury is used specify: Number of lamps: and max. mercury content per lamp: mg Batteries mg			
P8.1*	Battery chemical composition:			
P8 2	Batteries meet the requirements of the following voluntary program/s:			

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model number *	60E3		
Issue date *	2016.01.07	Logo	Lenovo.

Product e	environmental a	ttributes - Market i	requirements (d	continued)	Requirement	met
Item					Yes No	n.a.
P9	Energy consump					
	9.1 For the product the following power levels or energy consumptions are reported: See P14					
Energy mo	de *	Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference / Standard for energy modes and test method *	
Peak (On-I	max)	28 W	28 W	28 W	Full load	
Category	v A		L	L		
	- WOL Enabled	28 W	28 W	28 W	Use for ENERGY STAR V5 registration (P _{idle})	П
Sleep (S3)	- WOL Enabled	0.4 W	0.4 W	0.4 W	Use for ENERGY STAR registration(P _{sleep})	〒
Sleep (S3)	- WOL Disabled	0.4 W	0.4 W	0.4 W	Reference	
Off (S5) - V	WOL Enabled	0.33W	0.33W	0.33W	Use for ENERGY STAR V5 registration(Poff)	
Off (S5) - V	WOL Disabled	0.33 W	0.33 W	0.33W	Use for EuP	
Category	y B					
Idle State	- WOL Enabled	W	W	W	Use for ENERGY STAR V5 registration(Pidle)	
Sleep (S3)	- WOL Enabled	W	W	W	Use for ENERGY STAR V5 registration (P _{sleep})	
Sleep (S3)	- WOL Disabled	W	W	W	Reference	
Off (S5) - V	WOL Enabled	W	W	W	Use for ENERGY STAR V5 registration(Poff)	
Off (S5) - V	WOL Disabled	W	W	W	Use for EuP	
EPS No-loa		W	W	W		
	ower supply / ugged in the wall					
• .	lisconnected from					
the product						
PTEC *		W	W	W		
Typical Ene	ergy Consumption					
TEC *		kWh/week				
. — -	ergy Consumption	KVVII/WEEK	kWh/week	kWh/week		ш
ETEC *	oray Consumntian	75.67 kWh/year	75.67 kWh/year	75.67 kWh/ye	$E_{TEC} = (8760/1000) \times (P_{off} \times 0.6 + P_{sleep} \times 0.1 + P_{sleep} \times 0.2)$	
Alliuai Elie	ergy Consumption			ar	$P_{idle} \times 0.3$	
		P _{off} : Off Mode(S5) -	WOL Enabled; P _{slee}	p: Sleep Mode(S3)) - WOL Enabled; P _{idle} : Idle State - WOL Enabled	
Display res	solution* : 3840*21	60 Megapixels		-		
Print Speed	d * : Ir	nages per minute				
Default time	e to enter energy s	ave mode: 15 second	S			一
P9.2*	Information about	the energy save funct	tion is provided wi	th the product.		╁
P9.3*		eets the energy requir				
. 0.0	ENERGY STAI	R→ version : Version				
	Others specify:					
P10	Emissions Noise emission -	- Declared according t	to ISO 9296			
P10.1		Mode description	0 100 0200	Declared	Declared A-weighted	
				A-weighted		
				sound power	51 P - (-
				level L_{WAd}	Desktop X	
					or Desk side (only if product is not	
	Idle	* HDD:Idle		*	operator attended)	
	Operation	* HDD: Operating		*		
	Other mode	,				
	Measured accordi	ng to: 🔀ISO7779 🗌	ECMA-74	•		
		Other	(only if not cove	red by ECMA-74	with L _{pAm} measurement distance m)	
P10.2	The product meet	s the acoustic noise re	equirements of the	following volunt	ary program/s:	

	mber *	60E3				
Issue date *		2016.01.07 Logo	Lei	nov	O	
Product	environn	mental attributes - Market requirements (continued)	Requ	uiremo	ent	met
Item			Y	es l	Vo	n.a.
	Chemica	cal emissions from printing products				
P10.3*	Test perf	rformed according to ECMA-328 (ISO/IEC 28360) standard, other specify:] [\boxtimes
P10.4	Typical e	emission rate (print phase) is (mg/h):				\boxtimes
		Dust Ozone Styrene Benzene TVOC				
P10.5		al emission requirements of the following voluntary program/s are met for :	, L	ا ∟		\boxtimes
		Dust Ozone Styrene Benzene TVOC	<u> </u>			
P10.6		magnetic emissions er display meets the requirement for low frequency electromagnetic fields of the following volu		7 1		_
P10.6	program	n/s: CE	ıntary	XI L		Ш
P11	Consum	nable materials for printing products				
P11.1*	A Safety	y Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see	P4.3).	<u> </u>		\boxtimes
P11.2*	Paper co EN1228	containing post-consumer recycled fibers can be used, provided that it meets the require 31.	ments of] [
P11.3*	2-sided ((duplex) printing/copying is an integrated product function.] [\boxtimes
P12		mics for computing products				
P12.1*	The disp	play meets the ergonomic requirements of ISO 9241-307 for visual display technologies.				
P12.2*	The phys	rsical input device meets the requirements of ISO 9995 and ISO 9241-410.	[] [\boxtimes
P13		ing and documentation				
P13.1*	Product Product	packaging material type(s): <i>EPS</i> weight (kg): 0.600 packaging material type(s): <i>PE Bag</i> packaging material type(s): <i>Paper</i> packaging material type(s): <i>Carton</i> weight (kg): 0.600 weight (kg): 0.030 weight (kg): 1.200				
P13.2*	Product	plastic packaging is free from PVC.		\boxtimes [
P13.3*		media for user and product documentation (tick box):				
P13.4*	For pape fiber: 70	er user and product documentation, please specify contained percentage of post-consumer re	cycled			
P14	Addition	nal information (See Note B4)				
	informati knowled	Supplier makes no representations, guarantees, assurances or warranties whether express of tion contained in this document. All information provided by supplier in this document is providing available at the time of completion, and supplier shall have no obligation to update such in the defense and provided for informational purposes only. See a Lenovo Account Retion.	led based on a formation. Th	supplie e infori	r's matic	on
P9		ergy Star Qualified Notebooks & Tablet Computers for the latest information:				

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19