

Product environmental attributes - THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable).

Additional information regarding each item may be found under P14.

Brand *	Lenovo	Logo			
Company name *	Lenovo				
Contact information *	Lenovo Global Environmental Affairs				
	Alvin L Carter	_			
	1009 Think Place	Lenovo.			
	Building 2 / 5J3	Lei iovo.			
	Morrisville, North Carolina 27560				
	alcarter@lenovo.com				
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment.html				
Additional information	The latest version of this document can be found at				
	http://www.lenovo.com/social_responsibility/us/en/datasheets_notebooks.html				

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.					
Type of product *	Monitor				
Commercial name *	P27q-10				
Model number *	61A8				
Issue date *	2016/10/10				
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality Control			Requirement met		
Item		Yes	No		
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	\boxtimes			
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control suc as organized by IT-Företagen (see www.itecodeclaration.org).	h 🛚			

Model number *	61A8		
Issue date *	2016/10/10	Logo	Lenovo.

Product	Product environmental attributes - Legal requirements			
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1)			
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.			
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorocarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.4*	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference).	\boxtimes		
P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).	\boxtimes		
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.7*	Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split aromatic amines. (See legal reference and Note B1)			
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm²/week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:1998.			
P1.10*				
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference)			
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)			\boxtimes
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference)			
P3	Safety, EMC connection to the telephone network and labeling			
P3.1*	The product complies with legally required safety standards as specified (see legal reference).	\boxtimes		
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal reference).	\boxtimes		
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference).	\boxtimes		
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).	\boxtimes		
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).			
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).			\boxtimes
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalen chromium by weight of these together.			
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	\boxtimes		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protoco (see legal reference). Comment: Legal reference has no maximum concentration values.	I 🔀		

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

UTAO	
Issue date * 2016/10/10 Logo	Lenovo.

Product	environmental attributes - Market requirements - Environmental conscious design R	equire	ment	met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P6	Treatment information			
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	\boxtimes		
P7	Design Disassembly, recycling			
P7.1*	Parts that have to be treated separately are easily separable	\boxtimes		
P7.2*	Plastic materials in covers/housing have no surface coating.		$\overline{\mathbb{X}}$	
P7.3*	Plastic parts >100g consist of one material or of easily separable materials.			
P7.4*	Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043.		Ħ	Ħ
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.		Ħ	\vdash
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	$\overline{\mathbb{X}}$	Ħ	$\overline{}$
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives		П	
P7.8*	Upgrading can be done using commonly available tools			
P7.9.	Spare parts are available after end of production for: 5 years			
P7.10	Service is available after end of production for: 5 years			
	Material and substance requirements			
P7.11*	Product cover/housing material type:			
	Material type: ABS Material type: PC Material type:			
P7.12	Electrical cable insulation materials of power cables are PVC free.		\boxtimes	
P7.13	Electrical cable insulation materials of signal cables are PVC free			
P7.14	All cover/housing plastic parts >25g are free from chlorine and bromine.	$\overline{\mathbb{X}}$		
P7.15	All printed circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (See Note			
	B2)			
P7.16	Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4:			\boxtimes
	Marking:			
P7.17	Alt. 1 Chemical specifications of flame retardants in printed circuit boards >25g (without components): TBBPA (additive) , TBBPA (reactive) , Other; chemical name:, CAS #:			
	Alt. 2 Chemical specifications of flame retardants in printed circuit boards (without components) >25g according ISO 1043-4:			
P7.18	Alt. 1 Flame retarded plastic parts >25g contain the following flame retardant substances/preparations in concentrations above 0.1%:			
	Comment: No legal limits exist, this is a market requirement. Provide a list of all used flame retardants including MSDS for each flame retardant. The list must contain complete chemical name, CAS number and supplier. 1. Chemical name: , CAS #: , Supplier: 2. Chemical name: , CAS #: , Supplier:			
	3. Chemical name: , CAS #: , Supplier: Alt. 2 Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4:			
P7.19	Plastic parts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45, R40, R46, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)			
P7.20	Of total plastic parts' weight >25g, recycled material content is 47%. (EPEAT calculation) / 85% (TCO calculation)			
P7.21	Of total plastic parts' weight >25g, biobased material content is 0%.			
P7.22	Light sources are free from mercury			
P8	Batteries			
P8.1*	Battery chemical composition:			\boxtimes
P8 2	Batteries meet the requirements of the following voluntary program/s:			

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model number *	61A8		
Issue date *	2016/10/10	Logo	Lenovo.

Product environmental attributes - Market requirements (continued) met							
Item						Yes No	n.a.
P9 Energy cor	nsumpt	tion					
9.1 For the prod	duct the	following power level		tions are reported:	See <i>P14</i>		
	t is ship	pped w/ WOL Enabled	j.		T-		
Energy mode *		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference / Standard f test method *	or energy modes and	
Peak (On-max)		21.2W	21.3W	21.2W	Full load		
Category A					I.		-L
Idle State - WOL Enable	led	21.2W	21.3W	21.2W	Use for Energy Star V	5 registration(P _{idle})	
Sleep (S3) - WOL Enab	oled	0.2W	0.3W	0.3W	Use for Energy Star V	'5 registration(P _{sleep})	Ħ
Sleep (S3) - WOL Disa	bled	0.2W	0.3W	0.3W	Reference	- -	Ī
Off (S5) - WOL Enable	d	0.17W	0.17W	0.24W	Use for Energy Star V	'5 registration(P _{off})	Ħ
Off (S5) - WOL Disable	ed	0.17W	0.17W	0.24W	Use for ErP		
Category B							1
		W	W	W	(P _{idle})		
		W	W	W	(P _{sleep})		Ħ
		W	W	W	(0.000)		
		W	W	W	(P _{off})		H
		W	W	W	1 5.0		H
EPS No-load		W	W	W			H
(External power supply / charger plugged in the w outlet but disconnected the product.)	/all	··		·			
TEC Typical Energy Consum	ption	kWh/week	kWh/week	kWh/week			
ETEC * Annual Energy Consum	ption	56.78 kWh/year	57.13 kW h/year	57.23 kWh/year	$E_{TEC} = (8760/1000) \times (F_{idle} \times 0.3)$	$P_{\rm off} \times 0.6 + P_{\rm sleep} \times 0.1$	
		P _{off} : Off Mode(S5) - V	WOL Enabled; P _{sleep} : S	Sleep Mode(S3) - WO	L Enabled; P _{idle} : Idle State	- WOL Enabled	
Display resolution : 25	560*144	40 Megapixels					
		er minute					
Default time to enter ene	• •						
		he energy save function	on is provided with th	e product			
		the energy requireme	-				
	TAR®	version: Version7.0					
P10 Emissions							
		Declared according to Mode description	o ISO 9296	Declared	Declared A-	woighted	T
P10.1 Mode	'	wode description		A-weighted	sound pressure lev		
				sound power		*	_
				level L_{WAd} (B)	Operator position	Bystander positions	
					Desktop 🔀 or Desk side	(only if product is not	
				*	Of Desk side	operator attended)	4
Idle Operation		* HDD: Idle * HDD: Operating		*			1#
Other mode		Tibb. Operating					-
		ig to: SO7779	ECMA-74				1
		Other			L _{pAm} measurement distan	ice m)	
P10.2 The product	P10.2 The product meets the acoustic noise requirements of the following voluntary program/s:						

Model nun	nber *	61A8				
Issue date	*	2016/10/10	Logo	Leno	VO	
	environr	mental attributes - Market requirements (continued)		Require	ment	
met						
Item				Yes	No	n.a.
D40.0*		al emissions from printing products				
P10.3*		formed according to ECMA-328 (ISO/IEC 28360) standard, other specify:				$\underline{\underline{X}}$
P10.4	Typical e	emission rate (print phase) is (mg/h):				\boxtimes
		Dust Ozone Styrene Benzene TVOC				
P10.5		Il emission requirements of the following voluntary program/s are met for : Oust Ozone Styrene Benzene	TVOC			\boxtimes
	Electron	nagnetic emissions				
P10.6	Compute program/	er display meets the requirement for low frequency electromagnetic fields of the followings: TCO 7.0	ng voluntary			
P11	Consum	able materials for printing products				
P11.1*	A Safety	Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required	(see P4.3).			\boxtimes
P11.2*	Paper co	ontaining post-consumer recycled fibers can be used, provided that it meets that.	ne requirements	of		\boxtimes
P11.3*	2-sided (duplex) printing/copying is an integrated product function.				\boxtimes
P12	Ergonor	nics for computing products				
P12.1*	The disp	lay meets the ergonomic requirements of ISO 9241-307 for visual display technologies		\square		
P12.2*	The phys	sical input device meets the requirements of ISO 9995 and ISO 9241-410.				\square
P13	Packagi	ng and documentation				
P13.1*	Product Product	packaging material type(s): Pulp weight (kg): 0.823 packaging material type(s): Paper(Cushion) weight (kg): 1.00 packaging material type(s): Paper(Carton) weight (kg): 1.70 packaging material type(s):HDPE/LDPE weight (kg): 0.05				
P13.2*	Product	plastic packaging is free from PVC.		\boxtimes		
P13.3*		nedia for user and product documentation (tick box): c 🔯, Paper 🔯, Other 🔲				
P13.4*	For pape	or user and product documentation, please specify contained percentage of post-consultible: 70% (Japan only 70%)	mer			\boxtimes
P14	Addition	nal information (See Note B4)				
	informati available	Supplier makes no representations, guarantees, assurances or warranties whether ex on contained in this document. All information provided by supplier in this document is at the time of completion, and supplier shall have no obligation to update such informational purposes only. See a Lenovo Account Representation	provided based oution. The informa	on supplier's tion provided	know	

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19