

ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Computer monitors

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo				
Company name *	Lenovo					
Contact information *	Lenovo Global Environmental Affairs		Lenovo			
e-mail address	Alvin L Carter		LEIIUVU			
	alcarter@lenovo.com					
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment.html					
Additional information	The latest version of this document can be found at:					
	http://www.lenovo.com/ecodeclaration					

The company declares (based on product specification or test results based obtained from sample testing), that the product					
conforms to the statement	nts given in this declaration.				
Type of product *	Monitor				
Commercial name *	ThinkVision P27u				
Model number *	MT: 61B0				
Issue date *	2017/6/14				
Intended market *	🔀 Global 📃 Europe 📃 Asia, Pacific & Japan 📃 Americas 📃 Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template: P4.1 – P4.3 Consumable materials P9.1 TEC and Print speed P10.2 - P10.3 Chemical emissions from printing products P11.1 - P11.3 Consumable materials for printing products.

Model number *		61B0	Logo			
Issue date *		2017/6/14		Lend	JVC	Этн
Produc	t environ	mental attributes - Legal requirements		Require	ment	t met
Item				Yes	No	n.a.
P1		ous substances and preparations				
P1.1*	Products	s do comply with current European RoHS Directive. (See legal reference and NOTE	B1)	\boxtimes		
P1.2*	Comme	s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.		\boxtimes		
P1.3*	hydrobro trichloro	do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), profluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach ethane, methyl bromide (see legal reference). Comment: Legal reference has no m ration values.		_		
P1.4*	Products	s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych l (PCT) in preparations (see legal reference).	lorinated	\boxtimes		
P1.5*	Products chain co	odo not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 cart ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).				
P1.6*	(see lega	th direct and prolonged skin contact do not release nickel in concentrations above 0 al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.	,5 μg/cm²/w	eek 🔀		
P1.7*	REACH	Article 33 information about substances in articles is available at (add URL or mail o w.lenovo.com/social_responsibility/us/en/environment.html	contact):	\boxtimes		
P2	Batterie					
P2.1*		oduct contains a battery or an accumulator, the battery/accumulator is labeled with t Information on proper disposal is provided in user manual. (See legal reference)	he disposal			\square
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal 🗌 🗌 🔀 reference)					
P2.3*	Batteries	and accumulators are readily removable. (See legal reference)				\boxtimes
P3	Conform	nity verification & Eco design (ErP)				
P3.1*	The proc	Juct is CE-marked to show conformance with applicable legal requirements (see leg laration of Conformity can be requested at (add link or e-mail address):	al reference	e).		
P3.2*	The proc	luct complies with the Eco design requirements for energy-related products, al reference).		\boxtimes		
	Required information is; given in item P15 or added to this document,					
P5	Droduct	packaging				_
P5.1*		packaging ng and packaging components do not contain more than 0,01% lead, mercury	(cadmium	and 🔀		
-	hexavale	ent chromium by weight of these together.				
P5.2*	used (se	kaging materials are marked with abbreviations and numbers indicating the nature one legal reference).				
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal 🛛 🗌 📄 Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.					
P6		nt information				
P6.1*	Informati	on for recyclers/treatment facilities is available (see legal reference).		\square		

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model nu	umber *	61B0	Logo					
Issue date *		2017/6/14		Len	ovc	Тм		
Product environmental attributes - Market requirements (See General NOTE GN below)								
	- Environmental conscious design Requirement met							
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14. Yes No n.a.							
P7	Design Disasse	mbly, recycling						
P7.1*		at have to be treated separately are easily separable						
P7.2*	Plastic m	naterials in covers/housing have no surface coating.			\boxtimes			
P7.3*	Plastic p	arts > 100 g consist of one material or of easily separable materials.		\boxtimes				
P7.4*	Plastic p	arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.		\boxtimes				
P7.5	Plastic pa	arts are free from metal inlays or have inlays that can be removed with commonly a	available tools.	\boxtimes				
P7.6*	Labels a	re easily separable. (This requirement does not apply to safety/regulatory labels).		\boxtimes				
	Product							
P7.7*		ng can be done e.g. with processor, memory, cards or drives						
P7.8*		ng can be done using commonly available tools		\square				
P7.9		arts are available after end of production for: 5 years						
P7.10		s available after end of production for: 5 years						
D7.44*		and substance requirements						
P7.11*		cover/housing material type (e.g. plastics, metal, aluminum): type: ABS Material type: PC Materia	al type: POM					
P7.12		n materials of external electrical cables are PVC free.			\square			
P7.13	Insulatio	n materials of internal electrical cables are PVC free.		<u> </u>		Ħ		
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and							
	containin	chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) ng more than 25% post-consumer recycled content.						
P7.15		circuit boards, PCBs (without components) are low halogen: all ⊠PCBs > 25 g ed in IEC 61249-2-21. (See 1NOTE B2)	are low halogen		\square			
P7.16	Marking:					\boxtimes		
P7.17		nemical specifications of flame retardants in printed circuit boards > 25 g (without c PA (additive), TBBPA (reactive) (See NOTE B3), Other: <i>chemical name</i> , CA		\boxtimes				
		nemical specifications of flame retardants in printed circuit boards (without component		_				
		g ISO 1043-4:	51113) × 20 g		\square			
P7.18		ame retarded plastic parts > 25 g contain the following flame retardant substance ations above 0,1%:	es/preparations in					
		ical name: , CAS #: (See NOTE B4)						
	2. Chemi	ical name: , CAS #: "						
	3. Chemi	ical name: , CAS #: "						
	<u>Alt. 2: </u> Cł	nemical specifications of flame retardants in plastic parts > 25 g according ISO 104	3-4:		\boxtimes			
P7.19	•	parts > 25 g, flame retardant substances/preparations above 0,1% are used which	n have been	\boxtimes				
	-	the following Risk phrases; and Hazard statements:						
D7 20*			See note B5)					
P7.20*	FUSICONS	sumer recycled plastic material content is used in the product (See Note B6):		\boxtimes				
	a) Oft	It least one of the two alternatives below shall be answered; otal plastic parts' weight > 25 g, the postconsumer recycled plastic material conten ercentage of total plastic by weight) is 39.6% .	t (calculated as					
	or							
	b) The	e weight of recycled material is 967 g.						

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model nur	^{nber *} 61E	30			Logo			
Issue date						Lenovo		
Product	environmental	attributes - Market r	equirements (cont	inued)		Requirement r	met	
Item				· · · · /			n.a.	
	Material and su	bstance requirements	(continued)					
P7.21*								
	If YES; at least one of the two alternatives below shall be answered;							
	 a) Of total plastic parts' weight > 25 g, the biobased plastic material content (calculated as a percentage of total plastic by weight) is %. or 							
			the biobased plastic material is g.					
P7.22*		e free from mercury, i.e. ed specify: Number of la		o. num mercury content p	er lamp: mg			
P8	Batteries							
P8.1*	Battery chemica	•					\square	
P9		nption (See NOTE B8)	1	ana ana manadada				
P9.1 Energy mo		the following power leve Power level at	Power level at	Power level at	Reference/Stand	lard for energy		
Lifergy ino		100 V AC	115 V AC	230 V AC	modes and test	0,		
Peak (On-	max)	146.63 W	142.12W	140.05W	Full load			
Categor	<u>y</u>							
Short Idle	State - WOL	38.6W	38.3W	38.4W	Use for ENERG	Y STAR V6		
Enabled					registration (P _{id}	lle)		
Long Idle Enabled	State - WOL	38.6W	38.3W	38.4W	Use for ENERG registration (P _{id}			
Sleep (S3)	- WOL Enabled	0.4W	0.4W	0.6W	Use for ENERGY STAR V6 registration(P _{sleep})			
Sleep (S3)	- WOL Disabled	0.4W	0.4W	0.6W	Reference			
Off (S5) - WOL Enabled		0.14W	0.14W	0.25W	Use for ENERG registration(P _{off}			
Off (S5) - I	NOL Disabled	0.14W	0.14W	0.25W	Use for ErP			
		W	W	W	Reference			
PTEC * Typical Ene	ergy Consumptior		45.32 W	45.69 W		[
ETEC *		102.53 kWh/year	101.74 kWh/year	102.75 kWh/year				
	ergy Consumptior	LILO - (0700/1000) x (Poff x 0.6 + Psleep	x 0.1 + Pidle x 0.3)				
		ency Level (Internationa	II Efficiency Marking Pr	rotocol) * : VI	_		<u> </u>	
	solution * : 3840*2	÷.					<u> </u>	
		save mode: 0.25 minute					<u> </u>	
P9.2*		ut the energy save funct		product.	I		<u> </u>	
P9.3		y class (monitors only):	EPA7.0					
P10	Emissions	Declared en ul'unt						
P10.1	Noise emission Mode	Declared according t Mode description	0 150 9296 (See NOT		hit A-weighted source	d power level, <i>L_{WA,c} (</i> B	2)	
1 10.1	Idle	* HDD: Idle		*			<u>'/</u>	
	Operation	* HDD: Operating		*			F -	
	Other mode	Declared A-weighted sour	nd pressure level (dB) 7 .	(operator po	r position desktop – idle)			
	Other mode	Declared A-weighted sour			osition desktop – ope	-		
		ding to: X ISO 7779	ECMA-74 Conly if not covered by					

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Model nu	mber * 6	1B0			Logo		
Issue dat		2017/6/14				Lenovo	
Product	environmer	ntal attribut	es - Market requirements	(continued)		Requirement m	
Item						Yes No n	
		netic emissi					
P10.4	Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary						
P12			ing products				
P12.1*	The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies.						
P12.2*	The physica	l input device	meets the requirements of ISC	9995 and ISO 9241-4	10.		
P13	Packaging	and docume	ntation				
P13.1*	Product pac Product pac	kaging mater kaging mater	al type(s): <i>Pulp</i> al type(s): <i>Paper(Cushion)</i> al type(s): <i>Paper(Carton)</i> al type(s): <i>HDPE/LDPE</i>	weight (kg): 0.823 weight (kg): 1.00 weight (kg): 1.70 weight (kg): 0.05			
P13.2*			ackaging is free from PVC.	0 (0)			
P13.3*			ugated fiberboard packaging, content: 0%	specify the contained	percentage of minimum		
P13.4*	Specify media for user and product documentation (tick box):						
P13.5							
	Totally chlor	ine-free					
	Elemental chlorine-free						
	Processed of	chlorine-free					
P14	Voluntary p	orograms					
P14.1	The product	meets the re	quirements of the following volu	untary program(s):			
	ENERGY S [°] Eco-label: Eco-label:	TAR®	Criteria version: Criteria version: Criteria version:	Date: Date: Date:	Product category: Product category: Product category:		
P15	Additional	information (See NOTE B10)				
P9			specific configuration may v	ary; description of the	e tested product config	juration:	
	NOTE: Supplication information knowledge a	olier makes no contained in t available at th	o representations, guarantees, his document. All information p e time of completion, and supp nate and provided for informatio	assurances or warrantic rovided by supplier in th lier shall have no obliga	es whether express or in is document is provided tion to update such info	nplied, regarding the I based on supplier's rmation. The information	
P9	See Energy		d Notebooks & Tablet Compute //index.cfm?fuseaction=find_a_				

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1