

Product environmental attributes – THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P14.

Brand *	Lenovo	Logo		
Company name *	Lenovo			
Contact information *	Lenovo Global Environmental Affairs Alvin L Carter 1009 Think Place Building 2 / 5F1 Morrisville, North Carolina 27560 alcarter@lenovo.com	lenovo		
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment.html			
Additional information	The latest version of this document can be found at http://www.lenovo.com/social_responsibility/us/en/datasheets_monitors.html			

The company declares (based on product specification or test results based obtained from sample testing), that the product				
	ts given in this declaration.			
Type of product *	Display			
Commercial name *	T2014			
Model number *	T2014A			
Issue date *	2014.08.06			
Intended market *	🔀 Global 📃 Europe 📃 Asia, Pacific & Japan 📃 Americas 📃 Other			
Additional information				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality Control			Requirement met		
Item		Yes	No		
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	\boxtimes			
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality contro such as organized by IT-Företagen (see www.itecodeclaration.org).	ol 🔀			

Model number *	T2014A		
Issue date *	2014.08.06	Logo	lenovo

Produc	t environmental attributes - Legal requirements	Require	ement	met	
ltem		Yes	No	n.a.	
P1	Hazardous substances and preparations				
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent	\square			
	chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See				
	legal reference and Note B1)				
P1.2*	Products do not contain Asbestos (see legal reference).	\square			
	Comment: Legal reference has no maximum concentration value.				
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	\square			
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-		_		
	trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum				
	concentration values.				
P1.4*	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated	\square			
	terphenyl (PCT) in preparations (see legal reference).				
P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in				
	the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).				
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS),			\square	
	Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference).		_	_	
	Comment: Legal reference has no maximum concentration values.				
P1.7*	Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split			\square	
	aromatic amines. (See legal reference and Note B1)				
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as			\square	
	pentachlorophenol and derivatives (see legal reference).				
	Comment: Legal reference has no maximum concentration values.				
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5	\square			
	microgram/cm ² /week (see legal reference).				
	Comment: Max limit in legal reference when tested according to EN1811:1998.				
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact):	\square			
	http://www.lenovo.com/social_responsibility/us/en/materials.html				
P2	Batteries				
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains			\square	
	more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be				
	marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is				
	provided in user manual. (See legal reference)				
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or			\square	
	accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)				
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the			\boxtimes	
. 2.0	design of the product). Exception: Batteries that are permanently installed for safety, performance, medical				
	or data integrity reasons do not have to be "easily removable". (See legal reference)				
P3	Safety, EMC connection to the telephone network and labeling				
P3.1*	The product complies with legally required safety standards as specified (see legal reference).				
-			<u> </u>	<u> </u>	
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal	\bowtie			
	reference).				
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies			\boxtimes	
	with legally required standards for radio and telecommunication devices (see legal reference).				
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).				
P4	Consumable materials				
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see			\boxtimes	
	legal reference and Note B1).				
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).			\square	
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the				
	product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these				
	requirements is available (see legal reference).				
P5	Product packaging				
P5.1*	Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and				
	hexavalent chromium by weight of these together.				
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).				
			<u> </u>	_ᆜ_	
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal				
	Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.				

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model n	umber *	T2014A				
Issue da	te *	2014.08.06 Lo	ogo	leno	VO.	
Produce	tonviron	mental attributes. Market requirements. Environmental conscious des	sian [Doquiror	mont	mot
Item		mental attributes - Market requirements - Environmental conscious des atory to fill in. Additional information regarding each item may be found under P14.	sign r	Requirer Yes	No	n.a.
P6		nt information		163	INO	n.a.
P6.1*		on for recyclers/treatment facilities is available (see legal reference).		\boxtimes		
P7	Design	, , ,				
		mbly, recycling				
P7.1*	Parts that	t have to be treated separately are easily separable		\boxtimes		
P7.2*	Plastic m	naterials in covers/housing have no surface coating.				
P7.3*	Plastic p	arts >100g consist of one material or of easily separable materials.			Ħ	Ē
P7.4*	•	arts >25g have material codes according to ISO 11469 referring ISO 1043.			H	H
P7.5		arts are free from metal inlays or have inlays that can be removed with commonly ava	uilable tools		\exists	╞
P7.6*	-	re easily separable. (This requirement does not apply to safety/regulatory labels).			╞	╶╞╡
17.0	Product					
P7.7*		ing can be done e.g. with processor, memory, cards or drives				
P7.8*		ig can be done using commonly available tools			<u> </u>	⊢⊢
						⊢⊢
P7.9.		arts are available after end of production for: 5 years				<u> </u>
P7.10		s available after end of production for: 5 years				
		and substance requirements				
P7.11*		cover/housing material type:				
P7.12		type: ABS Material type: PC Material ty I cable insulation materials of power cables are PVC free.	/pe:			
				<u> </u>		ᆜ
P7.13		I cable insulation materials of signal cables are PVC free				
P7.14		/housing plastic parts >25g are free from chlorine and bromine.		\square		
P7.15	All printe Note B2	d circuit boards (without components) >25g are halogen free. as defined in IEC612	49-2-21. (See		\square	
P7.16		tarded plastic parts >25g in covers / housings are marked according ISO 1043-4:				\square
P7.17	Alt. 1 Chemica	I specifications of flame retardants in printed circuit boards >25g (without components additive) , TBBPA (reactive) , other; chemical name: , CAS #:	3):	\boxtimes		
	ISO 104	Il specifications of flame retardants in printed circuit boards (without components) >25 3-4: <i>FR(16)</i>	g according			
P7.18	concentr Comm	etarded plastic parts >25g contain the following flame retardant substances/pr ations above 0.1%: ent: No legal limits exist, this is a market requirement.	eparations in			
	2. Chem 3. Chem Alt. 2	ical name: , CAS #: ical name: , CAS #: ical name: , CAS #:				
	Chemica	I specifications of flame retardants in plastic parts >25g according ISO 1043-4:				
P7.19		arts >25g are free from flame retardant substances/ preparations above 0.1% classifie 6, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)	ed as R45,			
P7.20		plastic parts' weight >25g, recycled material content is 85%.				
P7.21	Of total plastic parts' weight >25g, biobased material content is 0%.					
P7.22		rces are free from mercury y is used specify: Number of lamps: and max. mercury content per lamp:	mg			
P8	Batterie					
P8.1*	Battery of	hemical composition:				\boxtimes
P8.2	Batteries	meet the requirements of the following voluntary program/s:				

Annex B of ECMA-370 4th edition, June 2009

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model number *	T201	4A					
Issue date *	2014.08.0	06			Logo	lenovo	
Product enviror	mental att	tributes - Market	requirements ((continued)		Requirement	met
Item						Yes No	n.a.
	/ consumpt						
	product the	following power leve					
Energy mode *		Power level at 100 V AC	115 V AC	230 V AC	method *	gy modes and test	
Peak (On-max)		17.38W	17.32 ₩	17.30W	Full load		
Category A		1		-	1		
Idle State - WOL E		17.38W	17.32W	17.30W	Use for ENERGY STAR V5 r	-	
Sleep (S3) - WOL		0.38W	0.38 W	0.39 W	Use for ENERGY STAR regis	stration(P _{sleep})	
Sleep (S3) - WOL		0.38W	0.38 W	0.39 W	Reference		
Off (S5) - WOL En	abled	<i>0.18</i> ₩	0.18W	<i>0.19</i> ₩	Use for ENERGY STAR V5 r	egistration(P _{off})	
Off (S5) - WOL Dis	sabled	0.18W	0.18W	<i>0.19</i> ₩	Use for EuP		
Category B				·			
Idle State - WOL E	nabled	W	W	W	Use for ENERGY STAR V5 r	egistration(P _{idle})	
Sleep (S3) - WOL	Enabled	W	W	W	Use for ENERGY STAR V5 r	egistration (P _{sleep})	
Sleep (S3) - WOL	Disabled	W	W	W	Reference		
Off (S5) - WOL En	abled	W	W	W	Use for ENERGY STAR V5 r	egistration(Poff)	
Off (S5) - WOL Dis	sabled	W	W	W	Use for EuP		
EPS No-load		W	W	W			
(External power su charger plugged in outlet but disconne the product.)	the wall						
PTEC * Typical Energy Cor	nsumption	W	W	W			
TEC * Typical Energy Cor	nsumption	kWh/week	kWh/week	kWh/week			
ETEC * Annual Energy Cor	nsumption	46.95kWh/year	<mark>46.79</mark> kWh/year	46.80 kWh/year	$E_{TEC} = (8760/1000) \times (P_{off} \times 0)$ $P_{idle} \times 0.3)$.6 + P _{sleep} x 0.1 +	
		Port: Off Mode(S5) -	WOL Enabled: Pala	si Sleep Mode(S3)	- WOL Enabled; P _{idle} : Idle State -	WOL Enabled	
Display resolution*	: 1600*900						
Print Speed *	: Im	ages per minute					
		ve mode: 15 second	s				
	0,	he energy save func		ith the product.			님
P9.3* The ENE	product mee RGY STAR	ets the energy requir ® version: 6.0 Tier:	ements of the foll	Iowing voluntary p	program/s:		
	ers specify:						
P10 Emiss Noise		Declared according	to ISO 9296				
P10.1 Mode		Node description		Declared A-weighted sound powe	er	$L_{p {\sf Am}}$ (dB)	
				level L_{WAd}	Desktop (o	Bystander positions	
Idle	*	HDD:Idle		*			\boxtimes
Operat		HDD: Operating		*			\square
Other r							-
Measu	red accordin	g to: ISO7779	ECMA-74 (only if not cove	ered by ECMA-74	with L _{pAm} measurement distan	ce m)	
P10.2 The pro	oduct meets	the acoustic noise r					

Model nur	nber *	T2014A				
Issue date	*	2014.08.06	Logo	leno	10.	
Product	environn	nental attributes - Market requirements (continued)		Require	ment	met
Item				Yes	No	n.a.
	Chemica	al emissions from printing products				
P10.3*	Test per	formed according to ECMA-328 (ISO/IEC 28360) standard 🔲, other specify:				\boxtimes
P10.4		emission rate (print phase) is (mg/h):				
		Dust Ozone Styrene Benzene TVOC				
P10.5	Chemica	I emission requirements of the following voluntary program/s are met for :				\square
	0	Dust Ozone Styrene Benzene	TVOC			
	Electron	nagnetic emissions				
P10.6		er display meets the requirement for low frequency electromagnetic fields of the fol	lowing voluntary	\boxtimes		
P11		able materials for printing products				
P11.1*	A Safety	Data Sheet (SDS) is available for the ink/toner preparation, even if not legally requ	uired (see P4.3).			\square
P11.2*	Paper co EN1228	ontaining post-consumer recycled fibers can be used, provided that it meets th	ne requirements o	f		
P11.3*	2-sided (duplex) printing/copying is an integrated product function.				\square
P12	Ergonor	nics for computing products				
P12.1*		lay meets the ergonomic requirements of ISO 9241-307 for visual display technology	gies.			
P12.2*	The phys	sical input device meets the requirements of ISO 9995 and ISO 9241-410.	-		Ħ	
P13		ng and documentation				
P13.1*	Product Product Product	packaging material type(s): <i>EPS</i> weight (kg): 0.150 packaging material type(s): <i>PE</i> weight (kg): 0.26 packaging material type(s): <i>Paper</i> weight (kg): 0.016 packaging material type(s): <i>Carton</i> weight (kg): 0.582				
P13.2*		plastic packaging is free from PVC.		\boxtimes		
P13.3*		nedia for user and product documentation (tick box): ic \square , Paper \square , Other \square				
P13.4*		er user and product documentation, please specify contained percentage of post-co	onsumer recycled			
P14		al information (See Note B4)				
	informati knowledg provided informati		nt is provided base ate such information	ed on suppon. The inf	olier's format	
P9		ergy Star Qualified Notebooks & Tablet Computers for the latest information: ww.energystar.gov/index.cfm?fuseaction=find_a_product.showProductGrou	o&pgw_code=CO			

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19