

Product environmental attributes – THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P14.

Brand *	Lenovo	Logo			
Company name *	Lenovo				
Contact information *	Lenovo Global Environmental Affairs Alvin L Carter 1009 Think Place Building 2 / 5F1 Morrisville, North Carolina 27560 alcarter@lenovo.com	Lenovo			
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment.html				
Additional information	The latest version of this document can be found at http://www.lenovo.com/social_responsibility/us/en/datasheets_monitors.html				

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.					
Type of product *	Display				
Commercial name *	Tiny-in-One 22D				
Model number *	10LK				
Issue date *	2016.5.11				
Intended market *	🔀 Global 📃 Europe 📃 Asia, Pacific & Japan 📃 Americas 📃 Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality	Requireme	nt met	
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	\boxtimes	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality contro such as organized by IT-Företagen (see www.itecodeclaration.org).		

Model number *	10LK		
Issue date *	2016.05.11	Logo	Lenovo

Product	Require	ment	met	
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromiun 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1)	ı, 🔀		
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.	\square		
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	\boxtimes		
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.4*	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference).	\boxtimes		
P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).	e 🛛		
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.7*	Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split aromatic amines. (See legal reference and Note B1)			\boxtimes
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as			X
	pentachlorophenol and derivatives (see legal reference).			
P1.9*	Comment: Legal reference has no maximum concentration values. Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5			
F1.9	microgram/cm ² /week (see legal reference).	\bowtie		
	Comment: Max limit in legal reference when tested according to EN1811:1998.			
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact):	\square		
	http://www.lenovo.com/social_responsibility/us/en/materials.html			
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference)			
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)			
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the			\boxtimes
1 2.0	design of the product). Exception: Batteries that are permanently installed for safety, performance, medica or data integrity reasons do not have to be "easily removable". (See legal reference)			
P3	Safety, EMC connection to the telephone network and labeling			
P3.1*	The product complies with legally required safety standards as specified (see legal reference).	\square		
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal reference			
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference).			
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).	\boxtimes		
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).			
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).			\boxtimes
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium an hexavalent chromium by weight of these together.	d 🔀		
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	\square		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montree Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.	al 🔀		

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model n	umber *	10LK				
Issue date *		2016.05.11 Logo		Lenovo		
Produc	tonviron	mental attributes - Market requirements - Environmental conscious design R	equire	mont	mot	
Item		itory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.	
P6		nt information			ai	
P6.1*		on for recyclers/treatment facilities is available (see legal reference).	\square			
P7	Design					
P7.1*		mbly, recycling				
		t have to be treated separately are easily separable		<u> </u>	_ <u>⊢</u>	
P7.2*		naterials in covers/housing have no surface coating.		<u> </u>	<u> </u>	
P7.3*		arts >100g consist of one material or of easily separable materials.				
P7.4*	•	arts >25g have material codes according to ISO 11469 referring ISO 1043.	\boxtimes			
P7.5	Plastic p	arts are free from metal inlays or have inlays that can be removed with commonly available tools.	\boxtimes			
P7.6*	Labels a	re easily separable. (This requirement does not apply to safety/regulatory labels).	\square			
	Product	lifetime				
P7.7*	Upgradir	g can be done e.g. with processor, memory, cards or drives		\boxtimes		
P7.8*	Upgradir	g can be done using commonly available tools			$\overline{\Box}$	
P7.9.	Snare na	rts are available after end of production for: 3 years			Ē	
P7.10		s available after end of production for: 3 years			H	
11.10		and substance requirements				
P7.11*		cover/housing material type:				
		type: ABS Material type: Material type:				
P7.12		I cable insulation materials of power cables are PVC free.		\boxtimes		
P7.13	Electrica	I cable insulation materials of signal cables are PVC free	<u> </u>		Ħ	
P7.14		/housing plastic parts >25g are free from chlorine and bromine.			H	
P7.15	All printed circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (See					
P7.16	Note B2) Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4: Marking:					
P7.17	Alt. 1					
	Chemica	I specifications of flame retardants in printed circuit boards >25g (without components): additive) , TBBPA (reactive) , Other; chemical name: , CAS #:				
	Alt. 2 Chemica ISO 1043	I specifications of flame retardants in printed circuit boards (without components) >25g according 3-4:				
P7.18		etarded plastic parts >25g contain the following flame retardant substances/preparations in ations above 0.1%:				
	1. Chem 2. Chem	ent: No legal limits exist, this is a market requirement. ical name: , CAS #: ical name: , CAS #: ical name: , CAS #:				
D7 40	Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4:					
P7.19	R40, R46	arts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45, 6, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)				
P7.20		vlastic parts' weight >25g, recycled material content is 53%.				
P7.21 P7.22	Light sou	elastic parts' weight >25g, biobased material content is 0% . Irces are free from mercury y is used specify: Number of lamps: and max. mercury content per lamp: mg				
P8	Batterie					
P8.1*		hemical composition:				

Annex B of ECMA-370 4th edition, June 2009

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model nu	mber *	10LK	,						
Issue date	e *	2016.5.11					Logo	Lenovo	
Product	environr	nental att	ributes - Market	requirements (co	ntinued)			Requirement m	et
tem									
P9	Energy	consumpti	ion						
9.1	For the p	product the	following power leve	els or energy consun	nptions are reporte	d: See P14			
Energy mo	ode *		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference method *	/ Standard	I for energy modes and tes	st
Peak (On-max)			12.94W	12.73 W	13.23 W	Full load			
Catego									
Idle State	- WOL Er	nabled	12.94W	12.73W	12.23W	Use for En	ergy Star	V6 registration (P _{idle})	
Sleep (S3) - WOL E	nabled	0.31 W	0.30W	0.27W	Use for EN	IERGY ST	CAR registration(P _{sleep})	
Sleep (S3) - WOL D	isabled	0.31W	0.30W	0.27W	Reference			
Off (S5) -	WOL Ena	bled	0.22W	0.20 W	0.20W	Use for En	ergy Star	V6 registration(P _{off})	
Off (S5) -	WOL Disa	abled	0.22W	0.20 W	0.20W	Use for Eu	ıP		
Catego	у В								
Idle State		nabled	W	W	W	Use for EN	IERGY ST	CAR V5 registration(P _{idle})	
Sleep (S3) - WOL E	nabled	W	W	W	Use for EN	IERGY ST	CAR V5 registration (P _{sleep})	
Sleep (S3) - WOL D	isabled	W	W	W	Reference			
Off (S5) -	WOL Ena	bled	W	W	W	Use for EN	IERGY ST	CAR V5 registration(Poff)	
Off (S5) -	WOL Disa	abled	W	W	W	Use for Eu	ıP		
EPS No-lo	ad		W	W	W				
(External p charger pl outlet but o the produc	ugged in tl disconnect	he wall							
PTEC * Typical En	ergy Cons	sumption	W	W	W				
TEC * Typical En	ergy Cons	sumption	kWh/week	kWh/week	kWh/week				
Etec * Annual En	ergy Cons	sumption	41.4 kWh/year	40.7 KWh/year	42.1kWh/year	$E_{TEC} = (876)$ $P_{idle} \ge 0.3$	50/1000) x	(P _{off} x 0.6 + P _{sleep} x 0.1 +	
			Poff: Off Mode(S5) -	WOL Enabled; P _{sleep} :	Sleep Mode(S3) - WO	DL Enabled;	P _{idle} : Idle St	ate - WOL Enabled	_
Display re	solution*	: 1920*108	0 Megapixels						
Print Spee	d *	: Ima	ages per minute						
Default tim	ne to enter	energy say	ve mode: 15 second	6					
P9.2*	Informat	ion about th	ne energy save funct	ion is provided with	the product.				╷╵┝
P9.3*	ENEF		ets the energy requir ® version: 7.0 Tier:			am/s:] [
P10	Emissio								
	Noise e	mission –	Declared according	o ISO 9296					
P10.1	Mode	N	lode description		Declared A-weighted sound power level <i>L_{WAd}</i> (E	3) Operato		(only if product is no] ot
	Idle	*	HDD:Idle		*			operator attended	
	Operatio	n *	HDD: Operating		*				
	Other m								
	Measure	ed accordin	g to: ISO7779 C	ECMA-74 (only if not covere	d by ECMA-74 with	L _{pAm} measu	irement dis	stance m)	
P10.2	The proc	duct meets	the acoustic noise re					·····	

Joous dat	Nodel number * 10LK ssue date * 2016.05.11 Logo									
issue ua							Lenovo			
Due de ce				· · · · · · · · · · · · · · · · · · ·		D				
Item	environi	<mark>mental attributes - Ma</mark>	rket requiren	nents (continued)		Require Yes	No			
nem	<u>Ob a mia</u>					res	INO	n.a.		
P10.3*		al emissions from printi								
		formed according to ECM		(28360) standard $[], othe$	er specify:					
P10.4	l ypical	emission rate (print phase	, , , ,					\bowtie		
D40.5	0	Dust Ozone	Styrene		VOC					
P10.5		al emission requirements	-		are met for :			\bowtie		
		Dust Ozone Ozone	Styrer	ne Benzene						
P10.6			rement for low	frequency electromagnetic	fields of the following volunta					
1 10.0	program				fields of the following volunta	ary 🔀				
P11	1.5	nable materials for print	ing products							
P11.1*				k/toner preparation, even if	not legally required (see P4.	3).				
P11.2*	Paper o	ontaining post-consumer	recycled fibers	s can be used, provided	that it meets the requirement	nts of	—Ħ			
	EN1228		,	· · · · · · · · · · · · · · · · · · ·						
P11.3*	2-sided	(duplex) printing/copying i	s an integrated	product function.				\times		
P12	Ergono	mics for computing proc	ducts							
P12.1*	The disp	play meets the ergonomic	requirements o	f ISO 9241-307 for visual d	lisplay technologies.	\square				
P12.2*	The phy	sical input device meets t	he requirements	s of ISO 9995 and ISO 924	1-410.			X		
P13	Packag	ing and documentation								
P13.1*	Product	packaging material type(s	s): EPS	weight (kg): 0.398						
		packaging material type(s		weight (kg): 0.036						
		packaging material type(s		weight (kg): 0.79						
P13.2*		packaging material type(s plastic packaging is free f		weight (kg):						
				(4.1.1.)		\boxtimes		_님		
P13.3*	Specify media for user and product documentation (tick box):									
P13.4*	For pap fiber: 0		nentation, pleas	se specify contained perce	ntage of post-consumer recyc	led				
P14	Additio	nal information (See Not								
					anties whether express or im					
					in this document is provided					
					bligation to update such inform			lion		
	informat		provided for Int	ormational purposes only.	See a Lenovo Account Repre	semanve for	nore			
P9			hooks & Table	t Computers for the lates	t information:					
		ww.energystar.gov/inde								

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19