

Product environmental attributes – THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P14.

Brand *	Lenovo	Logo			
Company name *	Lenovo				
Contact information * Lenovo Global Environmental Affairs Alvin L Carter 1009 Think Place Building 2 / 5F1 Morrisville, North Carolina 27560 alcarter@lenovo.com		Lenovo			
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment	.html			
Additional information	The latest version of this document can be found at http://www.lenovo.com/social_responsibility/us/en/datasheets_notebooks.html				

The company declares (based on product specification or test results based obtained from sample testing), that the product								
conforms to the statements given in this declaration.								
Type of product *	Notebook							
Commercial name *	Lenovo YOGA 710-14IKB							
Model number *	80V4, 80TY							
Issue date *	2016/5/19							
Intended market *	🔀 Global 🔀 Europe 🛛 Asia, Pacific & Japan 🔀 Americas 🗌 Other							
Additional information								

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality	Control F	Requireme	ent met
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	\boxtimes	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality contro such as organized by IT-Företagen (see www.itecodeclaration.org).	I 🔀	

Model number *	80V4, 80TY		
Issue date *	2016/5/19	Logo	Lenovo

Product	Require	ement	met	
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1)			
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.	\boxtimes		
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	\square		
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.4*	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference).			
P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).	\boxtimes		
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS),			\boxtimes
1 1.0	Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.7*	Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split aromatic amines. (See legal reference and Note B1)			\boxtimes
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (see legal reference).			\square
	Comment: Legal reference has no maximum concentration values.			
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm ² /week (see legal reference).	\boxtimes		
	Comment: Max limit in legal reference when tested according to EN1811:1998.			
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact):	\bowtie		
	http://www.lenovo.com/social_responsibility/us/en/materials.html			
P2.1*	Batteries			
F2.1	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is			
P2.2*	provided in user manual. (See legal reference) Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or			
	accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)			
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference)	\boxtimes		
P3	Safety, EMC connection to the telephone network and labeling			
P3.1*	The product complies with legally required safety standards as specified (see legal reference).	\boxtimes		
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal reference).			
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference).			
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).	\boxtimes		
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).			\square
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).			\mathbb{X}
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together.			
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	\square		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.			

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model n	umber *	80V4, 80TY				
lssue da	te *	2016/5/19	Logo	Lenc	DVO.	
Produc	t environ	mental attributes - Market requirements - Environmental conscious d	esian	Require	ment m	ef
tem		tory to fill in. Additional information regarding each item may be found under P14.	oolgii	Yes		ı.a
P6		nt information				
P6.1*	Informati	on for recyclers/treatment facilities is available (see legal reference).		\boxtimes		
P7	Design Disasse	mbly, recycling			· · ·	
P7.1*		t have to be treated separately are easily separable				
P7.2*		aterials in covers/housing have no surface coating.				
⊃7.3*		arts >100g consist of one material or of easily separable materials.				
P7.4*	•	arts >25g have material codes according to ISO 11469 referring ISO 1043.				-
P7.5			vailable teele			
		arts are free from metal inlays or have inlays that can be removed with commonly av				2
P7.6*		re easily separable. (This requirement does not apply to safety/regulatory labels).		\square		
D-7 -1	Product					
P7.7*		g can be done e.g. with processor, memory, cards or drives				
P7.8*	Upgradir	g can be done using commonly available tools				
P7.9.	Spare pa	rts are available after end of production for: 5 years				
P7.10	Service i	s available after end of production for: 5 years			[
		and substance requirements				
P7.11*		cover/housing material type:				
57.40		type: Bayer FR3008 Material type: LG ER5001RFA Material	type:			
P7.12		cable insulation materials of power cables are PVC free.		<u> </u>		
P7.13		cable insulation materials of signal cables are PVC free				
P7.14	All cover	/housing plastic parts >25g are free from chlorine and bromine.		\square		
P7.15	All printe Note B2	d circuit boards (without components) >25g are halogen free. as defined in IEC6	1249-2-21. (Se	e 🗌	\square	
P7.16	Flame re Marking:	tarded plastic parts >25g in covers / housings are marked according ISO 1043-4:		\boxtimes		
P7.17	Alt. 1 Chemica	I specifications of flame retardants in printed circuit boards >25g (without componer additive) , TBBPA (reactive) , Other; chemical name: , CAS #: 79-94-7				
	ISO 1043	I specifications of flame retardants in printed circuit boards (without components) >2 3-4: FR16	25g according			
P7.18	concentr	etarded plastic parts >25g contain the following flame retardant substances, ations above 0.1%: ent: No legal limits exist, this is a market requirement.	preparations i	n 🗌		
	1. Chem 2. Chem	cal name: , CAS #: cal name: , CAS #: cal name: , CAS #:				
	FR(40)	I specifications of flame retardants in plastic parts >25g according ISO 1043-4:		\boxtimes		
P7.19		arts >25g are free from flame retardant substances/ preparations above 0.1% classi 6, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)	fied as R45,			
P7.20		lastic parts' weight >25g, recycled material content is 2.11 %.				
P7.21		lastic parts' weight >25g, biobased material content is 0% .				
P7.22	If mercur	rces are free from mercury y is used specify: Number of lamps: and max. mercury content per lamp:	mg			_
28	Batterie					
P8.1*		hemical composition: <i>Li-ion Polymer</i>				
P8.2	Batteries	meet the requirements of the following voluntary program/s: US RBRC				

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model numb	^{ber *} 80	V4. 8	BOTY						
Issue date *		6/5/19				Logo Lenovo),		
Due duration		- I - 44 u ! k	Market		• • • • (• • • • • • • • • • • • • • • • • • •	· · · · · · · · · · · · · · · · · · ·			
Item	ivironmenta	ai attric	outes - Market I	requirements (d	continued)	Requiremen Yes No			
P9 E	Energy consi	umption	1						
9.1 F	or the produc	ct the fol	lowing power leve	els or energy cons	umptions are re	ported: See P14			
Energy mode	e *	F	Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference / Standard for energy modes and tes method *	t		
Peak (On-ma	ax)	0	0.05 W	0.057 W	0.144 W	Full load			
Category	<u> 1</u>								
Short Idle St	tate - WOL D	isabled	5.531 W	5.583 W	6.156 W	Use for ENERGY STAR V6 registration (P _{idle})			
Long Idle St	tate - WOL D	isabled	2.044 W	2.091 W	2.19 W	Use for ENERGY STAR V6 registration (P _{idle})			
Sleep (S3) -	WOL Enable	ed	NA W	NA W	NA W	Use for ENERGY STAR V6 registration(P _{sleep})			
Sleep (S3) -	WOL Disable	ed	0.357 W	0.357 W	0.452 W	Reference			
Off (S5) - W0	OL Enabled		NA W	NA W	NA W	Use for ENERGY STAR V6 registration(Poff)			
Off (S5) - W0	OL Disabled		0.230 W	0.230 W	0.318 W	Use for EuP			
Category	2								
	<u>-2</u> tate - WOL D	isabled	6.004 W	6.013 W	6.182 W	Use for ENERGY STAR V6 registration(P _{idle})			
Long Idle St	tate - WOL D	isabled	2.251 W	2.214 W	2.354 W	Use for ENERGY STAR V6 registration(P _{idle})	\exists		
•	WOL Enable		NA W	NAW	NA W	Use for ENERGY STAR V6 registration (P _{sleep})	┼∺		
	WOL Disable		0.570 W	0.581 W	0.677 W	Reference	┼岩		
Off (S5) - W			NAW	NAW	NAW	Use for ENERGY STAR V6 registration(P _{off})	┼岩		
	OL Disabled		0.180 W	0.188 W	0.277 W	Use for EuP	┼┝┥		
EPS No-load			W	W	W		┼╬╴		
(External pov plugged in th	wer supply / c e wall outlet t from the pro	but							
PTEC * Typical Energ	gy Consumpt	ion	W	W	W				
TEC * Typical Energ	gy Consumpt	ion	kWh/week	kWh/week	kWh/week				
ETEC *			17.8/19.89	18.10/19.94	20,18/20,99	$E_{TEC} = (8760/1000) \times (P_{off} \times 0.25 + P_{sleep} \times 0.35)$	+-		
Annual Energ	gy Consumpti	ion	kWh/year	kWh/yea r	kWh/year	+ $P_{long_ldle} \times 0.10$ + $P_{short_ldle} \times 0.30$)			
					•				
Display resol	ution* : 1920	0*1080		b) - WOL Enabled; I	sleep: Sleep Mode	(S3) - WOL Enabled; P _{idle} : Idle State - WOL Enabled	+ -		
Print Speed *			es per minute						
•			•						
	-		mode: 30 minutes		the product				
			energy save funct	•	•				
E		AR® ver	e energy requirem sion: Version 6.0			Product category: 11,12			
	missions								
	<mark>loise emissi</mark> Aode		clared according t le description	0 150 9296	Declared	Declared A-weighted	T		
					A-weighted sound power level L_{WAd} (sound pressure level L_{pAm} (dB)] t		
10	dle	* H	IDD:Idle		* 2.6	17.3	ήΠ		
	Operation	* H	IDD: Operating		* 4.2	35.0			
	Other mode						_		
Ν	Aeasured acc	cording to							
P10.2 T	The product m	neets the	Other			with L _{pAm} measurement distance m)			
	no produocii				. Justing Volunt				

Issue da	to *	2016/5/	<u>I, 807</u>	•														
issue da	le "	2010/3/	19									L	ogo		Ler	101	VO.	
															_			
	environ	nental a	ttributes	- Mark	et requir	em	ents (o	continu	ed)						Requ			
Item															Ŷ	es	No	n.a.
P10.3*					products													
			-		328 (ISO/I	EC	28360)	standar	d, (other s	becify:					<u> </u>		
P10.4	Typical	emission r	· ·	. ,	,		_				_							\boxtimes
D40.5	0	Dust	Ozon		Styrene			enzene		TVO	-							
P10.5					the followin	-		/ progra			e met fo			1	L			\boxtimes
		Dust magnetic	-	one 🔄	Styl	rene	e 🗌		Benze	ene 🔄		1 V]				
P10.6					ment for lo	w fr	equenc	v electro	magn	etic fiel	ts of the	follow	ina voli	intary		2		
1 10.0	program		meets inc	requirei		VV 11	equene	y ciccit	magn				ing voi	intary		2		
P11	1 0		erials for	printing	products	5												
P11.1*	A Safety	/ Data She	et (SDS)	is availa	ble for the	ink/	/toner p	reparatio	n, eve	n if not	legally	require	d (see	P4.3).				\square
P11.2*	Paper o EN1228		post-cons	sumer re	ecycled fib	ers	can be	used,	provide	ed that	it mee	ts the	require	ments	of]		\square
P11.3*	2-sided	(duplex) p	rinting/co	oying is a	an integrate	ed p	product	function										\boxtimes
P12	Ergono	mics for o	computin	g produ	cts													
P12.1*	The disp	olay meets	the ergo	nomic re	quirements	s of	ISO 92	41-307 f	or visu	al displ	ay techi	nologie	s.			\triangleleft		
P12.2*	The phy	sical inpu	device m	eets the	requireme	ents	of ISO	9995 an	d ISO	9241-4	10.					1	\square	
P13	Packag	ing and d	ocument	ation												_		
P13.1*	Product	packaging packaging packaging	g material	type(s):	EPE		weight	(kg): 0. (kg): 0. (kg): 0.)4kg									
P13.2*	Product	plastic pa	ckaging is	free from	m PVC.											\triangleleft		
P13.3*	Specify Electron	media for iic 🔀, Pa	user and per 🔀 (oroduct o	documenta	atior	n (tick b	ox):										
P13.4*		er user an			ntation, ple	ease	e specif	y contaii	ned pe	rcentag	e of pos	st-cons	umer re	ecyclec				
P14		nal inforn	nation (Se	e Note I	B4)													
	NOTE: S informat knowled	Supplier m ion contai lge availat d here is a	akes no r ned in this ble at the f	epresent docume ime of co	tations, gua ent. All info ompletion, ovided for	orma and	ation pro	ovided b er shall l	/ supp have n	lier in tl o obliga	nis docu ation to i	ment is update	s provic such ir	ed bas	ed on s ion. Th	suppl e info	ier's ormat	ion
P 9	See En				oks & Tab										_			

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19

Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	Lenovo YOGA 710-14IKB	Logo
Model Number Issue Date	80V4, 80TY 2016/5/19	Lenovo
Additional information		

P7.1.1 Product environmental attributes

(d)	year of manufacture:	2016
e)	E TEC value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics ca disabled and if the system is tested with switchable graphics mode with UMA driving the display:	rds (dGfx) are
	Category (according to ErP Lot 3): A Etec: 9.01	
(f)	E TEC value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics can enabled:	ds (dGfx) are
	Category (according to ErP Lot 3): B Etec: 8.24	
(g)	idle state power demand (Watts);	A: 2.73 B: 2.35
(h)	sleep mode power demand (Watts);	A: 0.69 B: 0.68
(i)	sleep mode with WOL enabled power demand (Watts) (where enabled);	NA
(j)	off mode power demand (Watts);	A: 0.26 B: 0.28
(k)	off mode with WOL enabled power demand (Watts) (where enabled);	NA
(I)	internal power supply efficiency at 10 %, 20 %, 50 % and 100 % of rated output power (if applicable):	
	10% 20% 50% 100% Average	
(m)	external power supply efficiency (if applicable):	
	Average*: 45W:88.40%;88.64%;88.53%;65W : 89.23%,89.31%,88.93%	
	*internal note: show values for all available external power supplies	
(0)	the minimum number of loading cycles that the batteries can withstand (applies only to notebook computers):	300 cycles
(p-1)	the measurement methodology used to determine information mentioned in points (I) - internal PSU efficiency:	
	NA	
(p-2)	the measurement methodology used to determine information mentioned in points (m) - external PSU efficiency:	
	Energy-star requirement	

(p-3)	the measu	irement methodolog	gy used	to determine information mentioned in points (o) - loadingcycles						
	ballenes.		IEC	61960 measurement methodology						
(p-4)				o determine information mentioned in maximum, idle, sleep, off mode roduct IT Eco Declaration:						
	IEC 62623 / IEC EN50564:2011 measurement methodology									
(q)	sequence	of steps for achieving	g a stabl	le condition with respect to power demand::						
		IEC 62	623 / IE	C EN50564:2011 measurement methodology						
(r)	description	of how sleep and/or	r off moo	le was selected or programmed:						
				Based on user manual						
(\$)	sequence off mode:	of events required to	reach t	he mode where the equipment automatically changes to sleep and/or						
				Based on user manual						
(t)				efore the computer automatically reaches sleep mode, or another oplicable power demand requirements for sleep mode (in minutes):	30					
(u)				ser inactivity in which the computer automatically reaches a demand requirement than sleep mode (in minutes):	NA					
(v)	the length	of time before the	display	sleep mode is set to activate after user inactivity (in minutes):	10					
(w)	informatior	on the energy-savir	ng poten	tial of power management functionality:						
				Based on user manual						
(x)	user inform	nation on how to ena	ble the p	power management functionality:						
				Based on user manual						
(z)		supply system, — inf		test voltage in V and frequency in Hz, — total harmonic distortion of the n and documentation on the instrumentation, set-up and circuits used						
			230V/5	0Hz, Total Harmonic Distortion <2 %						
Addition	Notebook B	attery Information:								
Yes		No	n/a	This notebook computer is operated by battery/ies that cannot be accessed by a non-professional user.	and replaced					
(Battery	not user	(Battery user		The battery[ies] in this product cannot be easily replaced	hy usors					
replaceab	ie)	replaceable)		themselves	<i>a by</i> users					
Additiona	al informatio	n								