

Product environmental attributes - THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable).

Additional information regarding each item may be found under P14.

Brand *	Lenovo	Logo
Company name *	Lenovo	
Contact information *	Lenovo Global Environmental Affairs Alvin L Carter 1009 Think Place Building 2 / 5F1 Morrisville, North Carolina 27560 alcarter @lenovo.com	Lenovo
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment	t.html
Additional information	The latest version of this document can be found at	
	http://www.lenovo.com/social_responsibility/us/en/datasheets_i	notebooks.html

	ased on product specification or test results based obtained from sample testing), that the product is given in this declaration.
Type of product *	Notebook
Commercial name *	Lenovo YOGA 910-13IKB;Lenovo YOAG 910-13IKB Glass;Lenovo YOGA 5 Pro
Model number *	80VG;80VF
Issue date *	2016-8-24
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other EMEA
Additional information	

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality	Control	Requireme	nt met
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration		
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality contro such as organized by IT-Företagen (see www.itecodeclaration.org).		

Model number *	80VG;80VF		
Issue date *	2016-8-24	Logo	Lenovo

Product	environmental attributes - Legal requirements	Require	emen	t met
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1)			
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.			
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.4*	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference).			
P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).			
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.7*	Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split aromatic amines. (See legal reference and Note B1)			\boxtimes
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm²/week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:1998.			
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact): http://www.lenovo.com/social_responsibility/us/en/materials.html			
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference)			
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)			\boxtimes
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medica or data integrity reasons do not have to be "easily removable". (See legal reference)			
P3	Safety, EMC connection to the telephone network and labeling			
P3.1*	The product complies with legally required safety standards as specified (see legal reference).			\boxtimes
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal reference).	\boxtimes		
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference).			
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).	\boxtimes		
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).			
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).			\square
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together.	d 🔀		
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	\boxtimes		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montrea Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.	l 🔀		

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Issue dat	e *	2016-8-24	Logo	Lend	OVC	
		mental attributes - Market requirements - Environmental conscious de	sign R	equire		
Item		atory to fill in. Additional information regarding each item may be found under P14.		Yes	No	n.a.
P6.1*		nt information on for recyclers/treatment facilities is available (see legal reference).				
P7	Design	orrior recognition recent reconnects to available (see regal reference).				
	_	mbly, recycling				
P7.1*		nt have to be treated separately are easily separable		\boxtimes	П	
P7.2*	Plastic m	naterials in covers/housing have no surface coating.				$\overline{\Box}$
P7.3*	Plastic p	arts >100g consist of one material or of easily separable materials.	-		一	$\overline{\Box}$
P7.4*	Plastic p	arts >25g have material codes according to ISO 11469 referring ISO 1043.			币	T
P7.5	Plastic p	arts are free from metal inlays or have inlays that can be removed with commonly av	ailable tools.		T	$\overline{\Box}$
P7.6*	Labels a	re easily separable. (This requirement does not apply to safety/regulatory labels).			一	$\overline{}$
	Product	lifetime				
P7.7*	Upgradir	ng can be done e.g. with processor, memory, cards or drives		\boxtimes		
P7.8*	Upgradir	ng can be done using commonly available tools				
P7.9.	Spare pa	arts are available after end of production for: 5 years				
P7.10		s available after end of production for: 5 years				$\overline{\Box}$
		and substance requirements				
P7.11*		cover/housing material type:				
D7.40		type: >PC+ABS-FR(40)< Material type: Material	type:			
P7.12		I cable insulation materials of power cables are PVC free.				Щ.
P7.13		I cable insulation materials of signal cables are PVC free				
P7.14		/housing plastic parts >25g are free from chlorine and bromine.			Щ.	
P7.15	All printe Note B2	ed circuit boards (without components) >25g are halogen free. as defined in IEC61	249-2-21. (See	Ш		Ш
P7.16	Flame re Marking:	starded plastic parts >25g in covers / housings are marked according ISO 1043-4:				
P7.17	Alt. 1					
		Il specifications of flame retardants in printed circuit boards >25g (without componen	ts):			\boxtimes
		additive) , TBBPA (reactive) , Other; chemical name: , CAS #:				
	Alt. 2	ll specifications of flame retardants in printed circuit boards (without components) >2	Ea coordina			
	ISO 104		by according			\boxtimes
					ш	
P7.18	Alt. 1					
		etarded plastic parts >25g contain the following flame retardant substances/pations above 0.1%:	preparations in			
	Commo	ent: No legal limits exist, this is a market requirement.				
		ical name: CAS #:				
		ical name: CAS #:				
	Alt. 2 Chemica	Il specifications of flame retardants in plastic parts >25g according ISO 1043-4:				
					_	
					<u>Ц</u>	
P7.19		arts >25g are free from flame retardant substances/ preparations above 0.1% classif 5, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)	ied as R45,		Ш	
P7.20	Of total p	plastic parts' weight >25g, recycled material content is 0%.				
P7.21		plastic parts' weight >25g, biobased material content is 0%.				
P7.22		urces are free from mercury	ma	\boxtimes		
P8	Batterie:	y is used specify: Number of lamps: and max. mercury content per lamp:	mg			
P8.1*		chemical composition: <i>LI-ION</i>				
P8.2		meet the requirements of the following voluntary program/s: US Call2Recycle,and	add EPBA.			\dashv
	IPPC					

Model number * 80VG;80VF

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model number *	80VG;80VF		
Issue date *	2016-8-24	Logo	Lenovo.

Product (environmental attri	butes - Market	requirements (continued)	Requirement i	met
Item					Yes No	n.a.
P9	Energy consumptio	n				
9.1	For the product the fo	llowing power leve	els or energy cons	umptions are re	ported: See P14	
Energy mo	ode *	Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference / Standard for energy modes and test method *	
Peak (On-	max)	45 W	45 W	45 W	Full load	
Categor	y <u> </u>	l		I		
Short Idle	State - WOL Enabled	7.52 W	7.83 W	7.60W	Use for ENERGY STAR V6 registration(P _{idle})	
Long Idle	State - WOL Enabled	2.16 W	2.13 W	2.23W	Use for ENERGY STAR V6 registration(P _{idle})	
Sleep (S3)) - WOL Enabled	NAW	NA W	NAW	Use for ENERGY STAR V6 registration (P _{sleep})	
Sleep (S3)) - WOL Disabled	0.58 W	0.58 W	0.61W	Reference	
Off (S5) -	WOL Enabled	0.28 W	0.28 W	0.30W	Use for ENERGY STAR V6 registration(Poff)	
Off (S5) -	WOL Disabled	NA W	NA W	NAW	Use for EuP	
EPS No-lo	ad	0.087W	0.097 W	0.110 W		
plugged in	power supply / charger the wall outlet but ted from the product.)					_
PTEC * Typical En	ergy Consumption	W	W	W		
TEC * Typical En	ergy Consumption	kWh/week	kWh/week	kWh/week		
ETEC *		24.08	24.88	24.48	$E_{TEC} = (8760/1000) \times (P_{off} \times 0.25 + P_{sleep} \times 0.35)$	П
Annual En	ergy Consumption	kWh/year	kWh/year	kWh/year	+ P _{long_Idle} x 0.10+ P _{short_Idle} x 0.30)	
		Poff: Off Mode(S	 5) - WOL Enabled:	P _{sleen} : Sleep Model	S3) - WOL Enabled; P _{idle} : Idle State - WOL Enabled	
Display res	solution* : 3200*1800	•		, ,	,	
Print Spee	d* : Imag	es per minute				
Default tim	e to enter energy save	mode: 10 minutes	S			一
P9.2*	Information about the			th the product.		Ħ
P9.3*	The product meets th		·			<u> </u>
1 0.0	ENERGY STAR® ve				Product category: 11	
	Others specify:					
P10	Emissions		+= ICO 0000			
P10.1	Noise emission – De Mode Mode	de description	10 150 9296	Declared	Declared A-weighted	
1 10.1	Widde	ac acsoription		A-weighted	sound pressure level L_{max} (dB)	
				sound power level $L_{W\!Ad}$ (
				level E _{WAd}	Desktop X	
					or Desk side (only if product is not operator attended)	
	Idle * I	HDD:Idle		* 2.6	15.8	
	Operation *	HDD: Operating		* 2.6	15.9	
		DD :Operating		N/A	N/A	
	Measured according		ECMA-74		,	
		Other			with L _{pAm} measurement distance m)	
P10.2	The product meets th	e acoustic noise r	equirements of the	e tollowing volunt	ary program/s:	\mathbb{M}

Model nui	mber *	80VG;80VF			
Issue date	e *	2016-8-24 Logo	Len	OVO.	0
Product	environr	nental attributes - Market requirements (continued)	Requi	remen	t met
Item			Yes		
	Chemic	al emissions from printing products			
P10.3*		formed according to ECMA-328 (ISO/IEC 28360) standard, other specify:			$\overline{\boxtimes}$
P10.4		emission rate (print phase) is (mg/h):			
		Dust Ozone Styrene Benzene TVOC			
P10.5		al emission requirements of the following voluntary program/s are met for : Oust Ozone Styrene Benzene TVOC			
	Electron	nagnetic emissions			
P10.6	program	er display meets the requirement for low frequency electromagnetic fields of the following voluntary /s: RTPX 4.2			
P11		nable materials for printing products			
P11.1*		Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3).			
P11.2*	EN1228		of		
P11.3*	2-sided	(duplex) printing/copying is an integrated product function.			\boxtimes
P12		mics for computing products			
P12.1*	The disp	play meets the ergonomic requirements of ISO 9241-307 for visual display technologies.			
P12.2*	The phy	sical input device meets the requirements of ISO 9995 and ISO 9241-410.			
P13	Packagi	ng and documentation			
P13.1*	Product Product	packaging material type(s): CARTON weight (kg): 0.396 packaging material type(s): CUSHION weight (kg): 0.058 packaging material type(s): GIFT BOX weight (kg): 0.072 plastic packaging is free from PVC.			
P13.3*					_ <u> </u>
	Electron	media for user and product documentation (tick box): ic, Paper, Other			
P13.4*	For pape fiber: 1	er user and product documentation, please specify contained percentage of post-consumer recycled 00%	j		
P14		nal information (See Note B4)			
	informat knowled provided informat		sed on su tion. The	upplier's informa	s ation
P9		ergy Star Qualified Notebooks & Tablet Computers for the latest information: ww.energystar.gov/index.cfm?fuseaction=find_a_product.showProductGroup&pgw_code=C	0		
1					

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19

Lenovo ErP Lot3 Information Sheet

- PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	Lenovo YOGA 910-13IKB;Lenovo YOAG 910-13IKB Glass;Lenovo YOGA 5 Pro	Logo
Model Number	80VG;80VF	Lenovo
Issue Date	2016-8-24	LCI 10 VO
Additional information		

(d)	year of manufacture:		2016
(e)	E TEC value (kWh) per ErP Lot 3 Category and capability a disabled and if the system is tested with switchable graphic		ards (dGfx) are
	Category (according to ErP Lot 3): A Etec: 9.	71	
f)	E TEC value (kWh) per ErP Lot 3 Category and capability a enabled:	adjustments applied when all discrete graphics ca	rds (dGfx) are
	Category (according to ErP Lot 3): NA Etec: NA	1	
g)	idle state power demand (Watts);		2.80
(h)	sleep mode power demand (Watts);		0.88
(i)	sleep mode with WOL enabled power demand (Watts) (whe	ere enabled);	NA
j)	off mode power demand (Watts);		0.30
k)	off mode with WOL enabled power demand (Watts) (where	enabled);	NA
(I)	internal power supply efficiency at 10 %, 20 %, 50 % and 10	00 % of rated output power (if applicable):	
	10% 20% 50% 100% Av	verage	
m)	external power supply efficiency (if applicable):		
	10% 20% 50% 100% Av	verage ;	
	or level: 45W:89.23%;88.11%;89.44%		
(o)	the minimum number of loading cycles that the batteries car	n withstand (applies only to notebook computers):	800 cycles
(p-1)	the measurement methodology used to determine inforefficiency:	rmation mentioned in points (I) - internal PSU	
(p-2)	the measurement methodology used to determine inform efficiency: Energy-star requireme		
(p-3)	the measurement methodology used to determine inforr batteries:	, , , ,	
	IEC 61960 measuremen	п тетовоюду	
(p-4)	the measurement methodology used to determine information	on mentioned in maximum, idle, sleep, off mode	

IEC 62623 / IEC EN50564:2011 measurement methodology							
(q)	sequence of steps for achieving a stable condition with respect to power demand::						
IEC 62623 / IEC EN50564:2011 measurement methodology							
(r)	description of how sleep and/or off mode was selected or programmed:						
Based on user manual							
(s)	sequence of events required to reach the mode where the equipment automatically changes to sleep and/or off mode:						
Based on user manual							
(t)	the duration of idle state condition before the computer automatically reaches sleep mode, or another condition which does not exceed the applicable power demand requirements for sleep mode (in minutes): 30min						
(u)	the length of time after a period of user inactivity in which the computer automatically reaches a power mode that has a lower power demand requirement than sleep mode (in minutes): NA						
(v)	the length of time before the display sleep mode is set to activate after user inactivity (in minutes): 10min						
(w)	information	on the energy-savi	ng poter	tial of power management functionality:			
refer to user manual							
(x) user information on how to enable the power management functionality:							
refer to user manual							
(z)	(z) test parameters for measurements: — test voltage in V and frequency in Hz, — total harmonic distortion of the electricity supply system, — information and documentation on the instrumentation, set-up and circuits used for electrical testing:						
230V/50Hz, Total Harmonic Distortion <2 %							
Addition I	Notebook B	attery Information:					
Yes		No	n/a	This notebook computer is operated by battery/ies that cannot be accessed by a non-professional user.	ed and replaced		
(Battery not us replaceable)		(Battery user replaceable)		The battery[ies] in this product cannot be easily replace themselves	ed by users		

Additional information	