

Product environmental attributes – THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P14.

Brand *	Lenovo	Logo				
Company name *	Lenovo					
Contact information *	Lenovo Global Environmental Affairs Alvin L Carter 1009 Think Place Building 2 / 5F1 Morrisville, North Carolina 27560 alcarter@lenovo.com	lenovo				
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment	.html				
Additional information	The latest version of this document can be found at http://www.lenovo.com/social responsibility/us/en/datasheets notebooks.html					

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.								
Type of product *	All in One							
Commercial name *	YOGA Home 900-27IBU							
Model number *	FOBM							
Issue date *	2015-07-30							
Intended market *	🔀 Global 📃 Europe 📃 Asia, Pacific & Japan 📃 Americas 📃 Other							
Additional information								

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality	Control	Requireme	nt met
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	\boxtimes	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality contro such as organized by IT-Företagen (see www.itecodeclaration.org).		

Model nu	umber *	YOGA Home 900-27ІВ <i>говмговм</i>							
Issue date *		2015-07-302015-07-30 Logo							
Product	t environ	mental attributes - Legal requirements	Require	men	t met				
Item			Yes	No	n.a.				
P1		us substances and preparations							
P1.1*	0.1% po	o do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium, ybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal e and Note B1)							
P1.2*	Products	o do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.	\boxtimes						
P1.3*	Products hydrobro trichloro	do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), omofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- ethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum ation values.							
P1.4*	terpheny	o do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated I (PCT) in preparations (see legal reference).	\boxtimes						
P1.5*		do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	\boxtimes						
P1.6*	Tris-(azi	nd leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), ridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). ht: Legal reference has no maximum concentration values.							
P1.7*	Textile a	nd leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split amines. (See legal reference and Note B1)			\boxtimes				
P1.8*	Wooden pentach	parts do not contain arsenic and chromium as a wood preservation treatment as well as orophenol and derivatives (see legal reference). ht: Legal reference has no maximum concentration values.							
P1.9*	Parts wit microgra	h direct and prolonged skin contact do not release nickel in concentrations above 0.5 m/cm²/week (see legal reference). nt: Max limit in legal reference when tested according to EN1811:1998.	\square						
P1.10*	REACH	Article 33 information about substances in articles is available at (add URL or mail contact): w.lenovo.com/social_responsibility/us/en/materials.html	\boxtimes						
P2	Batterie	\$							
P2.1*	If the pro more that marked provided	duct contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains in 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is in user manual. (See legal reference)							
P2.2*		ells used in the product do not contain more than 2% by weight of mercury. Other batteries or ators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)	\boxtimes						
P2.3*	design o	and accumulators are easily removable by either users or service providers (as dependent on the f the product). Exception: Batteries that are permanently installed for safety, performance, medical integrity reasons do not have to be "easily removable". (See legal reference)							
P3		EMC connection to the telephone network and labeling							
P3.1*	The proc	luct complies with legally required safety standards as specified (see legal reference).	\boxtimes						
P3.2*	The proc	luct complies with legally required standards for electromagnetic compatibility (see legal reference).	\boxtimes						
P3.3*		t is intended for connection to a public telecom network or contains a radio transmitter, it complies illy required standards for radio and telecommunication devices (see legal reference).	\square						
P3.4*		luct is labeled to show conformance with applicable legal requirements (see legal reference).	\square						
P4		able materials							
P4.1*	legal ref	o conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see erence and Note B1).							
P4.2*		er is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).							
P4.3*	product/	/toner formulation/preparation is classified as hazardous according to applicable regulations, the backaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these tents is available (see legal reference).							
P5		packaging							
P5.1*	Packagi	ng and packaging components do not contain more than 0.01% lead, mercury, cadmium and ent chromium by weight of these together.							
P5.2*		ackaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	\square						
P5.3*	The pro Protocol	duct packaging material is free from ozone depleting substances as specified in the Montreal (see legal reference). (see legal reference). It: Legal reference has no maximum concentration values.							

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model n	umber *	YOGA Home 900-27ІВ <i>говмговм</i>			
Issue date *		2015-07-302015-07-30 Logo	lenc	DVO.	
Produc	t environ	mental attributes - Market requirements - Environmental conscious design	Require	ment	met
Item		atory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a
P6		nt information			
P6.1*		ion for recyclers/treatment facilities is available (see legal reference).			
P7	Design				
P7.1*		mbly, recycling at have to be treated separately are easily separable			
P7.2*		naterials in covers/housing have no surface coating.			
P7.3*		arts >100g consist of one material or of easily separable materials.			
P7.4*					
	-	arts >25g have material codes according to ISO 11469 referring ISO 1043.		<u> </u>	
P7.5		arts are free from metal inlays or have inlays that can be removed with commonly available tools			
P7.6*		re easily separable. (This requirement does not apply to safety/regulatory labels).			
P7.7*	Product	Iffetime ng can be done e.g. with processor, memory, cards or drives			
P7.8*		ng can be done using commonly available tools			
P7.9.		arts are available after end of production for: 5 years			
P7.10		s available after end of production for: 5 years			
		and substance requirements			
P7.11*		cover/housing material type: type: PC+ABS Material type: PC Material type: TPU			
P7.12	Electrica	I cable insulation materials of power cables are PVC free.		\boxtimes	
P7.13		I cable insulation materials of signal cables are PVC free			
P7.14		/housing plastic parts >25g are free from chlorine and bromine.			
P7.15		ed circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (╞
17.10	Note B2				
P7.16		/ etarded plastic parts >25g in covers / housings are marked according ISO 1043-4:	\square		
-	Marking:				
P7.17	Alt. 1 Chemica	al specifications of flame retardants in printed circuit boards >25g (without components):			Г
	TBBPA ((additive) , TBBPA (reactive) , Other; chemical name: , CAS #:			_
	Alt. 2		_	_	
		Il specifications of flame retardants in printed circuit boards (without components) >25g accordin	g 🗌		
D7 40		3-4: Brominated Epoxy Resin See P14			
P7.18		etarded plastic parts >25g contain the following flame retardant substances/preparation	s in 🗌		
		ations above 0.1%: ent: No legal limits exist, this is a market requirement.			
		ical name: , CAS #:			
		ical name: , CAS #:			
	3. Chem	ical name: , CAS #:			
	Alt. 2				
	Chemica	Il specifications of flame retardants in plastic parts >25g according ISO 1043-4:			
P7.19	Plastic n	arts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45,			
0		6, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)			
P7.20		plastic parts' weight >25g, recycled material content is 30%.			
P7.21		plastic parts' weight >25g, biobased material content is 0%.			
P7.22	Light sou	urces are free from mercury	\boxtimes		
20		ry is used specify: Number of lamps: and max. mercury content per lamp: mg			
P8 P8.1*	Batterie				
	-	chemical composition: <i>Li-ion battery</i>			
P8.2	Datteries	meet the requirements of the following voluntary program/s:			\geq

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Issue date * 2015-07-30	02015-07-30			Logo	lenovo	
Product environmental attr	ibutes - Market r	<mark>equirements (</mark>	continued)		Requirement	
Item P9 Energy consumption	n				Yes No	n.a
9.1 For the product the f		ls or energy cons	sumptions are re	ported: See P14		
Energy mode *	Power level at		-		ergy modes and test	
	100 V AC	115 V AC	230 V AC	method *		
Peak (On-max)	W	W	W	Full load		
Category 0	_	.		-		
Short Idle State - WOL Enabled		W	W	Use for ENERGY STAR V6		
Long Idle State - WOL Enabled	W	W	W	Use for ENERGY STAR V6	-	
Sleep (S3) - WOL Enabled	W	W	W	Use for ENERGY STAR V6	registration(P _{sleep})	
Sleep (S3) - WOL Disabled	W	W	W	Reference		
Off (S5) - WOL Enabled	W	W	W	Use for ENERGY STAR V6	registration(P _{off})	LĒ
Off (S5) - WOL Disabled	W	W	W	Use for EuP		
Category I1						
Short Idle State - WOL Enabled	53.5 W	56.96 W	14.31 W	Use for ENERGY STAR V6	registration (P _{idle})	
Long Idle State - WOL Enabled	14.42 W	14.28 W	2.25 W	Use for ENERGY STAR V6	registration (P _{idle})	
Sleep (S3) - WOL Enabled	2.25 W	2.26 W	2.34 W	Use for ENERGY STAR V6	registration(P _{sleep})	
Sleep (S3) - WOL Disabled	2.25 W	2.26 W	2.34 W	Reference		
Off (S5) - WOL Enabled	0.48 W	0.46 W	0.55 W	Use for ENERGY STAR V6	registration(P _{off})	
Off (S5) - WOL Disabled	0.47 W	0.47 W	0.47 W	Use for EuP		
Category I2	•		·	•		
Short Idle State - WOL Enabled	W W	W	W	Use for ENERGY STAR V6	registration(P _{idle})	
Long Idle State - WOL Enabled	W	W	W	Use for ENERGY STAR V6	registration(P _{idle})	
Sleep (S3) - WOL Enabled	W	W	W	Use for ENERGY STAR V6	registration (P _{sleep})	
Sleep (S3) - WOL Disabled	W	W	W	Reference		
Off (S5) - WOL Enabled	W	W	W	Use for ENERGY STAR V6	registration(P _{off})	E
Off (S5) - WOL Disabled	W	W	W	Use for EuP		
Category I3						
Short Idle State - WOL Enabled	W V	W	W	Use for ENERGY STAR V6	registration (P _{idle})	
Long Idle State - WOL Enabled	W	W	W	Use for ENERGY STAR V6	registration (P _{idle})	E
Sleep (S3) - WOL Enabled	W	W	W	Use for ENERGY STAR V6	registration(P _{sleep})	E
Sleep (S3) - WOL Disabled	W	W	W	Reference		E
Off (S5) - WOL Enabled	W	W	W	Use for ENERGY STAR V6	registration(P _{off})	E
Off (S5) - WOL Disabled	W	W	W	Use for EuP		E
Category D1		•				
Short Idle State - WOL Enabled	1 W	W	W	Use for ENERGY STAR V6	registration (P _{idle})	
Long Idle State - WOL Enabled	W	W	W	Use for ENERGY STAR V6	registration (P _{idle})	T
Sleep (S3) - WOL Enabled	W	W	W	Use for ENERGY STAR V6	registration(P _{sleep})	
Sleep (S3) - WOL Disabled	W	W	W	Reference		
Off (S5) - WOL Enabled	W	W	W	Use for ENERGY STAR V6	registration(P _{off})	T
Off (S5) - WOL Disabled	W	W	W	Use for EuP		
Category D2			1			
Short Idle State - WOL Enabled	W W	W	W	Use for ENERGY STAR V6	registration (P _{idle})	Γ
Long Idle State - WOL Enabled	W	W	W	Use for ENERGY STAR V6	registration (P _{idle})	T
Sleep (S3) - WOL Enabled	W	W	W	Use for ENERGY STAR V6	registration(P _{sleep})	T
Sleep (S3) - WOL Disabled	W	W	W	Reference		Ť
Off (S5) - WOL Enabled	W	W	W	Use for ENERGY STAR V6	registration(P_)	┢

Off (S5) -	WOL Disabled	W	W	W	Use for EuP					
plugged in	oad power supply / charg n the wall outlet but cted from the product.		W	W						
PTEC * Typical E	nergy Consumption	W	W	W						
TEC * Typical E	nergy Consumption	kWh/week	kWh/week	kWh/week						
ETEC * Annual E	nergy Consumption	185.86 kWh/year	196.21 kWh/year	194.31 kWh/year	$E_{TEC} = (8760/1000) \times (P_{off} \times 0.45 + P_{sleep} \times 0.05)$ + $P_{long idle} \times 0.15 + P_{short idle} \times 0.35)$					
		Poff: Off Mode(S5) - WOL Enable	d; P _{sleep} : Sleep Mod	e(S3) - WOL Enabled; P _{idle} : Idle State - WOL Enabled					
Display re	esolution* : Me	egapixels								
Print Spe	ed* : Im	ages per minute								
Default tir	ne to enter energy sa	ive mode: 25 minut	es							
P9.2*	Information about t	the energy save fur	ction is provided	with the product.						
P9.3*		the energy require version: Version 6.		wing voluntary pro Product category:						
P10	Emissions									
		Declared according	g to ISO 9296							
P10.1	Mode N	Mode description		Declared A-weighte sound pow	sound pressure level L_{pAm} (dB)					
	Operator position Bystander positions Desktop Image: Comparison of Desk side Image: Comparison of Desk side or Desk side Image: Comparison of Desk side Image: Comparison of Desk side									
	Idle *	HDD:Idle		* 3.3	25					
	Operation *	HDD: Operating		* 3.3	25					
	Other mode									
	Measured according to: ISO7779 ECMA-74 Other (only if not covered by ECMA-74 with L _{PAm} measurement distance m)									
P10.2	The product meets	the acoustic noise	requirements of	the following volun	itary program/s:					

Model nu	mber *	YO	GA H	lom	e 9	00-	27	IB	U	F0	BMF	OBM				
Issue date	э*										lenovo					
Product	onvironn	montal at	ributes - N	larkot r	oquiror	nonte	(conti	nuod	<u>،</u>					Require	mont	tmot
Item	environn	inentai at		aiketi	equiler		Conti	nueu	/					Yes	No	
	Chemica	al emissio	ns from prin	ntina pro	oducts											
P10.3*			ording to EC			28360)) stand	lard	othe	er speci	fv [.] will t	be tested	5/1-6/1	\square		
P10.4			te (print pha) 010.110		, ••							Ħ
		Dust	Ozone	<i>,</i> ,	Styrene	E	Benzen	е	T١	voc						
P10.5			requirement							are m	et for :					
		Dust 🗌	Ozone		Styre				nzene			туос				
		magnetic e														
P10.6	Compute program		neets the rec	quiremen	it for low	frequen	cy elec	troma	gnetic	fields o	f the foll	owing vo	luntary	\boxtimes		
P11	Consum	nable mate	rials for pri	nting pr	oducts											
P11.1*	A Safety	/ Data She	et (SDS) is a	vailable	for the in	k/toner	prepara	ation, e	even if	not leg	ally requ	uired (see	P4.3).			\boxtimes
P11.2*	Paper co EN1228		oost-consum	er recyc	led fiber	s can b	e useo	d, prov	vided t	that it r	neets th	ne require	ements of	f		\boxtimes
P11.3*	2-sided ((duplex) pr	nting/copyin	g is an ir	ntegrated	produc	t functi	on.								\boxtimes
P12			omputing pr													
P12.1*	The disp	play meets	the ergonom	ic requir	ements o	of ISO 92	241-30	7 for v	risual d	isplay t	echnolo	gies.		\boxtimes		
P12.2*	The phys	sical input	device meets	s the req	uirement	s of ISC	9995 (and IS	SO 924	1-410.				\boxtimes		
P13	Packagi	ing and do	cumentatio	n												
P13.1*	Product	packaging	material type material type material type	e(s): EP		weigh	nt (kg): nt (kg): nt (kg):									
P13.2*	Product	plastic pac	kaging is fre	e from P	VC.									\boxtimes		
P13.3*			ser and proc er 🔀, Othe		umentatio	on (tick l	box):									
P13.4*		er user and	product doc		ion, plea	se spec	ify cont	tained	percer	ntage of	f post-co	onsumer r	ecycled			
P14			ation (See N													
	informati knowled	ion contain Ige availab d here is ap	kes no repre ed in this do e at the time proximate an	cument. of comp	All inform pletion, ar	nation pl nd suppl	rovideo lier sha	l by su Il have	ipplier i e no ob	in this c oligatior	locumer to upda	nt is provi ate such i	ded based nformation	d on supp n. The in	olier's format	
P9			ualified No star.gov/in									o&pgw_c	ode=CO			

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19

Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	YOGA Home 900-27IBU	Logo
Model Number	<i>F0BM</i>	lenovo
Issue Date	2015-07-30	
Additional information		

P7.1.1	Product env	vironmental	attributes									
(d)	Year of m	anufacture:						Availible on p	product labe			
(e)		E TEC value (kWh) and capability adjustments applied when all discrete graphics cards (dGfx) are disabled and if the system is tested with switchable graphics mode with UMA driving the display:										
(f)	are enabl	E TEC value (kWh) and capability adjustments applied when all discrete graphics cards (dGfx) are enabled: Cat. B 68.95										
(g)	idle state	power demand	(Watts);					18.0	67			
(h)	sleep moo	de power dema	nd (Watts);					2.3	35			
(i)	sleep moo	de with WOL er	nabled powe	er demand (Watt	s) (where er	nabled);		2.3	37			
(j)	off mode p	power demand	(Watts);					0.5	52			
(k)	off mode v	with WOL enab	led power d	lemand (Watts)	(where enab	led);		0.5	54			
(I)	Internal po 10%	ower supply eff 20%	iciency at 10 50%	0 %, 20 %, 50 % 100%	and 100 %	of rated output pow	ver (if applicable):	N/A	l			
(m)	External p	ower supply ef	ficiency (if a	applicable):								
	10%	20%	50%	100%	Averag	e ;						
(0)	or Level: The minin		loading cyc	les that the batte	eries can wil	hstand (applies only	y to notebook cor	nputers):	N/A			
(f)	the electri used for e Test volta Total harn	Test parameters for measurements: — test voltage in V and frequency in Hz, — total harmonic distortion of the electricity supply system, — information and documentation on the instrumentation, set-up and circuits used for electrical testing: Test voltage in V and frequency in Hz 230V/50Hz Total harmonic distortion of the electricity supply system ≤2% Information and documentation on the instrumentation, set-up and circuits used for electrical testing										
		Instrument		Range Use	d	Make and	Model **					
	AC	Type Power Source	1~2	Or *** 280VAC;1~550H A.	IZ;1000V	NF;EC1000S;		-				
	C	Digital Watch		Full range		CASIO; HS-70W	/; SN:208Q08R					
	F	Power Meter		0~600V;0~20	DA	YOKOGAWA;WT2 0		3				

			ermograph	15~35℃/15~90%	testo; 608-H1,SN:1034895602								
			nemometer	0~20m/s,-20~70℃	Testo;425;SN:02591883								
		Light IV	leasuring	1°;1-300cd/ m ²	Konica Minolta;LS-110;								
(p-1)	(p-1) The measurement methodology used to determine information mentioned in points (I) – internal PSU												
	efficiency:												
				N/A									
(p-2)		The measurement methodology used to determine information mentioned in points (m) – external PSU efficiency:											
(p-3)	The	measurer	ment methodolog	v used to determine inform	nation mentioned in points (o) – loading	acvcles							
	batte			-		, ,							
				N/A									
(p-4)													
	powe	er as defin	ed in Point P9.1 i	n the Product IT Eco Declara	tion:								
			IEC 626	23 / IEC EN50564:2011 mea	surement methodology								
(q)	Sequ	ience of s	teps for achieving	a stable condition with respe	ect to power demand::								
			P	ower on -> Wait 5 minutes -	>Stable condition								
(r)	Desc	ription of	how sleep and/or	off mode was selected or pro	ogrammed:								
			Be	gin menu -> Power -> Selec	t sleep or off mode								
(s)	Sequ off m		vents required to	reach the mode where the ec	quipment automatically changes to sleep a	nd/or							
		Contro	l Panel->Power	Options-> Change Settings	-> Restore default settings for this plan								
(4)	The		- f : - II			t h							
(t)					automatically reaches sleep mode, or ar nd requirements for sleep mode (in minute								
(u)					th the computer automatically reaches a than sleep mode (in minutes):	45 minutes							
(v)	The	ength of	time before the	display sleep mode is set to	activate after user inactivity (in minutes):	15 minutes							
(w)	Infor	mation on	the energy-savin	g potential of power manager	ment functionality:								
			0.										
				N/A									
(x)	User	informatio	on on how to enal	ble the power management fu	inctionality:								
				Refer to User G	uide								
		1	ry Information:										
Yes	No	n/a	This notebook of user.	computer is operated by batt	ery/ies that cannot be accessed and repla	aced by a non-professional							
			The battery	[ies] in this product ca	annot be easily replaced by user	s themselves							
Additi	onal infor	mation											
Autili													