

Product environmental attributes - THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable).

Additional information regarding each item may be found under P14.

Brand *	ThinkPad	Logo	
Company name *	Lenovo		
Contact information *	Lenovo Global Environmental Affairs Alvin L Carter 1009 Think Place Building 2 / 5F1 Morrisville, North Carolina 27560 alcarter @lenovo.com		
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment.html		
Additional information	The latest version of this document can be found at http://www.lenovo.com/social_responsibility/us/en/datasheets_notebooks.html		

	The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.	
Type of product *	Notebook PC	
Commercial name *	Zhaoyang K4450, Zhaoyang K4450A	
Model number *	M/T: 20229	
Issue date *	2013, May 23	
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other	
Additional information		

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality Control		Requireme	nt met
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration		
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality contro such as organized by IT-Företagen (see www.itecodeclaration.org).	l 🛛	

Model number *	Zhaoyang K4450, Zhaoyang K4450A	M/T: 20229
Issue date *	2013, May 23	Logo lenovo

Product	uct environmental attributes - Legal requirements			met
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1)			
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.			
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.4*	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference).			
P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).			
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.7*	Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split aromatic amines. (See legal reference and Note B1)			\boxtimes
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm²/week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:1998.			
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact): http://www.lenovo.com/social_responsibility/us/en/environment.html			
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference)			
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)			
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference)			
P3	Safety, EMC connection to the telephone network and labeling			
P3.1*	The product complies with legally required safety standards as specified (see legal reference).	\boxtimes		
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal reference).	\boxtimes		
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference).			
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).	\boxtimes		
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).			
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).		П	\square
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together.	d 🔀		
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	\boxtimes		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montrea Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.	al 🔀		

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model number *	Zhaoyang K4450, Zhaoyang K4450A	M/T: 20229
Issue date *	2013, May 23	Logo lenovo

Product		Require	ment	met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P6	Treatment information			
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).		Ш	
P7	Design Disassembly, recycling			
P7.1*	Parts that have to be treated separately are easily separable	\boxtimes		
P7.2*	Plastic materials in covers/housing have no surface coating.		\boxtimes	
P7.3*	Plastic parts >100g consist of one material or of easily separable materials.	$\overline{\boxtimes}$	$\overline{\Box}$	
P7.4*	Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043.	\boxtimes	$\overline{\Box}$	
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	$\overline{\boxtimes}$	\sqcap	$\neg \neg$
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	$\overline{\mathbb{X}}$	币	一
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives			
P7.8*	Upgrading can be done using commonly available tools	\boxtimes	币	
P7.9.	Spare parts are available after end of production for: 5 years			\Box
P7.10	Service is available after end of production for: 5 years			Ħ
	Material and substance requirements			
P7.11*	Product cover/housing material type:			
	Material type: PC+ABS-FR(40) Material type: Material type:			
P7.12	Electrical cable insulation materials of power cables are PVC free.		\boxtimes	
P7.13	Electrical cable insulation materials of signal cables are PVC free		\boxtimes	
P7.14	All cover/housing plastic parts >25g are free from chlorine and bromine.	\boxtimes		
P7.15	All printed circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (See Note B2)			
P7.16	Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4: Marking: FR(40)			
P7.17	Alt. 1 Chemical specifications of flame retardants in printed circuit boards >25g (without components): TBBPA (additive) , TBBPA (reactive) , Other; chemical name: DOPO(9,10-dihydro-9-oxa-10-phosphaphenanthrene-10-oxide), CAS #: 35948-25-5			
	Alt. 2 Chemical specifications of flame retardants in printed circuit boards (without components) >25g according ISO 1043-4: FR(40)			
P7.18	Alt. 1 Flame retarded plastic parts >25g contain the following flame retardant substances/preparations in concentrations above 0.1%:			
	Comment: No legal limits exist, this is a market requirement. Provide a list of all used flame retardants including MSDS for each flame retardant. The list must contain complete chemical name, CAS number and supplier. 1. Chemical name: , CAS #: , Supplier: 2. Chemical name: , CAS #: , Supplier:			
	3. Chemical name: , CAS #: , Supplier: Alt. 2 Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4: FR(40)			
P7.19	Plastic parts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45, R40, R46, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)			
P7.20	Of total plastic parts' weight >25g, recycled material content is 6.4 %.			
P7.21	Of total plastic parts' weight >25g, biobased material content is 0%.			
P7.22	Light sources are free from mercury	\boxtimes		
P8	Batteries			
P8.1*	Battery chemical composition: Lithium Ion/Lithium Manganese Dioxide			_ <u>_</u> _
P8.2	Batteries meet the requirements of the following voluntary program/s: US RBRC			

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model number *	Zhaoyang K4450, Zhaoyang K4450A	M/T: 20229	
Issue date *	2013, May 23	Logo	lenovo

Product environmental attributes - Market requirements (continued) Requirement met					
Item				Yes No	n.a.
P9 Energy consumption 9.1 For the product the following power levels or energy consumptions are reported:					_
					<u> </u>
Energy mode	Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference / Standard for energy modes and test method *	Ш
Peak (On- max)	65 W	65 W	65 W	Full load	
Category A	00 VV	00 VV	00 W	T dirioad	
Idle State - WOL Enabled	W	W	W	Use for ENERGY STAR Registration(P _{idle})	
Sleep (S3) - WOL Enabled	W	W	W	Use for ENERGY STAR Registration(P _{sleep})	
Sleep (S3) - WOL Disabled	W	W	W	Reference	
Off (S5) - WOL Enabled	W	W	W	Use for ENERGY STAR Registration(Poff)	
Off (S5) - WOL Disabled	W	W	W	Use for EuP	
Category B					
Idle State - WOL Enabled	5.84 W	4.48 W	4.96 W	Use for ENERGY STAR Registration(P _{idle})	
Sleep (S3) - WOL Enabled	0.53W	0.54W	0.61W	Use for ENERGY STAR Registration(P _{sleep})	
Sleep (S3) - WOL Disabled	W	W	W	Reference	
Off (S5) - WOL Enabled	0.34W	0.38 W	0.46 W	Use for ENERGY STAR Registration(Poff)	
Off (S5) - WOL Disabled	0.35W	0.35 W	0.42 W	Use for EuP	
EPS No-load	0.08W	0.08W	0.11W		
(External power supply / charger plugged in the wall					
outlet but disconnected from					
the product.)					
P _{TEC}	W	W	W	(Workstation Levels)	\boxtimes
Typical Energy Consumption				$P_{TEC} = 0.35 * P_{off} + 0.10 * P_{sleep} + 0.55 * P_{idle}$	
TEC	kWh/week	kWh/week	kWh/week		
Typical Energy Consumption					
ETEC *	17.59	14.25	15.96	(Desktop, Integrated Desktop, and Notebook Levels)	П
Annual Energy Consumption				$E_{TEC} = (8760/1000) * (P_{off} * T_{off} + P_{sleep} *$	
				T _{sleep} + P _{idle} * T _{idle})	
	Display resolution : 1366 x 768 Megapixels		Ш		
Print Speed : I	mages per minute				
Default time to enter energy	save mode: 20 minute	es			
P9.2* Information abou	t the energy save fund	ction is provided with	the product.		
	ts the energy requirer				
	version: Version 5.0 ENERGY STAR for E				H
P10 Emissions		ttornari onor capp	mee Englishing on	toria referenza	
Noise emission	 Declared according 	to ISO 9296			
P10.1 Mode	Mode description		Declared	Declared A-weighted	P1
			A-weighted sound power	sound pressure level L_{pAm} (dB)	0.1
			level L_{WAd} (B)	Operator position	
			/// (4	Desktop 🔀	
			1	or Desk side	
Idle	* HDD: Idle		* 3.0	21	
Operation Other mode	* HDD: Operating		* 4.0	32	
	ling to: X ISO7779 [ECMA-74			1
ivieasureu accord	Other		ed by FCMA-74 wit	h L _{pAm} measurement distance m)	
P10.2 The product mee	ts the acoustic noise				

Model number *	Zhaoyang K4450, Zhaoyang K4450A	M/T: 20229	
Issue date *	2013, May 23	Logo	lenovo

Chemical emissions from printing products P10.3* Test performed according to ECMA-328 (ISO/IEC 28360) standard, other specify: P10.4 Typical emission rate (print phase) is (mg/h): Dust Ozone Styrene Benzene TVOC	n.a.	
P10.3* Test performed according to ECMA-328 (ISO/IEC 28360) standard, other specify: P10.4 Typical emission rate (print phase) is (mg/h):	\square	
P10.4 Typical emission rate (print phase) is (mg/h): Dust Ozone Styrene Benzene TVOC	\square	
Dust Ozone Styrene Benzene TVOC		
	$\overline{\boxtimes}$	
	_	
P10.5 Chemical emission requirements of the following voluntary program/s are met for :	\boxtimes	
Dust Ozone Styrene Benzene TVOC		
Electromagnetic emissions		
P10.6 Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary program/s: MPR-II(3 pin AC adapter only)		
P11 Consumable materials for printing products		
P11.1* A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3).	\square	
P11.2* Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of		
EN12281.		
P11.3* 2-sided (duplex) printing/copying is an integrated product function.	\boxtimes	
P12 Ergonomics for computing products		
P12.1* The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies.		
P12.2* The physical input device meets the requirements of ISO 9995 and ISO 9241-410.		
P13 Packaging and documentation		
P13.1* Product packaging material type(s): Corrugated Cardboard weight (kg): 0.682		
Product packaging material type(s): Recycled Polyethylene (RLDPE) weight (kg): 0.192		
Product packaging material type(s): Others(Plastic Bags) weight (kg): 0.022 P13.2* Product plastic packaging is free from PVC.	$\overline{}$	
	屵	
P13.3* Specify media for user and product documentation (tick box):	Ш	
Electronic , Paper , Other	$\overline{}$	
P13.4* For paper user and product documentation, please specify contained percentage of post-consumer recycled fiber: 0%.(Japan only 70%)	Ш	
P14 Additional information (See Note B4)		
NOTE: Supplier makes no representations, guarantees, assurances or warranties whether express or implied, regarding the		
information contained in this document. All information provided by supplier in this document is provided based on supplier's		
knowledge available at the time of completion, and supplier shall have no obligation to update such information. The information		
provided here is approximate and provided for informational purposes only. See a Lenovo Account Representative for more information.		
P9 See ENERGY STAR Qualified Notebooks & Tablet Computers for the latest information:		
http://downloads.energystar.gov/bi/qplist/laptops_prod_list.xls		

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19