



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2017)

## Annex B2 - Product environmental attributes Desktop/All-in-One Computers

The declaration may be published only when all rows and/or fields marked with \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo	
Company name *	Lenovo		_
Contact information *	Lenovo Global Environmental Affairs	]	Lenovo
e-mail address	Alvin L Carter		LCI IOVO.
	alcarter@lenovo.com		
Internet site *	https://www.lenovo.com/us/en/sustainability-resources/		
Additional information	The latest version of this document can be found at:	·	_
	http://www.lenovo.com/ecodeclaration		

	based on product specification or test results based obtained from sample testing), that the product nts given in this declaration.
Type of product *	Tiny Desktop Computer
Commercial name *	IdeaCentre Mini 5 01IAQ7
Model number *	90UB, 90UC
Issue date *	2022-05-20
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other
Additional information	ENERGY STAR(90UB); TCO

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

#### About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

Model number *	90UB, 90UC	Logo	ı	enovo
Issue date *	2022-05-20			

Droduct	environmental attributes - Legal requirements	Require	mon	mot
Item	environmental attributes - Legal requirements	Yes	No	n.a.
P1	Hazardous substances and preparations	103	140	II.a.
P1.1*	Products do comply with current European RoHS Directive. (See legal reference and NOTE B1)			
P1.2*	Products do not contain Asbestos (see legal reference).	$\boxtimes$		
P1.3*	Comment: Legal reference has no maximum concentration value.  Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),		_	
P1.3	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-	$\boxtimes$	Ш	
	trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum			
	concentration values.			
P1.4*	Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated	$\boxtimes$		
	terphenyl (PCT) in preparations (see legal reference).			
P1.5*	Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the	$\boxtimes$		
	chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).			
P1.6*	Parts with direct and prolonged skin contact do not release nickel in concentrations above $0.5~\mu g/cm^2/week$			
	(see legal reference).			
	Comment: Max limit in legal reference when tested according to EN1811:2011-5.			
P1.7*	REACH Article 33 information about substances in articles is available at (add URL or mail contact):	$\boxtimes$		
	https://www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure			
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal	$\boxtimes$		
D0.0*	symbol. Information on proper disposal is provided in user manual. (See legal reference)			
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal reference)	$\boxtimes$	Ш	
P2.3*	Batteries and accumulators are readily removable. (See legal reference)	$\square$		
P3	Conformity verification & Eco design (ErP)			
P3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal reference).		$\overline{\Box}$	$\overline{}$
1 0.1	The Declaration of Conformity can be requested at:		ш	ш
	https://www.lenovo.com/us/en/compliance/eu-doc for EU and			
	https://www.lenovo.com/us/en/compliance/uk-doc for UK			
P3.2*	The product complies with the Eco design requirements for energy-related products,	$\boxtimes$		
	(see legal reference).		_	_
	Required information is; Siven in item P15 or added to this document,	$\boxtimes$		
	available at: https://www.lenovo.com/us/en/compliance/eco-			
	declaration			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and hexavalent chromium by weight of these together.			
P5.2*	The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s)	$\square$		
1 0.2	used (see legal reference).			ш
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol	$\boxtimes$		
	(see legal reference).	•	_	
D0	Comment: Legal reference has no maximum concentration values.			
P6.1*	Treatment information			_
P0.1	Information for recyclers/treatment facilities is available (see legal reference).			

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	90UB, 90UC	Logo	Lenovo
Issue date *	2022-05-20		

Product	environmental attributes - Market requirements (See General NOTE GN below)			
	·	Require	ment	met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P7	Design, Disassembly, recycling			
P7.1*	Parts that have to be treated separately are easily separable			
P7.2*	Plastic materials in covers/housing have no surface coating.		$\boxtimes$	
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.	$\boxtimes$		
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	$\boxtimes$		
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	$\boxtimes$		
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	$\boxtimes$		
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives			
P7.8*	Upgrading can be done using commonly available tools	$\boxtimes$		
P7.9	Spare parts are available after end of production for: 5 years			
P7.10	Service is available after end of production for: 5 years			
	Material and substance requirements			
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):			
P7.12	Material type: PC+ABS Material type: SGCC Material type: PC Insulation materials of external electrical cables are PVC free.			
P7.12	Insulation materials of external electrical cables are PVC free.	<del>-  -</del>		
			<u> </u>	
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and		Ш	Ш
	polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing			
	more than 25% post-consumer recycled content.			
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low haloger as defined in IEC 61249-2-21. (See 1NOTE B2)	1		
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking:			
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components):			
	TBBPA (additive), TBBPA (reactive) (See NOTE B3), Other: , CAS #:	$\boxtimes$		
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g			
	according ISO 1043-4:			
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in	1		
	concentrations above 0,1%:	$\boxtimes$		
	1. Chemical name: Bisphenol A diphosphate,, CAS #: 181028-79-5 (See NOTE B4)			
	2. Chemical name: Bisphenol-A bis(diphenyl phosphate), CAS #: 5945-33-5 3. Chemical name: , CAS #:			
	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:			
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been		∺	
17.13	assigned the following Risk phrases; and Hazard statements:	Ш	Ш	
	The source(s) for these classifications is/are found at (add URL(s)):  (See note B5)			
P7.20*	Postconsumer recycled plastic material content is used in the product (See Note B6):	$\square$		
0			ш	ш
	If YES; at least one of the two alternatives below shall be answered;			
	<ul> <li>a) Of total plastic parts' weight &gt; 25 g, the postconsumer recycled plastic material content (calculated as a percentage of total plastic by weight) is 51 %.</li> </ul>			
	or			
	b) The weight of recycled material is 126.74 g.			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number * Issue date *	90UB, 90UC 2022-05-20	Logo	Lenovo
Product environr	nental attributes - Market requirements (continued)		Requirement met
Item			Yes No n.a.

	Make wiel and and		(ti		
P7.21*		stance requirements material content is used		OTE B7):	
	Of total plast total plastic total plas	ne of the two alternative iic parts' weight > 25 g, by weight) is %.			ted as a percentage of
	or b) The weight of	of the biobased plastic n	naterial is g.		
P7.22*	•	free from mercury, i.e.			. $\square$
P8	If mercury is used  Batteries	specify: Number of lan	nps: and maxim	um mercury content pe	r lamp: mg
P8.1*		composition: Lithium Id	on/Lithium Manganes	e Dioxide	
P9	•	otion (See NOTE B8)		<u> </u>	
P9.1		e following power level:	s or energy consumption	ons are reported:	
Energy mod		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Standard for energy modes and test method *
Peak (On-I	nax)	135 W	135 W	135 W	Full load
Category	<u>/ 12</u>				
Short Idle Enabled	State - WOL	7.75 W	8.18 W	8.1 W	ENERGY STAR Computers V8 (Ptdle)
Long Idle S Enabled	State - WOL	5.43 W	5.61 W	5.39 W	ENERGY STAR Computers V8 (P <sub>idle</sub> )
Sleep (S3)	- WOL Enabled	0.9 W	0.9 W	0.9 W	ENERGY STAR Computers V8 (P <sub>sleep</sub> )
Off (S5) - W	VOL Enabled	0.6 W	0.6 W	0.6 W	ENERGY STAR Computers V8 (Poff)
Off (S5) - V	VOL Disabled	0.25 W	0.25 W	0.25 W	Use for ErP Power Saving Enable Data
EPS No-loa (External power s	ad upply / charger plugged in the connected from the product.)	0.061 W	0.061 W	0.061 W	
PTEC *	ergy Consumption	W	W	W	
ETEC * Annual Ene	ergy Consumption	12: 29.46 kWh/year	12: 30.75 kWh/year	12: 30.34 kWh/year	E <sub>TEC</sub> = (8760/1000) x (P <sub>off</sub> x 0.15 + P <sub>sleep</sub> x 0.45 + P <sub>long_Idle</sub> x 0.1+ P <sub>short Idle</sub> x 0.3)
		P <sub>off</sub> : Off Mode(S	5) - WOL Enabled; Psleep	: Sleep Mode(S3) - WOL	Enabled; Pidle: Idle State - WOL Enabled
		ncy Level (International	Efficiency Marking Pro	otocol) *: VI	
Display res		negapixels			
		ave mode: 25 minutes			
P9.2*		the energy save function	<u> </u>	product.	
P9.3		class (monitors only): A	V/A		
P10	Emissions Naise emission	Declared according to	JEO 0206 (See NOTE	: D0)	
P10.1		<ul> <li>Declared according to Mode description</li> </ul>	130 9290 (See NOTE		t A-weighted sound power level, $L_{WA,c}$ (B)
. 10.1	Idle	* HDD:Idle		* 2.9	T. T. S. Since Sound power level, LWA,c (D)
	Operation	* HDD: Operating		* 3.5	
		Declared A-weighted sound	d pressure level (dB) $L_{p{ m Am}}$		n desktop – idle)
		Declared A-weighted sound			n desktop – operating)
	Measured accord	ing to: 🔀 ISO 7779 🗌		·	
			296 (only if not covered	by ECMA-74)	

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B9 A Guidance document on Acoustic Noise is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

Model nun	nber *	90UB, 90UC						Logo	Le	eno	vo	
Issue date	*	2022-05-20									<b>.</b>	*
Product 6	environn	nental attrib	utes - Market	require	ments	(continued)			Re	quire	nent	met
Item										Yes	No	n.a.
	Electron	nagnetic emis	sions									
P10.4	program(	s):	·		v freque	ncy electroma	gnetic fields	of the following v	oluntary			
P12			uting products									
P12.1*		-	ergonomic requ									$\boxtimes$
P12.2*	The phys	ical input devi	ce meets the re	quiremer	nts of IS	O 9995 and IS	O 9241-410			$\boxtimes$		
P13		ng and docur										
P13.1*	Product p	packaging mat packaging mat	erial type(s): Co erial type(s): Ps erial type(s): Co	weight	(kg): <b>0.</b> d weig	100						
P13.2*	Product p	olastic primary	packaging is from	ee from F	PVC.					$\boxtimes$		
P13.3*	consume	r recovered fil	per content: 90	%			contained pe	ercentage of mini	mum post-			
P13.4*		nedia for user onic, ⊠Pape	and product do r, Other	cumentat	ion (tick	box):						
P13.5	User and If Yes, pl Totally ch Elementa											
P14		y programs								<u> </u>		
P14.1			requirements o	f the follo	wing vo	luntary progra	m(s):					
	ENERGY Eco-labe Eco-labe	' STAR® I: <i>TCO</i> I:	Criteria v Criteria v Criteria v	/ersion: 8 /ersion: 9 /ersion:	3		022/04/13	Product category Product category Product category	r: <b>Desktop</b>			
P15			n (See NOTE B		. m m au	vomu dogovin	tion of the t	ested product c	onfiguration.	,		
F	Test item	Category	CPU COI	Memory	HDD	SSD (M.2)	Graphics	power supply	Sleep mode		1	
	ES	I2	I7-12700T	32GB	2TB 2.5"	, ,	UMA	135W	Sleep			
P9	the infor supplier informat Account See Ene	mation conta 's knowledge ion. The info Representat rgy Star Qual	s no represent ined in this do available at th mation provid ive for more in ified Notebook	tations, g cument. e time of ed here of formations & Tabl	guaranto All info f compl is appro n. let Com	ees, assurand rmation provetion, and su eximate and p	ees or warra ided by sup oplier shall provided for	nties whether explier in this doc have no obligati informational po	xpress or impument is pro- ion to update urposes only	vided l such	pased	on
	•											

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) *  * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

# Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

### **Products scope of this sheet:**

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	IdeaCentre Mini 5 01IAQ7	Logo
Model Number	90UB, 90UC	Longvo
Issue Date	2022-05-20	Lenovo
Additional information	ENERGY STAR; TCO	

d)	year of manufacture:				2022
e)	Etec value (kWh) per ErP Lot 3 Categorial disabled and if the system is tested with				cards (dGfx) are
)	Etec value (kWh) per ErP Lot 3 Categorenable	ry and capability adjust	ments applied when a	all discrete graphics	cards (dGfx) are
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)
	Memory over base [GB]				32
ents	Additional internal storage	(Yes / No)	(Yes / No)	(Yes / No)	Yes (Yes / No)
capability adjustments applied during testing	Discrete television tuner	(Yes / No)	(Yes / No)	(Yes / No)	No (Yes / No)
ability a lied du	Discrete Audio Card	(Yes / No)	(Yes / No)	(Yes / No)	No (Yes / No)
cap	Discrete graphics Card(s) [number / #]	#: (Yes / No)	#: (Yes / No)	#: (Yes / No)	No #: (Yes / No)
	Category of discrete graphics Card(s)				N/A
esults	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)				31.16
Test results	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled				N/A
1)	Idle state power demand (Watts);	1	L	1	8.03
1)	Sleep mode power demand (Watts);				0.86
	Sleep mode with WOL enabled power de	emand (Watts) (where	enabled);		0.86
	Off mode power demand (Watts);				0.55
)	Off mode with WOL enabled power dem	and (Watts) (where en	abled);		0.55
)	Internal power supply efficiency at 10 %	, 20 %, 50 % and 100 °	% of rated output pow	er (if applicable):	
	10% 20% 50%	100% Avera	ige		
1)	External power supply efficiency (if appli	cable)*:			
	Average active efficiency: 89%				
	*internal note: show values for all available external p	ower supplies			
)	Minimum number of loading cycles that	the batteries can withs	and (applies only to r	otebook computers):	N/A
p-1)	Measurement methodology used to dete	ermine information mer	tioned in points (I) – in	nternal PSU efficiency	
p-2)	Measurement methodology used to dete	ermine information mer		external PSU efficience	cy:

(p-3)	Measurement methodology used to determine information mentioned in points (o) – loading cycles batteries:  N/A					
(p-4)	Measurement methodology used to determine information mentioned in maximum, idle, sleep, off mode power as defined in Point P9.1 in the Product IT Eco Declaration:					
	IEC 62623 Ed. 1.0, 2012-10					
(q)	Sequence of steps for achieving a stable condition with respect to power demand:					
	Based on Energy Star Computer V8.0/Power on->Wait 5 minutes->Stable condition(long idle)					
(r)	Description of how sleep and/or off mode was selected or programmed:					
	Based on USER MANUAL					
	Set the power plan					
	For ENERGY STAR® compliant computers, the following power plan takes effect when your computers have been idle for a specified duration:					
	turn off the display: After 10 minutes					
	<ul> <li>put the computer to sleep: After 25 minutes</li> </ul>					
	To awaken the computer from Sleep mode, press any key on your keyboard.					
	To reset the power plan:					
	Right-click the battery status icon and select <b>Power Options</b> .					
	Choose or customize a power plan of your preference.					
s)	Sequence of events required to reach the mode where the equipment automatically changes to sleep and/or					
	off mode:					
	Based on USER MANUAL					
	Set the power plan					
	For ENERGY STAR® compliant computers, the following power plan takes effect when your computers have been idle for a specified duration:					
	turn off the display: After 10 minutes					
	put the computer to sleep: After 25 minutes					
	To awaken the computer from Sleep mode, press any key on your keyboard.					
	To reset the power plan:					
	1. Right-click the battery status icon and select Power Options.					
	2. Choose or customize a power plan of your preference.					
)	Duration of idle state condition before the computer automatically reaches sleep mode, or another	25				
1)	condition which does not exceed the applicable power demand requirements for sleep mode (in minutes):  Length of time after a period of user inactivity in which the computer automatically reaches a power	N/A				
′)	mode that has a lower power demand requirement than sleep mode (in minutes):  Length of time before the display sleep mode is set to activate after user inactivity (in minutes):	10				
v)	Information on the energy-saving potential of power management functionality:					
	N/A					
()	User information on how to enable the power management functionality:					
x)	User information on now to enable the power management functionality:  Based on USER MANUAL					

(z)	Test parameters for measurements: — test voltage in V and frequency in Hz, — total harmonic distortion of the electricity supply system, — information and documentation on the instrumentation, set-up and circuits used for electrical testing:						
	Test voltage in V and frequency in Hz: 230V/50Hz						
	Instrument Name AC Power Source Power Meter Digital Watch		rce 1~300VAC;1~550Hz; 1000VA r 1~500V;0~20A	Make and Model**  NF; EC1000S  YOKOGAWA; WT310  CASIO; HS-70W			
	Ambient Monitor		-10~60℃; 0~100&RH	Testo; 622			
Addition	nal Notebook Batter	y Information	on:				
		Battery[ies	] <u>not</u> user replaceable	Battery[ies] user replaceable	n/a		
			es] in this product cannot be easily users themselves. 1)				
Internal/built-in Battery							
External	detachable Battery						
Bios Backup Battery							
Other:							
Additiona	al information						
кумулаторна as baterías de ýměnu bateri rugeren kan i er Akku/die A asutajad ei sa μπαταρία[-ες	e este producto no pueden s e/baterií v tomto výrobku by ikke uden videre udskifte bat kkus dieses Produkts kann/ aa selle toote akut/akusid ise ς] στο προϊόν αυτό δεν μπορ	pogykt не може μ er sustituidas fáci neměli provádět s teriet/batterierne können nicht ohne hölpsasti asenda ούν να αντικατασ	a се замени[ят] лесно от самите потребител Imente por los propios usuarios. ami uživatelė. dette produkt. e weiteres vom Benutzer selbst ausgetauscht w	verden.			

La batteria/le batterie in questo prodotto non può/possono essere facilmente sostituita/e dall'utente.

Lietotāji paši nevar nomainīt šā ražojuma akumulatoru(-us). Šio gaminio baterijos [baterijų] pats vartotojas negali lengvai pakeisti. A termék akkumulátorát/akkumulátorait a felhasználó nem tudja egyedül egyszerűen kicserélni.

A ternék akkumulatorat/akkumulatorait a felhasznalo nem tudja egyedül egyszerűen kicserélni. Il-batterija/batteriji f dan il-prodott ma tistax/jistgħux tigi/jiġu sostitwita/i mill-utenti stess. Batteriet [ene] i dette produktet kan ikke lett erstattes av brukerne selv. De batterij(en) in dit product is (zijn) door de gebruiker niet gemakkelijk vervangbaar. Użytkownik nie może sam w łatwy sposób wymienić baterii w tym produkcie. A ou as baterias deste produto não podem ser facilmente substituídas pelos próprios utilizadores. Bateria (bateriile) din acest produs nu poate (pot) fi uşor înlocuită (înlocuite) de utilizatorii înşişi. Batériu(-ie) v tomto výrobku nemôže vymieňať používateľ. Baterij/baterije v tem izdelku uporabniki sami ne morejo zlahka zamenjati. Tämän tuotteen akku [akut] elivižal lok belposti kävitäjän vajudettavissa

Tämän tuotteen akku [akut] ei[vät] ole helposti käyttäjän vaihdettavissa.

Det är inte enkelt för kunden att själv byta ut batteriet/batterierna. Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.