

ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Notebooks and Tablets

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo			
Company name *	Lenovo				
Contact information *	Lenovo Global Environmental Affairs				
e-mail address	Alvin L Carter	Lenovo.			
	alcarter@lenovo.com				
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment	html			
Additional information	The latest version of this document can be found at:				
	http://www.lenovo.com/ecodeclaration				

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.						
Type of product *	Notebook					
Commercial name *	IdeaPad 1 14ALC7					
Model number *	82R3					
Issue date *	2022-2-7					
Intended market *	🛛 Global 🔲 Europe 🗌 Asia, Pacific & Japan 🗌 Americas 🗌 Other					
Additional information						

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

Model nu	ımber *	82R3 Logo			
Issue dat	te *	2022-2-7	Lend	Lenovo	
	environ	mental attributes - Legal requirements	Require		
Item			Yes	No	n.a.
P1		ous substances and preparations			
P1.1*		s do comply with current European RoHS Directive. (See legal reference and NOTE B1)	\square		
P1.2*		s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.	\square		
P1.3*	hydrobro trichloro	s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), profluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- ethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum ration values.			
P1.4*			\square		
P1.5*	Product chain co	he 🔀			
P1.6*	(see leg	th direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm²/wee al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.	ek 🔀		
P1.7*		Article 33 information about substances in articles is available at (add URL or mail contact): www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure	\boxtimes		
P2	Batterie	S			
P2.1*		oduct contains a battery or an accumulator, the battery/accumulator is labeled with the disposal Information on proper disposal is provided in user manual. (See legal reference)	\boxtimes		
P2.2*		s or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See leg	al 🔀		
P2.3*	Batterie	s and accumulators are readily removable. (See legal reference)			
P3	Confor	nity verification & Eco design (ErP)			
P3.1*	The pro The Dec https://	duct is CE-marked to show conformance with applicable legal requirements (see legal reference). claration of Conformity can be requested at (add link or e-mail address): www.lenovo.com/us/en/compliance/eu-doc for EU and www.lenovo.com/us/en/compliance/uk-doc for UK			
P3.2*		duct complies with the Eco design requirements for energy-related products, al reference).	\boxtimes		
	Require	d information is; given in item P15 or added to this document, available at (add URL):			
		www.lenovo.com/us/en/compliance/eco-declaration			
P5		t packaging			
P5.1*	hexaval	ng and packaging components do not contain more than 0,01% lead, mercury, cadmium a ent chromium by weight of these together.			
P5.2*	used (se	kaging materials are marked with abbreviations and numbers indicating the nature of the material ee legal reference).			
P5.3*	(see leg	duct packaging material is free from ozone depleting substances as specified in the Montreal Proto al reference). nt: Legal reference has no maximum concentration values.	col 🔀		
DA		ent information			
P6					

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model nu	umber *	82R3	Logo	Lon		
Issue dat	te *	2022-2-7		Len	ovc	D _{EM}
Product		mental attributes - Market requirements (See General NOTE GN		_		
		onmental conscious design		Require		
Item		tory to fill in. Additional information regarding each item may be found under P14.		Yes	No	n.a.
P7.1*		Disassembly, recycling				
		at have to be treated separately are easily separable				
P7.2*		naterials in covers/housing have no surface coating. arts > 100 g consist of one material or of easily separable materials.				
P7.3*						
P7.4*	-	arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.		\square		
P7.5		arts are free from metal inlays or have inlays that can be removed with commonly	available tools.	\square		
P7.6*	Labels a	re easily separable. (This requirement does not apply to safety/regulatory labels).		\square		
		lifetime				
P7.7*	Upgradir	ng can be done e.g. with processor, memory, cards or drives		\square		
P7.8*	Upgradir	ng can be done using commonly available tools		\square		
P7.9	Spare pa	arts are available after end of production for: 5 years				
P7.10	Service i	is available after end of production for: 5 years				
		and substance requirements				
P7.11*		cover/housing material type (e.g. plastics, metal, aluminum):				
	Material	type: PC+ABS Material type: Stainless Steel				
P7.12	Insulatio	n materials of external electrical cables are PVC free.			\boxtimes	
P7.13	Insulatio	n materials of internal electrical cables are PVC free.			\boxtimes	
P7.14		plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) b				
		1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flam			_	_
		I chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine an 25% post-consumer recycled content.	in parts containin	g		
P7.15		sircuit boards, PCBs (without components) are low halogen: all PCBs > 25 g	are low beloge	n 🗖		
		ed in IEC 61249-2-21. (See 1NOTE B2)				
P7.16		etarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4		\square		
P7.17	<u>Alt. 1: </u> C	hemical specifications of flame retardants in printed circuit boards > 25 g (without	components): 📐	\square		
	TBBPA ((additive), TBBPA (reactive) (See NOTE B3), Other: , CAS #:				
	<u>Alt. 2: </u> Cl	hemical specifications of flame retardants in printed circuit boards (without compon	ients) > 25 g			\square
	accordin	g ISO 1043-4:				
P7.18	Alt. 1					\boxtimes
		retarded plastic parts >25g contain the following flame retardant substance rations above 0.1%:	es/preparations i	n		
		ent: No legal limits exist, this is a market requirement.				
		ical name: CAS #:				
		ical name: CAS #:				
	3. Chem	ical name: CAS #:				
		ical name: , CAS #:				
	Alt. 2 Chomics	al specifications of flame retardants in plastic parts >25g according ISO 1043-4:				
	FR(40)	a specifications of fiame relations in plastic parts -259 according 150 1045-4.				
P7.19		parts > 25 g, flame retardant substances/preparations above 0,1% are used whic	h have been	\square		
	-	the following Risk phrases; and Hazard statements:		<u> </u>	_	_
			ee note B5)			
P7.20*		sumer recycled plastic material content is used in the product (See Note B6):			\boxtimes	
		at least one of the two alternatives below shall be answered;	nt (colouilated as			
		total plastic parts' weight > 25 g, the postconsumer recycled plastic material conter ercentage of total plastic by weight) is				
	or					
	b) The	e weight of recycled material is g.				

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model nu	mber * 82	2R3				Logo	Lond		
Issue date	e* 20)22-2-7	,				Lend	JVC	D _{TH}
Product	environme	ntal at	tributes - Market r	equirements (conti	nued)		Require	emen	t met
Item							Yes	No	n.a.
			tance requirements						
P7.21*	Biobased pl	astic m	aterial content is used	d in the product (See N	OTE B7):			\boxtimes	
	a) Of tota	l plastic	parts' weight > 25 g,	es below shall be answe the biobased plastic m	ered; aterial content (calculat	ed as a percentag	e of		
	•	astic by	/ weight) is <mark>0</mark> %.						
	or b) The we	eight of	the biobased plastic	material is q.					
P7.22*	Light source	es are fi	ree from mercury, i.e.	less than 0,1 mg/lamp.			\boxtimes		
DO		s used s	specify: Number of la	mps: and maxim	um mercury content pe	r lamp: mg			
P8.1*	Batteries Battery cher	nical co	omposition: LI-ION P	olymer battery and lith	nium-metal battery				
P9			tion (See NOTE B8)						
P9.1				ls or energy consumption	ons are reported:				
Energy mo			Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Stand modes and test r		ergy	\square
Peak (On-	max)		65 W	65 W	65 W	Full load			
Categor	<u>y 2</u>								
Short Idle Enabled	State - WOL		4.55 W	4.62 W	4.8 W	Use for ENERG registration (Pic)	
Long Idle Enabled	State - WOL		2.43 W	2.57 W	2.62 W	Use for ENERG registration (Pic)	
Sleep (S3)) - WOL Enab	led	0.42W	0.43W	0.45W	Use for ENERG registration (Ps)	
Off (S5) -	WOL Enabled	1	0.28 W	0.27 W	0.29 W	Use for ENERG registration (Po)	
EPS No-lo (External power wall outlet but dis	ad supply / charger plugg sconnected from the p	ed in the roduct.)	0.110 W	0.112W	0.116W	Reference			
PTEC * Typical En	ergy Consum	ption	W	W	W				\boxtimes
ETEC * Annual En	ergy Consum	ption	15.99 kWh/year	16.30kWh/year	16.92kWh/year	$E_{TEC} = (8760/100) + P_{sleep} \times 0.35 + P_{short \ Idle} \times 0.30)$			
					Mode(S3) - WOL Enable	d; Pidle: Idle State -	WOL Enabled		
				I Efficiency Marking Pro	otocol) * : VI				
	solution * :2.0								
		0,	ve mode: 10 minutes						<u> </u>
P9.2*				on is provided with the	product.	1	\boxtimes		
P9.3		iency c	lass (monitors only):						
P10	Emissions Noise emis	sion -	Declared according to	o ISO 9296 (See NOTE	(B9)				
P10.1	Mode		lode description		Statistical upper limit	A-weighted sound	d power level	, L _{WA.c}	(B)
	Idle		Idle (Operating)		* 2.8	v	•	. ,	
	Operation		HDD:Operation		* N/A				
	Other mode		PU:Operation eclared A-weighted sour	d pressure level (dB) L_{pAm}	4.4 18.6 (operator positi	ion desktop – idle)			
	Other mode			d pressure level (dB) L _p Am			 nα)		
				ŗ			-3/		
	Measured according to: ISO 7779 ECMA-74 Other (only if not covered by ECMA-74)								

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available;

Model nu	imber *	82R3			Logo	Longer	
Issue dat	te *	2022-2-7				Lenov	O _{ne}
Product	environr	nental attribu	tes - Market requirements ((continued)		Requireme	ent met
ltem						Yes N	lo n.a
		magnetic emiss					
P10.4	program	(s): MPR-II(3 pi	the requirement for low frequen AC adapter only)	cy electromagnetic field	ds of the following volunta	iry 🛛 🗌	
P12		mics for compu					
P12.1*	The disp	play meets the e	gonomic requirements of ISO 92	241-307 for visual displ	ay technologies.		
P12.2*	The phy:	sical input devic	e meets the requirements of ISC	9995 and ISO 9241-4	10.	\boxtimes	
P13		ing and docum					
P13.1*	Product Product Product	packaging mate packaging mate packaging mate		weight (kg): 0.045			
P13.2*	Product	plastic primary p	ackaging is free from PVC.				
P13.3*	consume	er recovered fibe	rugated fiberboard packaging, r content: 100 %		percentage of minimum	post-	
P13.4*		media for user a ic 🔀, Paper 🔀	nd product documentation (tick l , Other	oox):			
P13.5	Ùser and		is item if paper documentation u entation on paper media is chlo				
	Element	hlorine-free al chlorine-free ed chlorine-free					
P14	Volunta	ry programs					
P14.1	The proc	duct meets the r	equirements of the following volu	intary program(s):			
	Eco-labe Eco-labe	el:	Criteria version: 8.0 Criteria version: Criteria version:	Date: 2020-04 Date: Date:	Product category: 2 Product category: Product category:		
P15			(See NOTE B10)				
P9	NOTE: S informati knowled	Supplier makes r ion contained in ge available at t I here is approxi	f specific configuration may v to representations, guarantees, this document. All information p the time of completion, and supp mate and provided for informatic	assurances or warranti rovided by supplier in th ier shall have no obliga	es whether express or implies document is provided lation to update such inform	plied, regarding th based on supplier nation. The inforn	r's nation
P9	See Ene	ergy Star Qualifie	d Notebooks & Tablet Compute ps://www.energystar.gov/produc				

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	IdeaPad 1 14ALC7	Logo
Model number *	82R3	
Issue date *	2022-2-7	Lenovo
Additional information		

d)	Year of manufacture:				2022			
e)	Etec value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics disabled and if the system is tested with switchable graphics mode with UMA driving the display.							
F)	Etec value (kWh) per ErP Lot 3 Categor enable	ry and capability adjust	tments applied when a	all discrete graphics	cards (dGfx) are			
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)			
	Memory over base [GB]	16						
ents tting	Additional internal storage	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)			
capability adjustments applied during testing	Discrete television tuner	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)			
ability a lied du	Discrete Audio Card	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)			
app	Discrete graphics Card(s) [number / #]	No #: (Yes / No)	#: (Yes / No)	#: (Yes / No)	#: (Yes / No)			
	Category of discrete graphics Card(s)	N/A						
esults	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)	8.80						
Test results	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled							
g)	Idle state power demand (Watts);				2.62			
ו)	Sleep mode power demand (Watts);				0.45			
)	Sleep mode with WOL enabled power de	emand (Watts) (where	enabled);		0.45			
)	Off mode power demand (Watts);				0.29			
<)	Off mode with WOL enabled power dem	and (Watts) (where en	abled);		0.29			
)	Internal power supply efficiency at 10 %	, 20 %, 50 % and 100 %	% of rated output pow	er (if applicable):				
	10% 20% 50%	100% Avera	age					
n)	External power supply efficiency (if appli	cable)*:						
	Average active efficiency: 89.03% 89.7	70% 90.88%						
	*internal note: show values for all available external p							
0)	Minimum number of loading cycles that	the batteries can withs	tand (applies only to r	otebook computers):	300CYCLES			
p-1)	Measurement methodology used to dete	ermine information mer NA	ntioned in points (I) – i	nternal PSU efficiency	:			
p-2)	Measurement methodology used to dete	ermine information mer 63:2011 measuremen		external PSU efficience	cy:			

(p-3)	Measurement methodology used to determine information mentioned in points (o) – loading cycles batteries: EN 61960 measurement methodology	
(p-4)	Measurement methodology used to determine information mentioned in maximum, idle, sleep, off mode power as defined in Point P9.1 in the Product IT Eco Declaration:	
	EN 62623:2013 measurement methodology	
(q)	Sequence of steps for achieving a stable condition with respect to power demand::	
	EN 62623:2013 measurement methodology	
(r)	Description of how sleep and/or off mode was selected or programmed:	
	By selecting sleep and/or off mode thru Windows operating system	
(s)	Sequence of events required to reach the mode where the equipment automatically changes to sleep and/or off mode:	
	refer to power management, 30mins automatically reaches sleep mode	
(t)	Duration of idle state condition before the computer automatically reaches sleep mode, or another condition which does not exceed the applicable power demand requirements for sleep mode (in minutes):	30
(u)	Length of time after a period of user inactivity in which the computer automatically reaches a power mode that has a lower power demand requirement than sleep mode (in minutes):	NA
(v)	Length of time before the display sleep mode is set to activate after user inactivity (in minutes):	10
(w)	Information on the energy-saving potential of power management functionality:	
	User information described in User Guide and Power Manager under IdeaPad 1 14ALC7 menu in all programs	
(x)	User information on how to enable the power management functionality:	
	User information described in User Guide and Power Manager under IdeaPad 1 14ALC7 menu in all programs	
(z)	Test parameters for measurements: — test voltage in V and frequency in Hz, — total harmonic distortion of the electricity supply system, — information and documentation on the instrumentation, set-up and circuits used for electrical testing:	
	230V, 50GHz, Total Harmonic Distortion <2 %	

Additional Notebook Battery Information:							
	Battery[ies] not user replaceable	Battery[ies] user replaceable	n/a				
	The battery[ies] in this product cannot be easily replaced by users themselves. ¹⁾						
Internal/built-in Battery							
External/detachable Battery							
Bios Backup Battery							
Other:							
Additional information							

1) The battery[ies] in this product cannot be easily replaced by users themselves.

Акумулаторната[ите] батерия[и] в този продукт не може да се замени[ят] лесно от самите потребители.

Las baterías de este producto no pueden ser sustituidas fácilmente por los propios usuarios. Výměnu baterie/baterií v tomto výrobku by neměli provádět sami uživatelé.

Brugeren kan ikke uden videre udskifte batteriet/batterierne i dette produkt

Der Akku/die Akkus dieses Produkts kann/können nicht ohne weiteres vom Benutzer selbst ausgetauscht werden. Kasutajad ei saa selle toote akut/akusid ise hõlpsasti asendada.

Η μπαταρία[-ες] στο προϊόν αυτό δεν μπορούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες

La/les batterie(s présente(s) dans ce produit ne peuvent être facilement remplacée(s) par les utilisateurs eux-mêmes. Korisnik ne može lako zamijeniti Bateriju sam u ovom proizvodu.

La batteria/le batterie in questo prodotto non può/possono essere facilmente sostituita/e dall'utente. Lietotăji paši nevar nomainit šă ražojuma akumulatoru(-us). Šio gaminio baterijos [bateriju] pats vartotojas negali lengvai pakeisti. A termék akkumulátorát/akkumulátorait a felhasználó nem tudja egyedül egyszerűen kicserélni.

II-batterija/batteriji f'dan il-prodott ma tistax/jistgħux tiġi/jiġu sostitiwita/i mill-utenti stess. Batteriet [ene] i dette produktet kan ikke lett erstattes av brukerne selv.

De batterij(en) in dit product is (zijn) door de gebruiker niet gemakkelijk vervangbaar.

Użytkownik nie może sam w łatwy sposób wymienić baterii w tym produkcie. A ou as baterias deste produto não podem ser facilmente substituídas pelos próprios utilizadores.

Bateria (baterile) din acest produs nu poate (pot) fi uşor înlocuită (înlocuite) de utilizatorii înşişi. Bateria (baterile) v tomto výrobku nemôže vymieňať používateľ. Baterij/baterije v tem izdelku uporabniki sami ne morejo zlahka zamenjati.

Tämän tuotteen akku [akut] ei[vät] ole helposti käyttäjän vaihdettavissa.

Det är inte enkelt för kunden att själv byta ut batteriet/batterierna. Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.