



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Notebooks and Tablets

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo		
Company name *	Lenovo			
Contact information * e-mail address	Lenovo Global Environmental Affairs Alvin L Carter	Lenovo		
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment.html			
Additional information	The latest version of this document can be found at:			
	http://www.lenovo.com/ecodeclaration			

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.					
Type of product *	Notebook				
Commercial name *	IdeaPad 1 15ALC7				
Model number *	82R4				
Issue date *	2022-2-7				
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

Model number * Issue date *		82R4	Logo	Long			
		2022-2-7		Lend		J _{th}	
Product	environ	mental attributes - Legal requirements		Require	men	t met	
Item		•		Yes	No	n.a.	
P1		ous substances and preparations					
P1.1*	Products	s do comply with current European RoHS Directive. (See legal reference and NOTE	EB1)	\boxtimes			
P1.2*	Products	s do not contain Asbestos (see legal reference).		\square			
		nt: Legal reference has no maximum concentration value.					
P1.3*		s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),		\boxtimes			
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-						
		ethane, methyl bromide (see legal reference). Comment: Legal reference has no matter ration values.	naximum				
P1.4*		ation values. s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych	lorinated	\square	$\overline{}$		
1		I (PCT) in preparations (see legal reference).	ilomateu		Ш		
P1.5*	Products	s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carl	bon atoms in th	e 🔀		-	
		ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).					
P1.6*	Parts wit	th direct and prolonged skin contact do not release nickel in concentrations above (),5 μg/cm²/wee	(
		al reference).					
	Commer	nt: Max limit in legal reference when tested according to EN1811:2011-5.					
P1.7*		Article 33 information about substances in articles is available at (add URL or mail	contact):	\boxtimes	Ш		
	•	www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure					
P2	Batterie	-					
P2.1*		oduct contains a battery or an accumulator, the battery/accumulator is labeled with	tne disposal	\boxtimes	Ш		
P2.2*	symbol. Information on proper disposal is provided in user manual. (See legal reference) Batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal				$\overline{}$	$\overline{}$	
1 2.2	reference		ilum. (See lega	I 🔀	Ш		
P2.3*		s and accumulators are readily removable. (See legal reference)		X			
P3	Conforn	nity verification & Eco design (ErP)					
P3.1*		duct is CE-marked to show conformance with applicable legal requirements (see leg	gal reference).	\square		П	
			mail address				
	https://v	vww.lenovo.com/us/en/compliance/eu-doc					
P3.2*	The proc	duct complies with the Eco design requirements for energy-related products,		\square		$\overline{}$	
		al reference).			ш	ш	
	Required	d information is; given in item P15 or added to this document,		\boxtimes			
	•	available at (add URL):			_		
	https://v	vww.lenovo.com/us/en/compliance/eco-declaration					
P5		packaging					
P5.1*		ng and packaging components do not contain more than 0,01% lead, mercury	y, c <mark>admium ar</mark>	ıd 🔀			
		ent chromium by weight of these together.					
P5.2*	The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) used (see legal reference).		, ,	Ш	Ш		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol		ol 🔀				
		al reference).		_			
DC		nt: Legal reference has no maximum concentration values.					
P6.1*		nt information on for recyclers/treatment facilities is available (see legal reference).					
P0.1	mormati	on for recyclers/treatment facilities is available (see legal reference).		\boxtimes			

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number * Issue date *		82R4	Logo	Lon	01/0	
		2022-2-7		Len	UVC	тн
Product		mental attributes - Market requirements (See General NOTE GN onmental conscious design	below)	Require	ment :	met
Item		tory to fill in. Additional information regarding each item may be found under P14.		Yes	No	n.a.
P7		Disassembly, recycling				
P7.1*		at have to be treated separately are easily separable			Щ.	
P7.2*		naterials in covers/housing have no surface coating. arts > 100 g consist of one material or of easily separable materials.		<u> </u>		Щ
P7.3*						
P7.4*		arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.				
P7.5		arts are free from metal inlays or have inlays that can be removed with commonly	available tools.			
P7.6*		re easily separable. (This requirement does not apply to safety/regulatory labels).				
P7.7*	Ungradin	ng can be done e.g. with processor, memory, cards or drives				
P7.8*		ng can be done using commonly available tools			∺	\overline{H}
P7.9		arts are available after end of production for: 3 years				H
P7.10		is available after end of production for: 5 years				+
1 7.10		and substance requirements				
P7.11*	Product	cover/housing material type (e.g. plastics, metal, aluminum): type: plastics Material type: metal				
P7.12	Insulation	n materials of external electrical cables are PVC free.			\boxtimes	
P7.13		n materials of internal electrical cables are PVC free.			\boxtimes	
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.					
P7.15	Printed of	circuit boards, PCBs (without components) are low halogen: all ☐ PCBs > 25 g ☐ ed in IEC 61249-2-21. (See 1NOTE B2)	are low halogo	en 🗌		
P7.16	Flame re Marking:	etarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:				
P7.17		hemical specifications of flame retardants in printed circuit boards > 25 g (without				
	TBBPA 26265-0 8	(additive),	Resins, CAS	#:		
	Alt. 2: Ch	nemical specifications of flame retardants in printed circuit boards (without compon g ISO 1043-4:	ents) > 25 g			
P7.18	Alt. 1		,	. \square		\boxtimes
		etarded plastic parts >25g contain the following flame retardant substance rations above 0.1%:	s/preparations	ın		
	Commo	ent: No legal limits exist, this is a market requirement.				
	1. Chem	ical name: CAS #:				
		ical name: CAS #: ical name: CAS #:				
		ical name: CAS #: ical name: , CAS #:				
	Alt. 2			\boxtimes		
	FR(40)	al specifications of flame retardants in plastic parts >25g according ISO 1043-4:				
P7.19	•	c parts > 25 g, flame retardant substances/preparations above 0,1% are used which the following Risk phrases; confidential and Hazard statements: H411; H				
	The sour	rce(s) for these classifications is/are found at (add URL(s)): European Cour				
D7.00*	67/548/E	, , ,				
P7.20*	If YES; a a) Of t	sumer recycled plastic material content is used in the product (See Note B6): at least one of the two alternatives below shall be answered; total plastic parts' weight > 25 g, the postconsumer recycled plastic material content ated as a percentage of total plastic by weight) is 0.4%.	nt (c2022-2-			
	b) The weight of recycled material is g.					

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	82R4	Logo	Lenovo			<u> </u>
Issue date *	2022-2-7		L	SI I) _{TH}
Product environr		R	qui	remer	nt met	
Item				⁄es	No	n.a.

		stance requirements							
P7.21*	Biobased plastic material content is used in the product (See NOTE B7):								
	If YES; at least or	If YES; at least one of the two alternatives below shall be answered;							
				astic material content	(c2022-2-7ulated as a				
	, ,	of total plastic by weig	ht) is 0 %.						
	or b) The weight of	f the biobased plastic	material is a						
P7.22*	, , , , , , , , , , , , , , , , , , , ,		. less than 0,1 mg/lam	0.	\square				
		specify: Number of la		num mercury content p					
P8	Batteries								
P8.1*	Battery chemical	composition: LI-ION F	Polymer battery and li	thium-metal battery					
P9		otion (See NOTE B8)							
P9.1			els or energy consumpt						
Energy m	node *	Power level at	Power level at	Power level at	Reference/Standard for energy				
Peak (On	ı-may)	100 V AC	115 V AC	230 V AC	modes and test method * Full load				
		03 VV	00 W	00 11	Tunioad				
Catego	<u>ry 2</u>								
Short Idl	e State - WOL	5.26 W	5.55 W	5.67 W	Use for ENERGY STAR V8.0				
Enabled	e State - WOL	3.20 VV	3.33 VV	3.07 VV	registration (Pidle)				
Long Idle	e State - WOL	3.39 W	3.45 W	3.42 W	Use for ENERGY STAR V8.0				
Enabled					registration (Pidle)				
Sleep (S	3) - WOL Enabled	0.51 W	0.52 W	0.53W	Use for ENERGY STAR V8.0				
		0.74114	0.70.14		registration (Psleep)				
Sieep (S	3) - WOL Disabled	0.51 W	0.52 W	0.53 W	Reference				
Off (S5) -	WOL Enabled	0.32 W	0.32 W	0.32 W	Use for ENERGY STAR V8.0				
					registration (Poff)				
Off (S5) -	WOL Disabled	0.32 W	0.32 W	0.33W	Use for ErP				
EPS No-l	oad	0.110 W	0.112W	0.116 W	Reference				
(External power	er supply / charger plugged in the disconnected from the product.)								
	disconnected from the product.)								
PTEC *	0 "	W	W	W		\boxtimes			
i ypicai E	nergy Consumption								
ETEC *		19.05 kWh/year	19.90 kWh/year	20.23 kWh/year	$E_{TEC} = (8760/1000) \times (P_{off} \times 0.25)$				
Annual E	nergy Consumption				+ P _{sleep} x 0.35 + P _{long_Idle} x 0.10+	_			
		D + Off Mada(05) M	VOL Enghladi D Clas	Mada(C2) MOL Frah	P _{short Idle} x 0.30)				
		P _{off} : Oπ Wode(S5) - W	VOL Enabled; Psleep: Siee	ep Wode(53) - WOL Enab	led; P _{idle} : Idle State - WOL Enabled				
External F	Power Supply Efficie	ncy Level (Internation	al Efficiency Marking P	rotocol) * : V/	1				
	esolution * :2.074me	• •	, ,	,		$\overline{}$			
		ave mode: 10 minutes	<u> </u>			H			
P9.2*			tion is provided with the	a product		H			
P9.3			· · · · · · · · · · · · · · · · · · ·	e product.					
		class (monitors only):							
P10	Emissions Noise emission	Declared according	to ISO 9296 (See NOT	E DOI					
P10.1		Mode description	10 100 9290 (See NOT		nit A-weighted sound power level, L_{WAC}	(B)			
. 10.1		'Idle (Operating)		* 2.6	THE THE SECTION SOUTH POWER TO VOI, LWA,C	\ <u>\\\</u>			
		HDD:Operation		* N/A		\dashv			
		CPU:Operation		4.5		ш			
	Other mode	Declared A-weighted sou	nd pressure level (dB) $L_{n\Delta}$		sition desktop – idle)				

NOTE B7 The following is to be excluded from the c2022-2-7ulation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

	Other mode	Declared A-weighted sour	nd pressure level (dB) $L_{p{ m Am}}$	34.7 (operator position desktop – operating)		
	Measured according to: X ISO 7779 ECMA-74					
		Other (only if not covered by ECMA-74)				

Model number *	82R4			Logo	Lono	\/O	
Issue date *	2022-2-7				Leno	VO.	
Product environr	nental attributes - Market requ	irements (contin	nued)		Require	ment	met
Item	•		•		Yes	No	n.a.
Electror	nagnetic emissions						
program	er display meets the requirement for (s): MPR-II(3 pin AC adapter only)	low frequency elect	tromagnetic fields	of the following voluntary			
	Ergonomics for computing products						
	lay meets the ergonomic requirement				\boxtimes		
P12.2* The phys	sical input device meets the requiren	nents of ISO 9995 a	and ISO 9241-410).	\boxtimes		
	ng and documentation						
Product Product	Product packaging material type(s): Corrugated weight (kg): 0.350 Product packaging material type(s): paper(manual) weight (kg): 0.046 Product packaging material type(s): corner paper weight (kg): 0.389 Product packaging material type(s): EPE weight (kg): 0.988						
P13.2* Product	plastic primary packaging is free fror	n PVC.			\boxtimes		
	luct primary corrugated fiberboard er recovered fiber content: 100 %	packaging, specify	the contained pe	ercentage of minimum pos	st-		
	media for user and product documer c ⊠, Paper ⊠, Other □	tation (tick box):					
Ùser and	only complete this item if paper docu I product documentation on paper mease specify:		e:				
Totally c	hlorine-free						
Element	al chlorine-free						
Process	ed chlorine-free				Ħ		
P14 Volunta	ry programs						
P14.1 The prod	fluct meets the requirements of the fo	ollowing voluntary p	rogram(s):				
Eco-labe Eco-labe	el: Criteria version	n: D	ate: 2020-04 ate: ate:	Product category: 2 Product category: Product category:			
	nal information (See NOTE B10)	-4i	a a vintia na fitha t	to a to all must all to a sufficient	··		
NOTE: S informati knowled provided	Energy consumption of specific configuration may vary; description of the tested product configuration: NOTE: Supplier makes no representations, guarantees, assurances or warranties whether express or implied, regarding the information contained in this document. All information provided by supplier in this document is provided based on supplier's knowledge available at the time of completion, and supplier shall have no obligation to update such information. The information provided here is approximate and provided for informational purposes only. See a Lenovo Account Representative for more information.						
P9 See Ene	rgy Star Qualified Notebooks & Tabl wnloads.enerhttps://www.energystar						

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	IdeaPad 1 15ALC7	Logo	
Model number *	82R4		Longyo
Issue date *	2022-2-7		Lenovo.
Additional information			
•			

d)	Year of manufacture:			202	2
e)	Etec value (kWh) per ErP Lot 3 Catego disabled and if the system is tested with				cards (dGfx) are
)	Etec value (kWh) per ErP Lot 3 Categorenable	ry and capability adjust	ments applied when a	all discrete graphics	cards (dGfx) are
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)
	Memory over base [GB]	16			-
ents ting	Additional internal storage	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)
djustm ring tes	Discrete television tuner	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)
capability adjustments applied during testing	Discrete Audio Card	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)
cap	Discrete graphics Card(s) [number / #]	No #: (Yes / No)	#: (Yes / No)	#: (Yes / No)	#: (Yes / No)
	Category of discrete graphics Card(s)	N/A			
sults	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)	11.19			
Test results	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled				
1)	Idle state power demand (Watts);				3.42
)	Sleep mode power demand (Watts);				0.53
	Sleep mode with WOL enabled power de	emand (Watts) (where	enabled);		0.53
	Off mode power demand (Watts);				0.33
.)	Off mode with WOL enabled power dem	and (Watts) (where en	abled);		0.33
)	Internal power supply efficiency at 10 %,	, 20 %, 50 % and 100 °	% of rated output pow	er (if applicable):	
	10% 20% 50%	100% Avera	age		
n)	External power supply efficiency (if appli	cable)*:			
	Average active efficiency: 89.03% 89.7	70% 90.88%			
	*internal note: show values for all available external p	ower supplies			
)	Minimum number of loading cycles that	the batteries can withs	tand (applies only to n	otebook computers):	300CYCLES
p-1)	Measurement methodology used to dete	ermine information mer	ntioned in points (I) – in	nternal PSU efficiency	:
p-2)	Measurement methodology used to dete	ermine information mer 63:2011 measuremen		external PSU efficience	cy:

(p-3)	p-3) Measurement methodology used to determine information mentioned in points (o) – loading cycles batteries: EN 61960 measurement methodology					
(p-4)	Measurement methodology used to determine information mentioned in maximum, idle, sleep, off mode power as defined in Point P9.1 in the Product IT Eco Declaration:					
		EN 62623:2013 measurement methodo	ology			
(q)	Sequence of steps for	or achieving a stable condition with respect to power	demand::			
		EN 62623:2013 measurement methodo	ology			
(r)	Description of how sl	eep and/or off mode was selected or programmed:				
	В	y selecting sleep and/or off mode thru Windows	operating system			
(s)	Sequence of events off mode:	required to reach the mode where the equipment au	tomatically changes to sleep and/or			
	refe	er to power management, 30mins automatically re	eaches sleep mode			
(t)		te condition before the computer automatically re- not exceed the applicable power demand requirement		30		
(u)	Length of time after	a period of user inactivity in which the compute ver power demand requirement than sleep mode (in	r automatically reaches a power	NA		
(v)		re the display sleep mode is set to activate after		10		
(w)	Information on the er	nergy-saving potential of power management function	nality:			
	User information (described in User Guide and Power Manager und programs	er IdeaPad 1 15ALC7 menu in all			
(x)	User information on I	how to enable the power management functionality:				
	User information	described in User Guide and Power Manager und programs	er IdeaPad 1 15ALC7 menu in all			
(z)		measurements: — test voltage in V and frequency in system, — information and documentation on the institution.				
		230V, 50GHz, Total Harmonic Distortion	1 <2 %			
Addition	al Notebook Batter	y Information:				
		Battery[ies] not user replaceable	Battery[ies] user replaceable	n/a		
		The battery[ies] in this product cannot be easily replaced by users themselves. 1)				
Internal/b	ouilt-in Battery					
External/	detachable Battery					
Bios Backup Battery						
Other:	Other:					
Additional information						
)						

The battery[ies] in this product cannot be easily replaced by users themselves.

Акумулаторната[ите] батерия[и] в този продукт не може да се замени[ят] лесно от самите потребители.

Las baterías de este producto no pueden ser sustituidas fácilmente por los propios usuarios.

Výměnu baterie/baterií v tomto výrobku by neměli provádět sami uživatelé.
Brugeren kan ikke uden videre udskifte batteriet/batterierne i dette produkt.
Der Akku/die Akkus dieses Produkts kann/können nicht ohne weiteres vom Benutzer selbst ausgetauscht werden.

Kasutajad ei saa selle toote akut/akusid ise hõlpsasti asendada. Η μπαταρία[-ες] στο προϊόν αυτό δεν μπορούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες La/les batterie(s présente(s) dans ce produit ne peuvent être facilement remplacée(s) par les utilisateurs eux-mêmes.

Korisnik ne može lako zamijeniti Bateriju sam u ovom proizvodu. La batteria/le batterie in questo prodotto non può/possono essere facilmente sostituita/e dall'utente. Lietotāji paši nevar nomainīt šā ražojuma akumulatoru(-us).

Šio gaminio baterijos [baterijų] pats vartotojas negali lengvai pakeisti. A termék akkumulátorát/akkumulátorait a felhasználó nem tudja egyedül egyszerűen kicserélni. II-batterija/batteriji f'dan iI-prodott ma tistax/jistgħux tiġi/jiġu sostitwita/i mill-utenti stess.

Batterief [ene] i dette produktet kan ikke lett erstattes av brukerne selv. De batterij(en) in dit product is (zijn) door de gebruiker niet gemakkelijk vervangbaar. Użytkownik nie może sam w łatwy sposób wymienić baterii w tym produkcie.

A ou as baterias deste produto não podem ser facilmente substituídas pelos próprios utilizadores. Bateria (bateriile) din acest produs nu poate (pot) fi ușor înlocuită (înlocuite) de utilizatorii însiși.

Batériu(-ie) v tomto výrobku nemôže vymieňať používateľ.

Baterij/baterije v tem izdelku uporabniki sami ne morejo zlahka zamenjati.

Tämän tuotteen akku [akut] ei[vät] ole helposti käyttäjän vaihdettavissa. Det är inte enkelt för kunden att själv byta ut batteriet/batterierna. Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.