



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Notebooks and Tablets

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo			
Company name *	Lenovo				
Contact information * e-mail address	Lenovo Global Environmental Affairs Alvin L Carter alcarter@lenovo.com	Lenovo			
Internet site *	https://www.lenovo.com/us/en/sustainability-resources/				
Additional information	nal information The latest version of this document can be found at:				
	http://www.lenovo.com/ecodeclaration				

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	Notebook Computer			
Commercial name *	IdeaPad 1 15AMN7			
Model number *	82VG,82X5			
Issue date *	2022/9/27			
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other			
Additional information				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

Model number *		ber * 82VG,82X5 Logo		Long	_enovo		
Issue date	*	2022/9/27		Lenc	JVO	TH	
Product	environ	mental attributes - Legal requirements		Require	ment	met	
Item				Yes	No	n.a.	
P1		ous substances and preparations					
P1.1*		do comply with current European RoHS Directive. (See legal reference and NOTE	EB1)	\boxtimes			
P1.2*		do not contain Asbestos (see legal reference).					
P1.3*		nt: Legal reference has no maximum concentration value. do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),			$\overline{}$		
P1.3		omofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach	loride 111-	\boxtimes	Ш		
		ethane, methyl bromide (see legal reference). Comment: Legal reference has no m					
		ation values.					
P1.4*		do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych	lorinated	\boxtimes			
D		I (PCT) in preparations (see legal reference).			_		
P1.5*	chain co	on to contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carl ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	oon atoms in t	he 🔀	Ш		
P1.6*		h direct and prolonged skin contact do not release nickel in concentrations above 0	,5 μg/cm²/wee	ek 🔀			
		al reference).					
D4 7*		nt: Max limit in legal reference when tested according to EN1811:2011-5.			_		
P1.7*		Article 33 information about substances in articles is available at (add URL or mail www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure	contact):		Ш	Ш	
P2	Batterie						
P2.1*		educt contains a battery or an accumulator, the battery/accumulator is labeled with the Information on proper disposal is provided in user manual. (See legal reference)	he disposal				
P2.2*	Batteries	or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadme)	nium. (See leg	al 🔀			
P2.3*	Batteries	and accumulators are readily removable. (See legal reference)		\boxtimes			
P3	Conforn	nity verification & Eco design (ErP)					
P3.1*		luct is CE-marked to show conformance with applicable legal requirements (see leg	gal reference).	. 🛛			
		laration of Conformity can be requested at (add link or e-mail address):					
		vww.lenovo.com/us/en/compliance/eu-doc for EU and vww.lenovo.com/us/en/compliance/uk-doc for UK					
P3.2*		duct complies with the Eco design requirements for energy-related products,		\square	$\overline{}$		
1 0.2		al reference).			ш	ш	
	Required	I information is; given in item P15 or added to this document,					
	•	available at (add URL):			_		
	https://v	vww.lenovo.com/us/en/compliance/eco-declaration					
P5		packaging					
P5.1*		ng and packaging components do not contain more than 0,01% lead, mercury ent chromium by weight of these together.	, cadmium a	and 🔀			
P5.2*		kaging materials are marked with abbreviations and numbers indicating the nature	of the material	(s) X			
		e legal reference).					
P5.3*	(see lega	luct packaging material is free from ozone depleting substances as specified in the N al reference).	nontreal Proto	col 🔀			
		nt: Legal reference has no maximum concentration values.					
P6		nt information					
P6.1*	Informati	on for recyclers/treatment facilities is available (see legal reference).		\boxtimes			

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model nu	ımber "	82VG,82X5	Logo	Lend	OVC	
Issue dat	te *	2022/9/27		Lenc		
Product	environ	mental attributes - Market requirements (See General NOTE GN	helow)			
		onmental conscious design	<i>50.011</i> ,	Requiren	nent m	et
Item		tory to fill in. Additional information regarding each item may be found under P14.		Yes		n.a.
P7		Disassembly, recycling				
P7.1*	Parts tha	t have to be treated separately are easily separable		\boxtimes		
P7.2*	Plastic m	aterials in covers/housing have no surface coating.			\boxtimes	
P7.3*	Plastic p	arts > 100 g consist of one material or of easily separable materials.		\boxtimes		
P7.4*	Plastic p	arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.		\boxtimes		
P7.5	Plastic p	arts are free from metal inlays or have inlays that can be removed with commonly a	available tools.	\boxtimes		
P7.6*	Labels a	re easily separable. (This requirement does not apply to safety/regulatory labels).		\boxtimes		
	Product					
P7.7*		g can be done e.g. with processor, memory, cards or drives		\boxtimes		
P7.8*	Upgradir	g can be done using commonly available tools		\boxtimes		
P7.9	Spare parts are available after end of production for: 5 years					
P7.10	Service is available after end of production for: 5 years					
		and substance requirements				
P7.11*		cover/housing material type (e.g. plastics, metal, aluminum):				
P7.12		type: PC+ABS Material type: Materia n materials of external electrical cables are PVC free.	al type:			$\overline{}$
P7.12		n materials of external electrical cables are PVC free.				\vdash
P7.13		plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) b	manaina and 0.4	<u> </u>	<u> </u>	
P7.14	weight (' polyvinyl	plastic cashig/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) of 1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in 25% post-consumer recycled content.	e retardants, ar	nd		
P7.15	Printed o	ircuit boards, PCBs (without components) are low halogen: all PCBs > 25 g d in IEC 61249-2-21. (See 1NOTE B2)	are low haloge	en 🗌		
P7.16		tarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:				
	Marking:					
P7.17		nemical specifications of flame retardants in printed circuit boards > 25 g (without co PA (additive),TBBPA (reactive) (See NOTE B3),Other: , CAS #:	omponents):			
		nemical specifications of flame retardants in printed circuit boards (without compone g ISO 1043-4:	ents) > 25 g			
P7.18		ame retarded plastic parts > 25 g contain the following flame retardant substance ations above 0,1%:	s/preparations	in	П	
	2. Chem	ical name: , CAS #: (See NOTE B4) ical name: , CAS #: " ical name: , CAS #: "		_		
	Alt. 2: Ch	nemical specifications of flame retardants in plastic parts > 25 g according ISO 1043	3-4: >FR(40) <			
P7.19		parts > 25 g, flame retardant substances/preparations above 0,1% are used which				
	assigned	the following Risk phrases; and Hazard statements:				
			See note B5)			
P7.20*	Postcons	sumer recycled plastic material content is used in the product (See Note B6):				
	a) Of t a pe	t least one of the two alternatives below shall be answered; otal plastic parts' weight > 25 g, the postconsumer recycled plastic material contenercentage of total plastic by weight) is 0.57%. weight of recycled material is 4.5 g.	t (calculated as			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	82VG,82X5	Logo	Lan	Lenovo		
Issue date *	2022/9/27		Lem		тн	
Product environr		Requir	emen	t met		
Item			Yes	No	n.a.	

		stance requirements								
P7.21*	Biobased plastic material content is used in the product (See NOTE B7):									
	If YES; at least one of the two alternatives below shall be answered;									
		total plastic parts' weight > 25 g, the biobased plastic material content (calculated as a percentage of								
	total plastic b	y weight) is %.								
		f the biobased plastic	material is q.							
P7.22*	Light sources are	free from mercury, i.e	. less than 0,1 mg/lam	ρ.	\boxtimes \square					
		specify: Number of la	mps: and maxir	num mercury content p	er lamp: mg					
P8	Batteries									
P8.1*	•	composition: Li-polyn	ner							
P9		tion (See NOTE B8)	on (See NOTE B8) following power levels or energy consumptions are reported:							
P9.1 Energy mo		Power level at Power level at Power level at Reference/Standard for energy								
Lifelgy inc	de	100 V AC	115 V AC	230 V AC	modes and test method *	Ш				
Peak (On-	-max)	65 W	65 W	65 W	Full load					
Catego	<u>y 2</u>									
Short Idle	State - WOL	3.85 W	3.72 W	3.62 W	Energy Star Computers V8					
Enabled					(P _{idle})					
I ona Idle	State - WOL	0.34 W	0.26 W	0.34 W	Energy Star Computers V8					
Enabled	otato Wol	0.04 11	0.20 **	0.04 11	(P _{idle})					
Sleep (S3) - WOL Enabled	0.34 W	0.26 W	0.34 W	Energy Star Computers V8					
					(P _{idle})					
Off (S5) -	WOL Enabled	0.14 W	0.15 W	0.19 W	Use for ENERGY STAR V8					
					registration (P _{idle})					
EPS No-lo	pad	0.13 W	0.08 W	0.11 W						
	supply / charger plugged in the sconnected from the product.)									
PTEC *	sconnected from the product.)	NA W	NA W	NA W						
	ergy Consumption					ш				
ETEC *		10.23 kWh/year	9.61 kWh/year	9.83 kWh/year	$E_{TEC} = (8760/1000) \times (P_{off} \times 0.25)$					
Annual En	ergy Consumption				+ P _{sleep} x 0.35 + P _{long_Idle} x 0.10+					
		P. #: Off Mode(\$5) - W	 O Fnabled: Palana: Slee	en Mode(\$3) - WOL Fnahl	P _{short_Idle} x 0.30) led; P _{idle} : Idle State - WOL Enabled					
External P	ower Supply Efficier		al Efficiency Marking P		ta, Flate rate state FFSE Enabled					
	solution * : 1920*10		, ,	,	1	- H-				
		ave mode: 20 minutes	<u> </u>			∺				
P9.2*			tion is provided with the	a product		╬				
P9.3			uon is provided with the	e product.						
		class (monitors only):								
P10	Emissions	- Declared according t	to ISO 9296 (See NOT	F ROI						
P10.1		Mode description	10 100 3230 (000 1101		nit A-weighted sound power level, $L_{WA,c}$	(B)				
	Idle *	Idle		* 2.7		\ <u>-</u> /				
	Operation *			* 3.2		Ħ				
		Declared A-weighted sour	nd pressure level (dB) $_{L_{p}\mu}$		osition desktop – idle)					
	Other mode	Declared A-weighted sour	nd pressure level (dB) L_{ph}	28.8 (operator p	<u> </u>					
			7	4m 20.0 (operator p	osition desktop – operating)					
	Measured accordi	ng to: 🔀 ISO 7779 Ъ								
		Other	(only if not covered b	y ECMA-74)						

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Model nui	mber *	82VG,82X5				Logo	1.	eno	V O	
Issue date	e *	2022/9/27					L		VO.	•
Product	environr	mental attributes	- Market requirem	nents (con	itinued)		Re	quire	ment	met
Item								Yes	No	n.a.
	Electron	magnetic emission	S							
P10.4	program	(s):	·	requency el	ectromagnetic field	ds of the following volu	ıntary			
P12		mics for computing								
P12.1*		, ,	nomic requirements of		•	,		\boxtimes		
P12.2*		<u> </u>	eets the requirements	of ISO 999	95 and ISO 9241-4	10.			\boxtimes	
P13		ing and documenta								
P13.1*	Product	packaging material packaging material packaging material		weight (kg weight (kg weight (kg): 0.102					
P13.2*	Product	plastic primary pack	aging is free from PV	C.				\boxtimes		
P13.3*		duct primary corrug		aging, spec	cify the contained	percentage of minimu	um post-			
P13.4*		media for user and ∣ onic, ⊠ Paper, □C	product documentation	n (tick box):						
P13.5	Ùser and		tem if paper documen ation on paper media							
	Totally c	hlorine-free								
	Element	al chlorine-free						一		
	Process	ed chlorine-free								
P14	Volunta	ry programs								
P14.1	The prod	duct meets the requ	irements of the followi	ing voluntar	y program(s):					
	Eco-labe	el:	Criteria version: 8.0 Criteria version: Criteria version:)	Date: 2022/9/27 Date: Date:	Product category: Oroduct category: Product category:	Computers	s		
P15		nal information (Se								
P9						e tested product con				
	the info supplied informa	rmation contained r's knowledge avai tion. The informati	in this document. A lable at the time of c	ll informati completion, approxima	on provided by s , and supplier sha	rranties whether expl upplier in this docum all have no obligation for informational purp	nent is pro to update	vided e such	based	on
P9			Notebooks & Tablet			formation: oductGroup&pgw_co	de=CO			
		gy c.a.r.go	3	u_						

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	IdeaPad 1 15AMN7	Logo	
Model Number	82VG,82X5	Longvo	
Issue Date	2022/9/27	Lenovo.	
Additional information			
•			

d)	Year of manufacture:				2022
:)	Etec value (kWh) per ErP Lot 3 Catego disabled and if the system is tested with				cards (dGfx) are
)	Etec value (kWh) per ErP Lot 3 Categor enable	y and capability adjust	ments applied when a	all discrete graphics	cards (dGfx) are
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)
	Memory over base [GB]	16			
ents ting	Additional internal storage	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)
capability adjustments applied during testing	Discrete television tuner	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)
	Discrete Audio Card	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)
	Discrete graphics Card(s) [number / #]	No #: (Yes / No)	#: (Yes / No)	#: (Yes / No)	#: (Yes / No)
	Category of discrete graphics Card(s)				
sults	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)	6.12			
Test results	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled	No			
g)	Idle state power demand (Watts);				1.74
1)	Sleep mode power demand (Watts);				0.36
)	Sleep mode with WOL enabled power de	emand (Watts) (where	enabled);		0.36
)	Off mode power demand (Watts);				0.23
()	Off mode with WOL enabled power dem	and (Watts) (where en	abled);		0.23
)	Internal power supply efficiency at 10 %,	20 %, 50 % and 100 °	% of rated output pow	er (if applicable):	
	10% 20% 50%	100% Avera	age		
n)	External power supply efficiency (if appli	cable)*:			
	Average active efficiency: 65W: 91.83%	, 89.74%, 92.33%			
	*internal note: show values for all available external p				
0)	Minimum number of loading cycles that t	the batteries can withs	tand (applies only to n	otebook computers):	300
p-1)	Measurement methodology used to dete	rmine information mer NA	itioned in points (I) – ii	nternal PSU efficiency:	
0-2)	Measurement methodology used to dete	rmine information mer	tioned in points (m) –	external PSU efficience	cv.

(p-3)	Measurement methodology used to determine information mentioned in points (o) – loading cycles batteries: EN 61960 measurement methodology					
(p-4)		dology used to determine information mentioned in r Point P9.1 in the Product IT Eco Declaration:	naximum, idle, sleep, off mode			
		EN 61960 measurement methodolog	gy			
(q)	Sequence of steps for	or achieving a stable condition with respect to power	demand::			
	EN 61960 measurement methodology					
(r)	Description of how sl	eep and/or off mode was selected or programmed:				
	Begin menu -> Power -> Select sleep or off mode					
(s)	Sequence of events off mode: base on Us	required to reach the mode where the equipment au ser Guide	tomatically changes to sleep and/or			
(t)	Duration of idle state condition before the computer automatically reaches sleep mode, or another condition which does not exceed the applicable power demand requirements for sleep mode (in minutes):					
(u)						
(v)	Length of time before the display sleep mode is set to activate after user inactivity (in minutes):					
(w)						
		Refer to User Guide				
(x)	User information on I	now to enable the power management functionality:				
		Refer to User Guide				
(z)	Test parameters for in the electricity supply used for electrical test	measurements: — test voltage in V and frequency in system, — information and documentation on the insting:	Hz, — total harmonic distortion of strumentation, set-up and circuits			
		230V, 50Hz, Total Harmonic Distortion	<2 %			
Addition	al Notebook Batter	y Information:				
		Battery[ies] not user replaceable	Battery[ies] user replaceable	n/a		
		The battery[ies] in this product cannot be easily replaced by users themselves. 1)				
Internal/b	ouilt-in Battery	\boxtimes				
External/	detachable Battery					
Bios Bac	kup Battery					
Other:	Other:					
Additiona	I information					
)						

The battery[ies] in this product cannot be easily replaced by users themselves.

Акумулаторната[ите] батерия[и] в този продукт не може да се замени[ят] лесно от самите потребители. Las baterías de este producto no pueden ser sustituidas fácilmente por los propios usuarios.

Výměnu baterie/baterií v tomto výrobku by neměli provádět sami užívatelé. Brugeren kan ikke uden videre udskifte batteriet/batterierne i dette produkt.

Der Akku/die Akkus dieses Produkts kann/können nicht ohne weiteres vom Benutzer selbst ausgetauscht werden.

Kasutajad ei saa selle toote akut/akusid ise hõlpsasti asendada. Η μπαταρία[-ες] στο προϊόν αυτό δεν μπορούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες La/les batterie(s présente(s) dans ce produit ne peuvent être facilement remplacée(s) par les utilisateurs eux-mêmes.

Korisnik ne može lako zamijeniti Bateriju sam u ovom proizvodu. La batteria/le batterie in questo prodotto non può/possono essere facilmente sostituita/e dall'utente. Lietotāji paši nevar nomainīt šā ražojuma akumulatoru(-us).

Šio gaminio baterijos [bateriju] pats vartotojas negali lengvai pakeisti. A termék akkumulátorát/akkumulátorait a felhasználó nem tudja egyedül egyszerűen kicserélni. II-batterija/batteriji f'dan iI-prodott ma tistax/jistgħux tiġi/jiġu sostitwita/i mill-utenti stess.

Batterief [ene] i dette produktet kan ikke lett erstattes av brukerne selv.

De batterij(en) in dit product is (zijn) door de gebruiker niet gemakkelijk vervangbaar.

Użytkownik nie może sam w łatwy sposób wymienić baterii w tym produkcie.

A ou as baterias deste produto não podem ser facilmente substituídas pelos próprios utilizadores. Bateria (bateriile) din acest produs nu poate (pot) fi uşor înlocuită (înlocuite) de utilizatorii înşişi. Batériu(-ie) v tomto výrobku nemôže vymieňať používateľ. Baterij/baterije v tem izdelku uporabniki sami ne morejo zlahka zamenjati. Tämän tuotteen akku [akut] el[vät] ole helposti käyttäjän vaihdettavissa.

Det är inte enkelt för kunden att själv byta ut batteriet/batterierna.

Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.