



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

## Annex B2 - Product environmental attributes Notebooks and Tablets

The declaration may be published only when all rows and/or fields marked with \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo
Company name *	Lenovo	
Contact information *	Lenovo Global Environmental Affairs	Lenovo
e-mail address	Alvin L Carter	LETIOVO
	alcarter@lenovo.com	
Internet site *	https://www.lenovo.com/us/en/sustainability-resources/	
Additional information	The latest version of this document can be found at:	
	http://www.lenovo.com/ecodeclaration	

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	Notebook			
Commercial name *	IdeaPad 3 14ABA7/ IdeaPad 14s ABA7			
Model number *	82RM			
Issue date *	2022-1-9			
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other			
Additional information				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

#### About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

Model number *		82RM	Logo	Lend	W/O	
Issue dat	e *	2022-1-9		Lenc	)VO	* ·
<b>Product</b>	environ	mental attributes - Legal requirements		Require	ment ı	met
Item				Yes	No	n.a.
P1		ous substances and preparations				
P1.1*		do comply with current European RoHS Directive. (See legal reference and NOTE	B1)			
P1.2*		s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.		$\boxtimes$		
P1.3*	Products hydrobro trichloroe	do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), emofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach ethane, methyl bromide (see legal reference). Comment: Legal reference has no mation values.	lloride, 1,1,1- naximum			
P1.4*		do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych (PCT) in preparations (see legal reference).	lorinated			
P1.5*		do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carl ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	oon atoms in th	ne 🔀		
P1.6*	Parts wit	h direct and prolonged skin contact do not release nickel in concentrations above 0 al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.	),5 μg/cm²/wee	k 🔀		
P1.7*	REACH	Article 33 information about substances in articles is available at (add URL or mail www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure	contact):			
P2	Batterie	S				
P2.1*		duct contains a battery or an accumulator, the battery/accumulator is labeled with the Information on proper disposal is provided in user manual. (See legal reference)	the disposal			
P2.2*		or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadm	nium. (See lega	al 🔀		
P2.3*		and accumulators are readily removable. (See legal reference)		$\boxtimes$		
P3	Conforn	nity verification & Eco design (ErP)				
P3.1*	The prod	luct is CE-marked to show conformance with applicable legal requirements (see leg	gal reference). mail addres	s):		
		vww.lenovo.com/us/en/compliance/uk-doc for UK				
P3.2*		fluct complies with the Eco design requirements for energy-related products, al reference).		$\boxtimes$		
		d information is;				
P5		www.lenovo.com/us/en/compliance/eco-declaration packaging				
P5.1*		ng and packaging components do not contain more than 0,01% lead, mercury	/ cadmium a	nd 🔀		
	hexavale	ent chromium by weight of these together.				
P5.2*	used (se	kaging materials are marked with abbreviations and numbers indicating the nature e legal reference).			<u> </u>	
P5.3*	(see lega	luct packaging material is free from ozone depleting substances as specified in the Nal reference).	Montreal Protoc	col 🔀		$\sqcup \mid$
P6		nt: Legal reference has no maximum concentration values.  nt information				
P6.1*		on for recyclers/treatment facilities is available (see legal reference).		$\square$		
-		, , , , , , , , , , , , , , , , , , , ,				

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Issue da	te *	2022-1-9	Len	OVO.	C.
Produc		mental attributes - Market requirements (See General NOTE GN below)	Dagwina		4
Itom		onmental conscious design tory to fill in. Additional information regarding each item may be found under P14.	Require		
Item P7		Disassembly, recycling	Yes	No	n.a.
P7.1*		at have to be treated separately are easily separable	$\square$		$\overline{}$
P7.2*		naterials in covers/housing have no surface coating.			Ħ
P7.3*		arts > 100 g consist of one material or of easily separable materials.			∺
P7.4*	•	arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	$\square$	-#-	╫
P7.5		arts are free from metal inlays or have inlays that can be removed with commonly available tools.			井
P7.6*		re easily separable. (This requirement does not apply to safety/regulatory labels).		_#	井
P7.0	Product				
P7.7*		ng can be done e.g. with processor, memory, cards or drives			
P7.8*		ng can be done using commonly available tools			+
P7.9		<u> </u>			井
		arts are available after end of production for: 5 years			井
P7.10		s available after end of production for: 5 years			
P7.11*		and substance requirements			
P7.11		cover/housing material type (e.g. plastics, metal, aluminum): type: PC+ABS Material type: Steel			
P7.12		n materials of external electrical cables are PVC free.		$\boxtimes$	
P7.13	Insulatio	n materials of internal electrical cables are PVC free.	- #	X	Ħ
P7.14		plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1%	6	<u> </u>	+
1 7.14	weight (	1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing	d		
		an 25% post-consumer recycled content.			
P7.15	as define	circuit boards, PCBs (without components) are low halogen: all ⊠ PCBs > 25 g ☐are low haloger ed in IEC 61249-2-21. (See 1NOTE B2)			
P7.16	Marking:				
P7.17		nemical specifications of flame retardants in printed circuit boards > 25 g (without components):  PA (additive), TBBPA (reactive) (See NOTE B3), Other: <b>Brominated Epoxy Resins</b> , CAS #:			
	26265-0	8-7			
		nemical specifications of flame retardants in printed circuit boards (without components) > 25 g g ISO 1043-4:			
P7.18	Alt. 1 Flame r	retarded plastic parts >25g contain the following flame retardant substances/preparations in	n 🔀		
	concentr	rations above 0.1%:		ш	ш
		ent: No legal limits exist, this is a market requirement.			
		ical name: Oligomeric phosphorous compound CAS #:			
	2. Chem Alt. 2	ical name: CAS #:			
		al specifications of flame retardants in plastic parts >25g according ISO 1043-4:			
P7.19	In plastic	parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been	$\boxtimes$		
		the following Risk phrases; and Hazard statements: <b>H411;H413</b>			
		rce(s) for these classifications is/are found at (add URL(s)): European Council Directive			
	67/548/E	(See note B5)			
P7.20*	Postcons	sumer recycled plastic material content is used in the product (See Note B6):			
	a) Of t	at least one of the two alternatives below shall be answered; total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as ercentage of total plastic by weight) is 0%.			
		e weight of recycled material is g.			

Logo

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number \* 82RM

Model number *	82RM	Logo	Lend	21/6	
Issue date *	2022-1-9		Len		тн
Product environr		Require	emen	t met	
Item			Yes	No	n.a.

	Motorial and au	hatanaa raquiramanta	(continued)					
P7.21*		bstance requirements material content is use		OTE B7):				
	a) Of total plastic     total plastic	one of the two alternative stic parts' weight > 25 g by weight) is 0 %	, the biobased plastic m		ated as a percentage of			
	or b) The weight	of the biobased plastic	material is a					
P7.22*	Light sources are	e free from mercury, i.e.	less than 0,1 mg/lamp					
Do		d specify: Number of la	mps: and maxim	um mercury content pe	er lamp: mg			
<b>P8</b> P8.1*	Batteries	composition: LLION B	alumar battanı and lit	hium motal hattanı				
		attery chemical composition: LI-ION Polymer battery and lithium-metal battery						
P9		ption (See NOTE B8)	la an amanent aanat manti					
P9.1 Energy mo		he following power level  Power level at	Power level at	Power level at	Reference/Standard for energy			
Lifeigy ino	de	100 V AC	115 V AC	230 V AC	modes and test method *			
Peak (On-	max)	65 W	65 W	<b>65</b> W	Full load			
Categor	y <u>2</u>							
Short Idle Enabled	State - WOL	5.84 W	5.82 W	5.9 W	ENERGY STAR Computers V8			
Long Idle Enabled	State - WOL	4.27 W	4.13 W	4.21 W	ENERGY STAR Computers V8			
Sleep (S3)	- WOL Disabled	0.41 W	0.41 W	0.43 W	ENERGY STAR Computers V8			
Off (S5) - I	WOL Enabled	0.28 W	0.28 W	0.32 W	ENERGY STAR Computers V8			
EPS No-lo	ad	0.108 W	0.108 W	0.108 W				
(External power s	supply / charger plugged in the connected from the product.)	e						
PTEC *	connected from the product.	W	W	W		$\boxtimes$		
	ergy Consumption	1						
ETEC * Annual En	ergy Consumption	20.96 kWh/year	<b>20.77</b> kWh/year	<b>21.22</b> kWh/year	$E_{TEC} = (8760/1000) \times (P_{off} \times 0.25 + P_{sleep} \times 0.35 + P_{long\_idle} \times 0.10 + P_{short\_idle} \times 0.30)$			
		Poff: Off Mode(S5) - W	OL Enabled; Psleep: Sleep	Mode(S3) - WOL Enable	ed; P <sub>idle</sub> : Idle State - WOL Enabled			
External Po	ower Supply Effici	ency Level (Internationa	al Efficiency Marking Pro	otocol) *: VI				
Display res	solution * : 2.07 m	egapixels						
Default tim	e to enter energy	save mode: 10 minutes				$\overline{\Box}$		
P9.2*	Information abou	it the energy save funct	ion is provided with the	product.		T		
P9.3	Energy efficiency	class (monitors only):				$\overline{\boxtimes}$		
P10	Emissions				1			
	Noise emission	- Declared according t	o ISO 9296 (See NOTE	E B9)				
P10.1	Mode	Mode description		Statistical upper lim	it A-weighted sound power level, $L_{WA,c}$	(B)		
	Idle	* Idle		* 2.9				
	Operation	* Operation		* 4.6				
	Other mode		nd pressure level (dB) $L_{p  m An}$		ition desktop – idle)			
	Other mode	Declared A-weighted sour	nd pressure level (dB) $L_{p  m Am}$	34.8 (operator posi	ition desktop – operating)			
	Measured accord	ding to: 🔀 ISO 7779 [	ECMA-74					
	Other (only if not covered by ECMA-74)							

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B9 A Guidance document on Acoustic Noise is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

Model num	ber *	82RM			Logo	Lono		
Issue date	*	2022-1-9				Leno	VO.	1
Product e	nvironn	nental attributes	- Market requirements (co	ntinued)		Require	ment	met
Item						Yes	No	n.a.
	Electron	magnetic emission	s					
	program	(s): MPR-II(3 pin A		electromagnetic fields	s of the following voluntary	<i>'</i>		
P12		mics for computing						
P12.1*		, ,	nomic requirements of ISO 9241	•	, ,			
P12.2*	The phys	sical input device me	eets the requirements of ISO 99	95 and ISO 9241-41	0.	$\boxtimes$		
P13		ng and documenta						
	Product   Product   Product   Product	packaging material packaging material packaging material packaging material	type(s): <b>PE</b> weight (kg): <b>0.012</b> type(s): <b>PP</b> weight (kg): <b>0.0046</b>	g): <b>0.038</b> g): <b>0.069</b>				
P13.2*	Product	plastic primary pack	aging is free from PVC.					
	consume	er recovered fiber co			percentage of minimum p	ost-		
		media for user and p ic ⊠, Paper ⊠, O	product documentation (tick box) ther	:				
P13.5	Ùser and		em if paper documentation used ation on paper media is chlorine					
	Elementa	hlorine-free al chlorine-free ed chlorine-free						
P14		ry programs						
P14.1	The proc	duct meets the requi	rements of the following volunta	ry program(s):				
	Eco-labe	el:	Criteria version: <b>8.0</b> Criteria version: Criteria version:	Date: <b>2020/7/15</b> Date: Date:	Product category: 2 Product category: Product category:			
P15		nal information (Se						
P9	Energy	consumption of sp	ecific configuration may vary	; description of the	tested product configur	ation:		
	informati knowledo provided informati	ion contained in this ge available at the ti I here is approximate ion.	epresentations, guarantees, ass document. All information provi- ime of completion, and supplier e and provided for informational	ded by supplier in thi shall have no obligat purposes only. See	is document is provided ba ion to update such informa a Lenovo Account Repres	ased on supp ation. The inf	lier's ormati	on
P9			lotebooks & Tablet Computers for dex.cfm?fuseaction=find_a_pro					

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) *  * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC ( Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

# Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

### **Products scope of this sheet:**

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	IdeaPad 3 14ABA7/ IdeaPad 14s ABA7	Logo	
Model number *	82RM		Lonovo
Issue date *	2022-1-9		Lenovo.
Additional information			
•			•

d)	Year of manufacture:				2022
<del>)</del>	Etec value (kWh) per ErP Lot 3 Catego disabled and if the system is tested with				cards (dGfx) are
)	Etec value (kWh) per ErP Lot 3 Categorienable	ry and capability adjust	ments applied when <b>a</b>	all discrete graphics	cards (dGfx) are
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)
	Memory over base [GB]	16			
ents	Additional internal storage	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)
capability adjustments applied during testing	Discrete television tuner	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)
ability a lied du	Discrete Audio Card	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)
capa appl	Discrete graphics Card(s) [number / #]	No #: (Yes / No)	#: (Yes / No)	#: (Yes / No)	#: (Yes / No)
	Category of discrete graphics Card(s)				
sults	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)	13.12			
Test results	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled				
<b>j</b> )	Idle state power demand (Watts);	l			4.21
1)	Sleep mode power demand (Watts);				0.43
)	Sleep mode with WOL enabled power de	emand (Watts) (where	enabled);		0.43
)	Off mode power demand (Watts);				0.32
κ)	Off mode with WOL enabled power dem	and (Watts) (where en	abled);		0.32
)	Internal power supply efficiency at 10 %	, 20 %, 50 % and 100 °	% of rated output pow	er (if applicable):	
	10% 20% 50%	100% Avera	ige		
n)	External power supply efficiency (if appli	cable)*:			
	Average active efficiency: 88.20%; 89.1	18%;89.37%			
	*internal note: show values for all available external p	ower supplies			
0)	Minimum number of loading cycles that	the batteries can withs	tand (applies only to n	otebook computers):	300CYCLES
o-1)	Measurement methodology used to dete	ermine information mer	itioned in points (I) – in	nternal PSU efficiency:	:
o-2)	Measurement methodology used to dete	rmine information mer	tioned in points (m) –	external PSLL efficienc	CV.

(p-3)	Measurement methodology used to determine information mentioned in points (o) – loading cycles batteries:  EN 50563:2011 measurement methodology					
(p-4)		dology used to determine information mentioned in r Point P9.1 in the Product IT Eco Declaration:	naximum, idle, sleep, off mode			
	EN 62623:2013 measurement methodology					
(q)	Sequence of steps for achieving a stable condition with respect to power demand::					
		EN 62623:2013 measurement methodo	ology			
(r)	Description of how s	eep and/or off mode was selected or programmed:				
		EN 62623:2013 measurement methodo	ology			
(s)		required to reach the mode where the equipment au wer management, 30mins automatically reaches				
(t)		te condition before the computer automatically re- not exceed the applicable power demand requirement		30		
(u)	Length of time after	r a period of user inactivity in which the compute ver power demand requirement than sleep mode (in	r automatically reaches a power	NA		
(v)		re the display sleep mode is set to activate after		10		
(w)		nergy-saving potential of power management function				
	User information	described in User Guide and Power Manager un programs	der Lenovo Vantage menu in all			
(x)	User information on	now to enable the power management functionality:				
	User information	described in User Guide and Power Manager un programs	der Lenovo Vantage menu in all			
(z)		measurements: — test voltage in V and frequency in system, — information and documentation on the in- sting:				
		230V, 50GHz, Total Harmonic Distortion	1 <2 %			
Addition	nal Notebook Batter	v Information:				
710010101		Battery[ies] <u>not</u> user replaceable	Battery[ies] user replaceable	n/a		
		The battery[ies] in this product cannot be easily replaced by users themselves. 1)				
Internal/l	built-in Battery					
External	detachable Battery					
Bios Bac	kup Battery					
Other:	Other:					
Additiona	al information					
)						
<i>)</i> 'he hatterylies	al in this product connet be a	asily raplaced by users themselves				

Акумулаторната[ите] батерия[и] в този продукт не може да се замени[ят] лесно от самите потребители.

Las baterías de este producto no pueden ser sustituidas fácilmente por los propios usuarios. Výměnu baterie/baterií v tomto výrobku by neměli provádět sami uživatelé.

Brugeren kan ikke uden videre udskifte batteriet/batterierne i dette produkt.

Der Akku/die Akkus dieses Produkts kann/können nicht ohne weiteres vom Benutzer selbst ausgetauscht werden. Kasutajad ei saa selle toote akut/akusid ise hõlpsasti asendada.

Η μπαταρία[-ες] στο προϊόν αυτό δεν μπορούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες

La/les batterie(s présente(s) dans ce produit ne peuvent être facilement remplacée(s) par les utilisateurs eux-mêmes. Korisnik ne može lako zamijeniti Bateriju sam u ovom proizvodu.

La batteria/le batterie in questo prodotto non può/possono essere facilmente sostituita/e dall'utente. Lietotăji paši nevar nomainīt šā ražojuma akumulatoru(-us). Šio gaminio baterijos [baterijų] pats vartotojas negali lengvai pakeisti.

A termék akkumulátorát/akkumulátorait a felhasználó nem tudja egyedül egyszerűen kicserélni.

Il-batterija/batteriji f'dan il-prodott ma tistax/jistgħux tiġi/jiġu sostitwita/i mill-utenti stess. Batteriet [ene] i dette produktet kan ikke lett erstattes av brukerne selv.

De batterij(en) in dit product is (zijn) door de gebruiker niet gemakkelijk vervangbaar.

Użytkownik nie może sam w łatwy sposób wymienić baterii w tym produkcie. A ou as baterias deste produto não podem ser facilmente substituídas pelos próprios utilizadores.

Bateria (bateriile) din acest produs nu poate (pot) fi uşor înlocuită (înlocuite) de utilizatorii înşişi. Batériu(-ie) v tomto výrobku nemôže vymieňať používateľ. Baterij/baterije v tem izdelku uporabniki sami ne morejo zlahka zamenjati.

Tämän tuottéen akku [akut] ei[vät] ole helposti käyttäjän vaihdettavissa.

Det är inte enkelt för kunden att själv byta ut batteriet/batterierna. Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.