

ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Notebooks and Tablets

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo	
Company name *	Lenovo		
Contact information *	Lenovo Global Environmental Affairs		
e-mail address	Alvin L Carter	Lenovo	
	Alcarter@lenovo.com		
Internet site *	https://www.lenovo.com/us/en/sustainability-resources/		
Additional information	The latest version of this document can be found at:		
	http://www.lenovo.com/ecodeclaration		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.					
Type of product *	Notebook				
Commercial name *	IdeaPad Slim 3 15IAN8				
Model number *	82XB				
Issue date *	2022-12-26				
Intended market *	🛛 Global 📃 Europe 🗌 Asia, Pacific & Japan 🗌 Americas 🗌 Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

Model n	umber *	82XB Logo	1.000			
lssue da	ate *	2022-12-26	Len		O _{DE}	
Produc	t environ	mental attributes - Legal requirements	Require		t met	
Item			Yes	No	n.a.	
P1		ous substances and preparations				
P1.1*	Product	s do comply with current European RoHS Directive. (See legal reference and NOTE B1)	\square			
P1.2*		s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.				
P1.3*	hydrobro trichloro	s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), omofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- ethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum ration values.				
P1.4*		s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated yl (PCT) in preparations (see legal reference).	\boxtimes			
P1.5*		s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in ontaining at least 48% per mass of chlorine in the SCCP (see legal reference).	the 🔀			
P1.6*	(see leg	ith direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm²/we al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.	ek 🔀			
P1.7*		Article 33 information about substances in articles is available at (add URL or mail contact): www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure	\boxtimes			
P2	Batterie)S				
P2.1*		oduct contains a battery or an accumulator, the battery/accumulator is labeled with the disposal Information on proper disposal is provided in user manual. (See legal reference)	\boxtimes			
P2.2*		s or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See le	gal 🔀			
P2.3*	Batterie	s and accumulators are readily removable. (See legal reference)				
P3	Confor	mity verification & Eco design (ErP)				
P3.1*	The pro The Dec https://	duct is CE-marked to show conformance with applicable legal requirements (see legal reference) claration of Conformity can be requested at (add link or e-mail address): www.lenovo.com/us/en/compliance/eu-doc for EU; www.lenovo.com/us/en/compliance/uk-doc for UK). 🔀			
P3.2*		duct complies with the Eco design requirements for energy-related products, al reference).	\square			
	Require	d information is; given in item P15 or added to this document, available at (add URL):				
		www.lenovo.com/us/en/compliance/eco-declaration				
P5		t packaging		_		
P5.1*	hexaval	ing and packaging components do not contain more than 0,01% lead, mercury, cadmium ent chromium by weight of these together.			_	
P5.2*	used (se	kaging materials are marked with abbreviations and numbers indicating the nature of the materia ee legal reference).				
P5.3*	(see leg	duct packaging material is free from ozone depleting substances as specified in the Montreal Prote al reference).	ocol 🔀			
	Commo	nt: Legal reference has no maximum concentration values				
P6		nt: Legal reference has no maximum concentration values.				

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model nu	umber *	82XB	Logo	Lon		
Issue dat	te *	2022-12-26		Len		Эн
Product		mental attributes - Market requirements (See General NOTE GN		_		
		onmental conscious design		Require		
Item		tory to fill in. Additional information regarding each item may be found under P14.		Yes	No	n.a.
P7.1*		Disassembly, recycling at have to be treated separately are easily separable				
P7.2*		naterials in covers/housing have no surface coating.				
P7.3*		arts > 100 g consist of one material or of easily separable materials.				
P7.3		arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.			<u> </u>	
P7.4			available teale		<u> </u>	
		arts are free from metal inlays or have inlays that can be removed with commonly a	available loois.		<u> </u>	<u> </u>
P7.6*		re easily separable. (This requirement does not apply to safety/regulatory labels).		\square		
P7.7*	Product	g can be done e.g. with processor, memory, cards or drives				
P7.8*	10	ng can be done using commonly available tools			⊢⊢	
	10					
P7.9		arts are available after end of production for: 3 years				
P7.10		s available after end of production for: 5 years				
P7.11*		and substance requirements				
P7.11		cover/housing material type (e.g. plastics, metal, aluminum): type: <i>plastics</i> Material type: <i>metal</i>				
P7.12		n materials of external electrical cables are PVC free.		<u> </u>		
P7.13		n materials of internal electrical cables are PVC free.				
P7.14	weight (polyvinyl	plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) b 1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine i an 25% post-consumer recycled content.	e retardants, an	d 🔼		
P7.15	Printed of	circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g ed in IEC 61249-2-21. (See 1NOTE B2)	are low haloge	n 🗌	\boxtimes	
P7.16		tarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:		\boxtimes		
P7.17	<u>Alt. 1: </u> Cl	hemical specifications of flame retardants in printed circuit boards > 25 g (without (additive), TBBPA (reactive) (See NOTE B3), Other: , CAS #:	components):			
	<u>Alt. 2: C</u> ł	nemical specifications of flame retardants in printed circuit boards (without compon- g ISO 1043-4:	ents) > 25 g			
P7.18	Alt. 1 Flame r concentr	retarded plastic parts >25g contain the following flame retardant substance: ations above 0.1%:	s/preparations i	n		
	2. Chem 3. Chem	ical name: CAS #: ical name: CAS #: ical name: CAS #: ical name: CAS #: ical name: CAS #:				
	FR(40)	al specifications of flame retardants in plastic parts >25g according ISO 1043-4:				
P7.19	assigned	c parts > 25 g, flame retardant substances/preparations above 0,1% are used which d the following Risk phrases; and Hazard statements: <i>H411;H413</i> rce(s) for these classifications is/are found at (add URL(s)): <i>European Court</i> <i>EEC</i> , (See note B5)				
P7.20*	Postcons If YES; a a) Of t 26u or	sumer recycled plastic material content is used in the product (See Note B6): at least one of the two alternatives below shall be answered; total plastic parts' weight > 25 g, the postconsumer recycled plastic material conter lated as a percentage of total plastic by weight) is <i>10.39%</i> . weight of recycled material is <i>69.65</i> g.	nt (c2022-12-			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	82XB	Logo	Lenovo
Issue date *	2022-12-26		LEHOVO
Product environm	nental attributes - Market requirements (continued)		Requirement met

Item

Yes No n.a.

	stance requirements				
P7.21* Biobased plastic	material content is use	ed in the product (See I	NOTE B7):		
If YES: at least or	ne of the two alternativ	ves below shall be answ	wered:		
			stic material content (c	2022-12-26ulated as a	
percentage	of total plastic by weig	ht) is 0 %.			
or					
	of the biobased plastic				
	free from mercury, i.e specify: Number of la	e. less than 0,1 mg/lam			
P8 Batteries	specily. Number of a	amps. and maxin	mum mercury content p	er lamp: mg	
	composition: LI-ION F	Polymer battery and li	ithium-metal battery		
-	ption (See NOTE B8)				
		els or energy consump	tions are reported:		
Energy mode *	Power level at	Power level at	Power level at	Reference/Standard for energy	
Energy mode	100 V AC	115 V AC	230 V AC	modes and test method *	
Peak (On-max)	65 W	65 W	65 W	Full load	
Category 1					
Short Idle State - WOL	4.55 W	4.57 W	4.73 W	ENERGY STAR Computers V8	
Enabled					
	0.0514/	0.0010/			
Long Idle State - WOL Enabled	0.35 W	0.38 W	0.44 W	ENERGY STAR Computers V8	
Enabled					
Sleep (S3) - WOL Enabled	0.35W	0.38W	0.44W	ENERGY STAR Computers V8	
Off (SE) MOL Enchlad	0.45 \\	0.45 \\/	0.20.10/		
Off (S5) - WOL Enabled	0.15 W	0.15 W	0.20 W	ENERGY STAR Computers V8	
EPS No-load	0.068 W	0.065W	0.068W	Reference	
(External power supply / charger plugged in the wall outlet but disconnected from the product.)					
PTEC *	W	W	W		
Typical Energy Consumption					
ETEC *	13.65 kWh/year	13.85 kWh/year	14.60 kWh/year	$E_{TEC} = (8760/1000) \times (P_{off} \times 0.25)$	
Annual Energy Consumption	rene intra year	noroo kiringoar	inter any sea	$+ P_{sleep} \times 0.35 + P_{long_{ldle}} \times 0.10+$	
				P _{short Idle} x 0.30)	
	Poff: Off Mode(S5) - V	VOL Enabled; Psleep: Slee	ep Mode(S3) - WOL Enabl	ed; Pidle: Idle State - WOL Enabled	
Cotogony 2					
Category 2					
Short Idle State - WOL	3.73 W	3.69 W	3.93 W	ENERGY STAR Computers V8	
Enabled					
Long Idle State - WOL	0.32 W	0.32 W	0.39 W	ENERGY STAR Computers V8	
Enabled	0.02	0.02			
Sleep (S3) - WOL Enabled	0.32W	0.32W	0.39W	ENERGY STAR Computers V8	
Off (S5) - WOL Enabled	0.14 W	0.15 W	0.21 W	ENERGY STAR Computers V8	
. ,	0.000.10/	0.00704	0.00004/		
EPS No-load (External power supply / charger plugged in the	0.068 W	0.067W	0.068W	Reference	
vall outlet but disconnected from the product.)					
PTEC *	W	W	W		
Typical Energy Consumption	VV	VV	VV		\triangleright
ETEC *	11.36 kWh/year	11.27 kWh/year	12.30 kWh/year	$E_{TEC} = (8760/1000) \times (P_{off} \times 0.25)$	
Annual Energy Consumption				+ P _{sleep} x 0.35 + P _{long_ldle} x 0.10+	_
				P _{short Idle} x 0.30)	
	Poff: Off Mode(S5) - V	VOL Enabled; P _{sleep} : Slee	ep Mode(S3) - WOL Enabl	ed; Pidle: Idle State - WOL Enabled	
internal Damar Original - Eff.		al Efficiency Mandala - D	wateral) * . 14		
External Power Supply Efficie	ncy Level (Internation	ai Eniciency Marking P			L

NOTE B7 The following is to be excluded from the c2022-2-7ulation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Display re	esolution * :2.074	negapixels			
Default ti	me to enter energy	y save mode: 5 minutes			
P9.2*	Information abo	out the energy save function is provided with the p	roduct.		
P9.3	Energy efficien	cy class (monitors only):			
P10	Emissions				
	Noise emission – Declared according to ISO 9296 (See NOTE B9)				
P10.1	Mode	Mode description	Statistical upper limit A-weighted sound power level, L _{WA,c} (B)		
	Idle	* Idle (Operating)	* 2.5		
	Operation	* HDD:Operation CPU:Operation	* N/A 2.5		
	Other mode	Declared A-weighted sound pressure level (dB) L_{pAm}	15.5 (operator position desktop – idle)		
	Other mode	Declared A-weighted sound pressure level (dB) $L_{p\rm Am}$	15.5 (operator position desktop – operating)		
	Measured acco	ording to: 🔀 ISO 7779 🗌 ECMA-74			
		Other (only if not covered by B	ECMA-74)		

Model nur	nber *	82XB			L	ogo			
Issue date	*	2022-12-26					Leno	VO	н
Product	environr	nental attribut	es - Market requirements	(continued)			Require	ment	me
Item							Yes	No	n.a
		nagnetic emissi							
P10.4	program	(s): MPR-II(3 pin	he requirement for low frequer AC adapter only)	ncy electromagnetic fiel	ds of the followi	ng voluntary	′ 🖂		
P12		nics for comput							
P12.1*	The disp	lay meets the erg	onomic requirements of ISO 9	241-307 for visual disp	lay technologie	S.	\square		
P12.2*	The physic	sical input device	meets the requirements of ISC	O 9995 and ISO 9241-4	10.		\boxtimes		
P13	Packagi	ng and docume	ntation						
P13.1*	Product Product	packaging mater		oard weight (kg): 0.360 weight (kg): 0.004 ht (kg): 0.015 ht (kg): 0.104					
P13.2*	Product	plastic primary pa	ackaging is free from PVC.				\boxtimes		
P13.3*		luct primary corr er recovered fiber	ugated fiberboard packaging, content: 79 %	specify the contained	percentage of	minimum p	ost-		
P13.4*		media for user ar ic ⊠, Paper ⊠	d product documentation (tick , Other	box):					
P13.5	User and		s item if paper documentation entation on paper media is chlo				\boxtimes		
	Totally c	hlorine-free					\boxtimes		
	Element	al chlorine-free							
	Process	ed chlorine-free					П		
P14	Volunta	ry programs							
P14.1			quirements of the following vol	untary program(s):					
	ENERC	Y STAR®	Criteria version: 8.0	Date: 2020-04	Product cate				
	Eco-labe		Criteria version:	Date:	Product cate	0, 1			
	Eco-labe		Criteria version:	Date:	Product cate				
P15		nal information (D dito!		<u></u>			
P 9			specific configuration may	vary; description of th	e tested produ	ct configur	ation:		
	NOTE: S the info supplier informa Accoun	Supplier makes rmation contain r's knowledge a tion. The inform t Representative	no representations, guarante ed in this document. All infor vailable at the time of comple ation provided here is appro e for more information.	ees, assurances or wa rmation provided by s ation, and supplier sha ximate and provided f	rranties wheth upplier in this all have no obl for information	er express document i igation to u	or implied, i is provided pdate such	based	l on
P9			ed Notebooks & Tablet Comp ttps://www.energystar.gov/pi			\$			

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	IdeaPad Slim 3 15IAN8	Logo
Model number *	82XB	
Issue date *	2022-12-26	Lenovo
Additional information		

P7.1.1	Product environmental attributes					
(d)	Year of manufacture:			202	2	
(e)	Etec value (kWh) per ErP Lot 3 Catego disabled and if the system is tested with				cards (dGfx) are	
(f)	Etec value (kWh) per ErP Lot 3 Categor enable	y and capability adjus	tments applied when a	all discrete graphics of	cards (dGfx) are	
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)	
	Memory over base [GB]	8				
nents sting	Additional internal storage	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)	
capability adjustments applied during testing	Discrete television tuner	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)	
ability a	Discrete Audio Card	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)	
app	Discrete graphics Card(s) [number / #]	No #: (Yes / No)	#: (Yes / No)	#: (Yes / No)	#: (Yes / No)	
	Category of discrete graphics Card(s)	N/A				
Test results	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)	8.82				
Test r	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled					
(g)	Idle state power demand (Watts);				2.77	
(h)	Sleep mode power demand (Watts);				0.44	
(i)	Sleep mode with WOL enabled power de	emand (Watts) (where	enabled);		0.44	
(j)	Off mode power demand (Watts);				0.22	
(k)	Off mode with WOL enabled power dem	and (Watts) (where en	abled);		0.22	
(I)	Internal power supply efficiency at 10 %,	20 %, 50 % and 100	% of rated output pow	er (if applicable):		
	10% 20% 50%	100% Avera	age			
(m)	External power supply efficiency (if appli	cable)*:				
	Average active efficiency: 89.03% 89.70% 90.88%					
(0)	*internal note: show values for all available external pr Minimum number of loading cycles that t		tand (applies only to n	otebook computers):	300CYCLES	
(p-1)	Measurement methodology used to dete	rmine information mer NA	ntioned in points (I) – ir	nternal PSU efficiency	:	
(p-2)	Measurement methodology used to determine information mentioned in points (m) – external PSU efficiency: EN 50563:2011 measurement methodology					

(p-3) Measurement metho	dology used to determine information mentioned in p EN 61960 measurement methodology		
(p-4) Measurement metho power as defined in l	dology used to determine information mentioned in r Point P9.1 in the Product IT Eco Declaration:	naximum, idle, sleep, off mode	
	EN 62623:2013 measurement methodo	blogy	
(q) Sequence of steps for	or achieving a stable condition with respect to power	demand::	
	EN 62623:2013 measurement methodo	blogy	
(r) Description of how s	leep and/or off mode was selected or programmed:		
В	y selecting sleep and/or off mode thru Windows (operating system	
(s) Sequence of events off mode:	required to reach the mode where the equipment au	tomatically changes to sleep and/or	
refe	er to power management, 10mins automatically re	eaches sleep mode	
	te condition before the computer automatically re- s not exceed the applicable power demand requirement		5
	r a period of user inactivity in which the compute		N/A
mode that has a low	wer power demand requirement than sleep mode (in	minutes):	NA
	ore the display sleep mode is set to activate after		5
(w) Information on the er	nergy-saving potential of power management function	nality:	
User information c	lescribed in User Guide and Power Manager unde all programs	er IdeaPad Slim 3 15IAN8 menu in	
(x) User information on	how to enable the power management functionality:		
User information of	lescribed in User Guide and Power Manager unde all programs	er IdeaPad Slim 3 15IAN8 menu in	
	measurements: — test voltage in V and frequency in		
	system, — information and documentation on the in-	strumentation, set-up and circuits	
used for electrical te	sting:		
	230V, 50GHz, Total Harmonic Distortion	1 <2 %	
Additional Notebook Batter			
	Battery[ies] not user replaceable	Battery[ies] user replaceable	n/a
	The battery[ies] in this product cannot be easily replaced by users themselves. ¹⁾		
Internal/built-in Battery	\boxtimes		
External/detachable Battery			
Bios Backup Battery			
Other:			
Additional information	•	•	
L			
) he battery[ies] in this product cannot be e	asily replaced by users themselves.		
кумулаторната[ите] батерия[и] в този п	родукт не може да се замени[ят] лесно от самите потребител	и.	
as baterías de este producto no pueden s ýměnu baterie/baterií v tomto výrobku by	ser sustituidas fácilmente por los propios usuarios.		
rugeren kan ikke uden videre udskifte bat	teriet/batterierne i dette produkt.		
er Akku/die Akkus dieses Produkts kann/ asutajad ei saa selle toote akut/akusid ise	können nicht ohne weiteres vom Benutzer selbst ausgetauscht w hölnsasti asendada	verden.	
μπαταρία[-ες] στο προϊόν αυτό δεν μπορ	ούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες		
a/les batterie(s prėsente(s) dans ce produ orisnik ne može lako zamijeniti Bateriju sa	iit ne peuvent être facilement remplacée(s) par les utilisateurs eu am u ovom proizvodu.	x-mêmes.	
a batteria/le batterie in questo prodotto no	on può/possono essere facilmente sostituita/e dall'utente.		
ietotāji paši nevar nomainīt šā ražojuma a io gaminio baterijos [baterijų] pats vartoto			
termék akkumulátorát/akkumulátorait a fe	elhasználó nem tudja egyedül egyszerűen kicserélni.		
-batterija/batteriji f'dan il-prodott ma tistax atteriet [ene] i dette produktet kan ikke let	/jistgħux tiġi/jiġu sostitwita/i mill-utenti stess. t erstattes av brukerne selv		
e batterij(en) in dit product is (zijn) door d	e gebruiker niet gemakkelijk vervangbaar.		
żytkownik nie może sam w łatwy sposób	wymienić baterii w tym produkcie.		
	ser facilmente substituídas pelos próprios utilizadores. e (pot) fi ușor înlocuită (înlocuite) de utilizatorii înșiși.		
atériu(-ie) v tomto výrobku nemôže vymie	ňať používateľ.		
aterij/baterije v tem izdelku uporabniki sa	mi ne morejo zlahka zamenjati.		

Tämän tuotteen akku [akut] ei[vät] ole helposti käyttäjän vaihdettavissa. Det är inte enkelt för kunden att själv byta ut batteriet/batteriema. Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.