



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Notebooks and Tablets

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo		
Company name *	Lenovo			
Contact information * e-mail address	Lenovo Global Environmental Affairs Alvin L Carter alcarter@lenovo.com	Lenovo.		
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment	t.html		
Additional information	The latest version of this document can be found at:			
	http://www.lenovo.com/ecodeclaration			

The company declares (based on product specification or test results based obtained from sample testing), that the product					
conforms to the statemen	nts given in this declaration.				
Type of product *	Notebook PC				
Commercial name *	IdeaPad Slim 5 14IRL8				
Model number *	82XD				
Issue date *	2023.01.16				
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

Model number *		82XD	Logo	Long)\/O	
Issue date	e *	2023.01.16		Lend		тн
Product	environ	mental attributes - Legal requirements		Require	ment	met
Item				Yes	No	n.a.
P1		ous substances and preparations				
P1.1*		do comply with current European RoHS Directive. (See legal reference and NOTE	EB1)	\boxtimes		
P1.2*		do not contain Asbestos (see legal reference).		\boxtimes		
P1.3*		nt: Legal reference has no maximum concentration value. do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),			$\overline{}$	
F1.3		omofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach	loride 111-		Ш	
		ethane, methyl bromide (see legal reference). Comment: Legal reference has no m				
		ation values.				
P1.4*		do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych	lorinated	\boxtimes		
P1.5*		l (PCT) in preparations (see legal reference). do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carl	on atoms in t	he 🔀	$\overline{}$	
1 1.5		ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	Jon atoms in t		ш	
P1.6*		h direct and prolonged skin contact do not release nickel in concentrations above 0	,5 μg/cm²/we	ek 🔀		
		al reference).				
D4 7*		nt: Max limit in legal reference when tested according to EN1811:2011-5.				
P1.7*		Article 33 information about substances in articles is available at (add URL or mail www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure	contact):		Ш	Ш
P2	Batterie					
P2.1*		educt contains a battery or an accumulator, the battery/accumulator is labeled with t Information on proper disposal is provided in user manual. (See legal reference)	he disposal			
P2.2*	Batteries reference	or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadme	nium. (See leg	al 🔀		
P2.3*	Batteries	and accumulators are readily removable. (See legal reference)		X		
P3	Conforn	nity verification & Eco design (ErP)				
P3.1*	The prod	duct is CE-marked to show conformance with applicable legal requirements (see legal legal requirements) laration of Conformity can be requested at (add link or e-mail address): www.lenovo.com/us/en/compliance/eu-doc for EU;	gal reference).			
	https://v	vww.lenovo.com/us/en/compliance/uk-doc for UK				
P3.2*		duct complies with the Eco design requirements for energy-related products, al reference).				
	, ,	I information is; given in item P15 or added to this document,		\boxtimes		
		available at (add URL):				_
	https://v	www.lenovo.com/us/en/compliance/eco-declaration				
P5		packaging				
P5.1*	Packagii	ng and packaging components do not contain more than 0,01% lead, mercury ant chromium by weight of these together.	/, cadmium a	and 🔀		
P5.2*		caging materials are marked with abbreviations and numbers indicating the nature of elegal reference).	of the materia	(s) 🔀		
P5.3*	The proc	luct packaging material is free from ozone depleting substances as specified in the N al reference).	nontreal Proto	col 🔀		
	Commer	nt: Legal reference has no maximum concentration values.				
P6	Treatme	nt information				
P6.1*	Informati	on for recyclers/treatment facilities is available (see legal reference).		\boxtimes		

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model nu	ımber *	82XD	Logo	Lon	21/0		
Issue dat	:e *	2023.01.16		Len		TH.	
Product		mental attributes - Market requirements (See General NOTE GN					
-		onmental conscious design	ı	Require			
Item		tory to fill in. Additional information regarding each item may be found under P14.		Yes	No	n.a.	
P7 P7.1*		Disassembly, recycling at have to be treated separately are easily separable		\square			
P7.2*		naterials in covers/housing have no surface coating.			X	\blacksquare	
P7.3*		arts > 100 g consist of one material or of easily separable materials.				\vdash	
P7.4*				\overline{X}	\dashv	_	
P7.5		Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4. Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools. Labels are easily separable. (This requirement does not apply to safety/regulatory labels).					
P7.6*			+	\blacksquare			
17.0	Product						
P7.7*		ng can be done e.g. with processor, memory, cards or drives					
P7.8*		ng can be done using commonly available tools		\overline{X}	+	\blacksquare	
P7.9		arts are available after end of production for: 3 years				\perp	
		· · · · · · · · · · · · · · · · · · ·					
P7.10		s available after end of production for: 3 years					
P7.11*		and substance requirements					
P1.11		cover/housing material type (e.g. plastics, metal, aluminum): type: AL5L52R Material type: PC+ABS Materia	al type: PC+ABS	*+TDII			
P7.12		n materials of external electrical cables are PVC free.	artype. I O'ABC				
P7.13		n materials of internal electrical cables are PVC free.			\dashv	\blacksquare	
P7.14		plastic casing/cover parts > 25 g contain no more than 0.1% weight (1000 ppm) b	romine and 0.1%		\dashv	\blacksquare	
. ,	weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame ichloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in 25% post-consumer recycled content.	e retardants, and				
P7.15		in 25% post-consumer recycled content. circuit boards, PCBs (without components) are low halogen: all 🔀 PCBs > 25 g 🗌	aro low balagan		\square		
	as define	ed in IEC 61249-2-21. (See 1NOTE B2)	-				
P7.16	Marking:	etarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: >FR(40)<					
P7.17		nemical specifications of flame retardants in printed circuit boards > 25 g (without co PA (additive), TBBPA (reactive) (See NOTE B3), Other: , CAS #:	omponents):	\boxtimes			
		nemical specifications of flame retardants in printed circuit boards (without components)	ents) > 25 g		ш		
		g ISO 1043-4: <i>FR(16)</i>	, - 3	\boxtimes			
D7.40	A		, , ,				
P7.18	concentr 1. Chem	ame retarded plastic parts > 25 g contain the following flame retardant substance rations above 0,1%: ical name: <i>Oligomeric phosphorous compound</i> , CAS #: <i>Confidential</i> (See NOT ical page)					
		ical name: , CAS #: " ical name: , CAS #: "					
		nemical specifications of flame retardants in plastic parts > 25 g according ISO 104	3-4: >FR(40)<	\square			
P7.19		parts > 25 g, flame retardant substances/preparations above 0.1% are used which			Ħ		
	assigned	the following Risk phrases; and Hazard statements: rce(s) for these classifications is/are found at (add URL(s)): European Council					
	67/548/E	* * * * * * * * * * * * * * * * * * * *	Directive,				
P7.20*		sumer recycled plastic material content is used in the product (See Note B6):		\square			
0							
	a) Of t	at least one of the two alternatives below shall be answered; total plastic parts' weight > 25 g, the postconsumer recycled plastic material contenercentage of total plastic by weight) is 6.56%%.	t (calculated as				
	or b) The	weight of recycled material is 10.85g g.					

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	82XD	Logo	Len	01/6	
Issue date *	2023.01.16		Lem		TH.
Product environr		Requir	emen	t met	
Item			Yes	No	n.a.

	Material and sub-	tonos roquiromento	/continued)			
P7.21*		stance requirements naterial content is used	d in the product (See N	OTE B7):		
		c parts' weight > 25 g,	es below shall be answ the biobased plastic n	rered; naterial content (calcula		
		the biobased plastic r				
P7.22*		ree from mercury, i.e. specify: Number of lar	less than 0,1 mg/lamp nps: and maxim	num mercury content pe	er lamp: mg	
P8	Batteries					
P8.1*		omposition: Lithium i	on			
P9		tion (See NOTE B8)				
P9.1 Energy mod		Power level at	ls or energy consumpti Power level at	ons are reported: Power level at	Reference/Standard for energy	$\overline{}$
Energy mo	ue	100 V AC	115 V AC	230 V AC	modes and test method *	Ш
Peak (On-I	max)	65W	65 W	65 W	Full load	
Category	<u>y 2</u>					
Short Idle Enabled	State - WOL	5.71 W	5.42 W	6.07 W	ENERGY STAR Computers V8.0 (P _{idle})	
Long Idle S Enabled	State - WOL	0.78 W	0.78 W	0.78 W	ENERGY STAR Computers V8.0 (P _{idle})	
Sleep (S3) - WOL Enabled		0.78 W	0.78 W	0.78 W	ENERGY STAR Computers V8.0 (P _{sleep})	
Off (S5) - V	VOL Enabled	0.32 W	0.32 W	0.32 W	ENERGY STAR Computers V8.0 (P _{off})	
EPS No-loa (External power s wall outlet but disc	ad upply / charger plugged in the connected from the product.)	0.029 W	0.032 W	0.078 W		
PTEC *	ergy Consumption	W	W	W		\boxtimes
ETEC *	ergy Consumption	Cat2: 16.62 kWh/year	Cat2: 15.99 kWh/year	Cat2: 17.41 kWh/year	E _{TEC} = (8760/1000) x (P _{off} x 0.25 + P _{sleep} x 0.35 + P _{long_idle} x 0.10+ P _{short idle} x 0.30)	
		P _{off} : Off Mode(S5) - W	OL Enabled; P _{sleep} : Sleep	n Mode(S3) - WOL Enable	ed; P _{idle} : Idle State - WOL Enabled	
External Po	ower Supply Efficien	cy Level (Internationa	I Efficiency Marking Pr	otocol) * : VI		
Display res	olution * : 2240*140	00 megapixels				
Default time	e to enter energy sa	ve mode: 5 minutes				
P9.2*	Information about	the energy save functi	on is provided with the	product.		
P9.3	Energy efficiency	class (monitors only):				
P10	Emissions					
			o ISO 9296 (See NOTE			
P10.1		Mode description			t A-weighted sound power level, $L_{WA,c}$ ((B)
		idle CRU appretion		* 2.8 * 3.8		뉴
	Operation *	CPU operation	d pressure level (dB) $_{L_{p{ m An}}}$		ion doubles (dls)	
	Other mode	leclared A-weighted soun	d pressure level (dB) $_{L_{p m An}}$	29.4 (operator posit	ion desktop – operating)	
	Measured according	ng to: X ISO 7779 C				_
l	Ī	Other	(only if not covered by	/ LUIVIM-14)		

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Model nur	nber *	82XD			Logo	Long		
Issue date	*	2023.01.16				Leno	VO.	
Product	environr	nental attributes - Mar	rket requirements (cor	ntinued)		Require	ment	met
Item			•	•		Yes	No	n.a.
		magnetic emissions						
P10.4	program	(s): EMC Directive 2014/		lectromagnetic fields	s of the following voluntary	/ 🗵		
P12		mics for computing prod						
P12.1*		,	requirements of ISO 9241-	•	, ,		\boxtimes	
P12.2*	The phy	sical input device meets th	ne requirements of ISO 999	95 and ISO 9241-410	0.			
P13		ng and documentation						
P13.1*	Product Product Product Product Product	packaging material type s packaging material type s packaging material type s packaging material type s packaging material type s): Ocean-bound plastic b): polyethylene cushion): Coated Paper	I carboard(E Flute) weight (kg): 0.005	weight (kg): 0.035 g): 0.015			
P13.2*	Product	plastic primary packaging	is free from PVC.			\boxtimes		
P13.3*		duct primary corrugated for recovered fiber content:	iberboard packaging, spec 84 %	cify the contained p	percentage of minimum p	ost-		
P13.4*		media for user and produc ronic, ⊠Paper, ⊡Other	t documentation (tick box):					
P13.5	Ùser and		paper documentation used on paper media is chlorine-					
	Element	hlorine-free al chlorine-free ed chlorine-free						
P14	Volunta	ry programs						
P14.1			nts of the following voluntar	y program(s):				
		el: ENERGY STAR ® el: EPEAT 2018 el:	Criteria version: 8.0 Criteria version: 2018 Criteria version:	Date: 2023/1/16 Date: 2023/1/16 Date:	Product category: Category : Note Product category: Note Product category:			
P15		nal information (See NO			<u> </u>			
P9			configuration may vary;					
	informat knowled provided informat	ion contained in this docur ge available at the time of I here is approximate and ion.	entations, guarantees, assument. All information provided completion, and supplier sprovided for informational provided for information provided for in	led by supplier in thi hall have no obligat ourposes only. See	s document is provided by ion to update such inform a Lenovo Account Repres	ased on suppation. The inf	olier's formati	on
P9			oks & Tablet Computers fo fm?fuseaction=find_a_prod					

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	IdeaPad Slim 5 14IRL8	Logo	
Model Number	82XD		Lenovo
Issue Date	2023.01.16		Lenovo.
Additional information			

d)	Year of manufacture:				2023
e)	Etec value (kWh) per ErP Lot 3 Catego disabled and if the system is tested with				cards (dGfx) are
f)	Etec value (kWh) per ErP Lot 3 Categor enable	y and capability adjust	ments applied when a	all discrete graphics of	cards (dGfx) are
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)
	Memory over base [GB]	16			
ents	Additional internal storage	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)
capability adjustments applied during testing	Discrete television tuner	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)
	Discrete Audio Card	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)
	Discrete graphics Card(s) [number / #]	No #: (Yes / No)	#: (Yes / No)	#: (Yes / No)	#: (Yes / No)
	Category of discrete graphics Card(s)	No			
sults	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)	11.75			
Test results	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled	No			
g)	Idle state power demand (Watts);				CatA: 3.52
า)	Sleep mode power demand (Watts);				CatA: 0.76
)	Sleep mode with WOL enabled power de	emand (Watts) (where	enabled);		CatA: na
)	Off mode power demand (Watts);				CatA: 0.35
k)	Off mode with WOL enabled power dem	and (Watts) (where en	abled);		CatA: na
l)	Internal power supply efficiency at 10 %,	20 %, 50 % and 100 °	% of rated output pow	er (if applicable):	
	10% na 20% na 50% na 100% na	Average na			
m)	External power supply efficiency (if appli	cable)*:			
	Average active efficiency: Liteon: 90.85		;Delta: 92.29% ;Acel	pel: 86.65%	
	*internal note: show values for all available external p				
0)	Minimum number of loading cycles that t	the batteries can withs	tand (applies only to n	otebook computers):	300
(p-1)	Measurement methodology used to dete	rmine information mer	tioned in points (I) – ir	nternal PSU efficiency:	
p-2)	Measurement methodology used to dete	rmine information mer	tioned in points (m) –	external PSU efficience	cy:

(p-3)	Measurement methodology used to determine information mentioned in points (o) – loading cycles batteries: EN 61960 measurement methodology					
(p-4)	Measurement methodology used to determine information mentioned in maximum, idle, sleep, off mode power as defined in Point P9.1 in the Product IT Eco Declaration:					
	EN 61960 measurement methodology					
(q)	Sequence of steps for achieving a stable condition with respect to power demand::					
		EN 61960 measurement methodolog	gy			
(r)	Description of how s	eep and/or off mode was selected or programmed:				
		Begin menu -> Power -> Select sleep or o	off mode			
(s)	Sequence of events off mode:	required to reach the mode where the equipment au	tomatically changes to sleep and/or			
		base on User Guide				
(t)		te condition before the computer automatically researched the applicable power demand requirement		5 min		
(u)	Length of time after	r a period of user inactivity in which the compute	r automatically reaches a power	NA		
(v)	mode that has a lower power demand requirement than sleep mode (in minutes): Length of time before the display sleep mode is set to activate after user inactivity (in minutes):					
(w)	Information on the er	nergy-saving potential of power management function	nality:	5 min		
		Refer to User Guide				
(x)	User information on	how to enable the power management functionality:				
		Refer to User Guide				
(z)		measurements: — test voltage in V and frequency in system, — information and documentation on the in- sting:				
		230V, 50Hz, Total Haemonic Distortion	<2%			
Addition	al Notebook Batter	y Information:				
		Battery[ies] not user replaceable	Battery[ies] user replaceable	n/a		
		The battery[ies] in this product cannot be easily replaced by users themselves. 1)				
Internal/b	ouilt-in Battery					
External/	detachable Battery					
Bios Bac	kup Battery					
Other:						
Additiona	al information					
<u> </u>						

The battery[ies] in this product cannot be easily replaced by users themselves.

Акумулаторната[ите] батерия[и] в този продукт не може да се замени[ят] лесно от самите потребители.

Las baterías de este producto no pueden ser sustituidas fácilmente por los propios usuarios.

Výměnu baterie/baterií v tomto výrobku by neměli provádět sami užívatelé. Brugeren kan ikke uden videre udskifte batteriet/batterierne i dette produkt.

Der Akku/die Akkus dieses Produkts kann/können nicht ohne weiteres vom Benutzer selbst ausgetauscht werden.

Kasutajad ei saa selle toote akut/akusid ise hõlpsasti asendada. Η μπαταρία[-ες] στο προϊόν αυτό δεν μπορούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες La/les batterie(s présente(s) dans ce produit ne peuvent être facilement remplacée(s) par les utilisateurs eux-mêmes.

Korisnik ne može lako zamijeniti Bateriju sam u ovom proizvodu. La batteria/le batterie in questo prodotto non può/possono essere facilmente sostituita/e dall'utente. Lietotāji paši nevar nomainīt šā ražojuma akumulatoru(-us).

Šio gaminio baterijos [bateriju] pats vartotojas negali lengvai pakeisti. A termék akkumulátorát/akkumulátorait a felhasználó nem tudja egyedül egyszerűen kicserélni. II-batterija/batteriji f'dan iI-prodott ma tistax/jistgħux tiġi/jiġu sostitwita/i mill-utenti stess.

Batterief [ene] i dette produktet kan ikke lett erstattes av brukerne selv.

De batterij(en) in dit product is (zijn) door de gebruiker niet gemakkelijk vervangbaar.

Użytkownik nie może sam w łatwy sposób wymienić baterii w tym produkcie.

A ou as baterias deste produto não podem ser facilmente substituídas pelos próprios utilizadores. Bateria (bateriile) din acest produs nu poate (pot) fi uşor înlocuită (înlocuite) de utilizatorii înşişi. Batériu(-ie) v tomto výrobku nemôže vymieňať používateľ. Baterij/baterije v tem izdelku uporabniki sami ne morejo zlahka zamenjati. Tämän tuotteen akku [akut] el[vät] ole helposti käyttäjän vaihdettavissa.

Det är inte enkelt för kunden att själv byta ut batteriet/batterierna.

Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.