

ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2017)

Annex B2 - Product environmental attributes Desktop/All-in-One Computers

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo	
Company name *	Lenovo		
Contact information *	Lenovo Global Environmental Affairs		Lenovo
e-mail address	Alvin L Carter		LEI IOVO.
	alcarter@lenovo.com		
Internet site *	https://www.lenovo.com/us/en/sustainability-resources/		
Additional information	The latest version of this document can be found at:		
	http://www.lenovo.com/ecodeclaration		

	based on product specification or test results based obtained from sample testing), that the product
conforms to the statemer	nts given in this declaration.
Type of product *	Desktop Computer
Commercial name *	Legion T5 26IRB8
Model number *	90UT,90UU,90UV,90UW,90V2
Issue date *	2022/10/31
Intended market *	🛛 Global 🔲 Europe 🗌 Asia, Pacific & Japan 🗌 Americas 🗌 Other
Additional information	

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products.

P1 Hazardous substances and preparations P1.1* Products do not comply with current European RoHS Directive. (See legal reference). Comment: Legal reference has no maximum concentration value.	Model n	umber *	90UT,90UU,90UV,90UW,90V2			
Item Yes No n.z P1 Hazardous substances and preparations P1.1* Products do comply with current European RoHS Directive. (See legal reference and NOTE B1) Image: Comment: Legal reference has no maximum concentration value. P1.2* Products do not contain Asbestos (see legal reference). Image: Comment: Legal reference has no maximum concentration value. Image: Comment: Legal reference has no maximum concentration value. P1.4* Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated terphenyl (PCT) in preparations (see legal reference). Image: Comment: Legal reference has no maximum concentration no no proper discussion of the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference). Image: Comment: Hassi Hard prolonged skin contact do not release nickel in concentrations above 0,5 µg/cm?/week (see legal reference). Image: Comment: Hassi Hard prolonged skin contact do not release nickel in concentration on 0,5 µg/cm?/week (see legal reference). Image: Comment: Hassi Hard prolonged skin contact do not release nickel in concentrations above 0,5 µg/cm?/week (see legal reference). P1.6* Patter with direct and prolonged skin contact do not release nickel in concentration on the more than 0,1% short CHX-Disclosure Image: Comment: Hassi Hard Precision Precis	lssue da	ite *	2022/10/31	Len	JVC	
P1.* Hazardous substances and preparations P1.1* Products do comply with current European RoHS Directive. (See legal reference and NOTE B1) P1.2* Products do not contian Absetos (see legal reference). Comment: Legal reference has no maximum concentration value. P1.3* P1.3* Products do not contian Absetos (see legal reference). P1.3* P1.3* Products do not contian (Dzene Depleting Substances: Chloroflourocarbons (CFC), hydrobromofluorocarbons (HBFC). hydrochlorofluorocarbons (HCFC), Halons, carbonterabloride, 1,1,1-trichloroethane, methyl bronide (see legal reference). P1.4* Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated P1.4* Products do not contain more than; 0,10% short chain chloroparafins (SCCP) with 10-13 carbon atoms in the chain containing at less! 48% per mass of chlorine in the SCCP (see legal reference). P1.6* Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 µg/cm ² /week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:2011-5. P1.7* REACH Artice 33 information about substances in articles is available at (add URL or mail contact): https://www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure P2 Batteries Batteries P2.1* If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol	Produc	t environ	mental attributes - Legal requirements	Require	ment	t met
P1.1* Products do comply with current European RoHS Directive. (See legal reference and NOTE B1) Image: Comment: Legal reference has no maximum concentration value. P1.2* Products do not contain Asbestos (see legal reference). Image: Comment: Legal reference has no maximum concentration value. P1.3* Products do not contain Ozone Depleting Substances: Chlorofluorcarbons (CFC), hydrochrofluorcarbons (HCFC), Halons, carbontetrachloride, 1, 1, 1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values. P1.4* Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference). P1.4* Products do not contain more than; 0.05% bot chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference). P1.5* Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference). P1.6* Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 µg/cm ² /week Image: Comment: Max IIII in Image reference when tested according to EN1811:2011-5. P1.7* REACH Article 33 Information about substances in articles is available at (add URL or mail contact): https://www.lenovo.com/us/en/Lenovo.REACH-SVHC-Disclosure Image: Comment: Max IIIII in Image: reference). P2.3* Batteries and a				Yes	No	n.a.
P1.2* Products do not contain Asbestos (see legal reference). □ Comment: Legal reference has no maximum concentration value. □ P1.3* Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromfluorocarbons (HBFC), hydrobromflance/HCBD, hydrobromflance/HCBD, hydrobromflance/HCBD, hydrobromblance/HCBD, hydrobromblance/HCBD, hydrobromblance/HCBD, hydrobromblance/HCBD, hydrobromblance/HCBD, hydrobromblance/HCBD, hydrobrommlance/HCBD, hydrobrommlance/HCBD, hydrobrommlance/HCBD, hydrobrommlance/HCBD, hydrobrommlance/HCBD, h						
Comment: Legal reference has no maximum concentration value. Image: Comment: Legal reference has no maximum concentration value. P1.3* Products do not contain Ozone Depleting Substances: Chlorofluoroarbons (CFC), hydrobromofluoroarbons (HBFC), hydrochiorofluoroarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values. P1.4* Products do not contain more than: 0.005% polychlorinated biphenyl (PCB). 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference). Image: Comment: Legal reference). P1.4* Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference). Image: Comment: Maximum term term term term term term term ter	P1.1*	Product	s do comply with current European RoHS Directive. (See legal reference and NOTE B1)	\square		
hydrobromofluorocarbons (HBCC), hydrochlorofluorarbons (HCC), Halons, carbontetrachloride, 1,1,1- Image: Construction Values. P1.4* Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated Image: Construction Values. P1.5* Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated Image: Construction Values. P1.5* Products do not contain more than; 0,105% polychlorinated biphenyl (PCB), 0,005% polychlorinated Image: Construction Values. P1.5* Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference). Image: Construction Constructs on Constructions above 0,5 µg/cm ² /week P1.6* Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 µg/cm ² /week Image: Construction Constructs on Constructions above 0,5 µg/cm ² /week Comment: Max limit in legal reference, hen tested according to EN1811:2011-5. P1.7* REACH Article 33 information about substances in articles is available at (add URL or mail contact): https://www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure Image: Construct on Contains a battery or an accumulator, the batter/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference) Image: Construct on Construction Contontin more than 0,0005% of mercury or 0,002% of cadmium. (See legal reference) P2.2* <	P1.2*	Comme	nt: Legal reference has no maximum concentration value.	\square		
terphenyl (PCT) in preparations (see legal reference). Image: Constraint of the state of	P1.3*	hydrobr trichloro	pmofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- ethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum			
chain containing at least 48% per mass of chlorine in the SCCP (see legal reference). □ P1.6* Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 µg/cm²/week (see legal reference). □ Comment: Max limit in legal reference when tested according to EN1811:2011-5. □ P1.7* REACH Article 33 information about substances in articles is available at (add URL or mail contact): □ https://www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure □ □ P2 Batteries □ □ P2.1* If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference) □ P2.2* Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal reference) □ P3.3* Batteries and accumulators are readily removable. (See legal reference) □ □ P3.4* The product is CE-marked to show conformance with applicable legal requirements (see legal reference). □ □ P3.2* The product compliance/uc/doc for EU and https://www.lenovo.com/us/en/compliance/uc/doc for UK □ □ P3.2* The product compliance/uc/doc for added to this document,	P1.4*	terphen	/I (PCT) in preparations (see legal reference).			
(see legal reference). Comment: Max limit in legal reference when tested according to EN1811:2011-5. P1.7* REACH Article 33 information about substances in articles is available at (add URL or mail contact): https://www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure P2 Batteries P2.1* If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference) P2.2* Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal reference) P2.3* Batteries and accumulators are readily removable. (See legal reference) P3 Conformity verification & Eco design (ErP) P3.1* The product is CE-marked to show conformance with applicable legal requirements (see legal reference). P3.2* The product complies with the Eco design requirements for energy-related products, (see legal reference). Required information is; given in item P15 or added to this document, available at: https://www.lenovo.com/us/en/compliance/uk-doc for UK P5.1* Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and hexavalent chromium by weight of these together. P5.2* The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) used (see legal reference). P5.3*	-	Product	s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in th	e 🔀		
P1.7* REACH Article 33 information about substances in articles is available at (add URL or mail contact): Image: https://www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure P2 Batteries P2.1* If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference) Image: Content of the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference) P2.2* Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal reference) P2.3* Batteries and accumulators are readily removable. (See legal reference) P3 Conformity verification & Eco design (ErP) P3.1* The product is CE-marked to show conformance with applicable legal requirements (see legal reference). Nthps://www.lenovo.com/us/en/compliance/uu-doc for EU and https://www.lenovo.com/us/en/compliance/uu-doc for UK P3.2* The product pompliance/uu-doc for energy-related products, (see legal reference). Required information is; given in item P15 or added to this document, available at: https://www.lenovo.com/us/en/compliance/coo-declaration P5.1* Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmiu and hexavalent chromium by weight of these together. P5.2* The	P1.6*	(see leg	al reference).	< 🛛		
P2.1* If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference) P2.2* Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal reference) P2.3* Batteries and accumulators are readily removable. (See legal reference) P3 Conformity verification & Eco design (ErP) P3.1* The product is CE-marked to show conformance with applicable legal requirements (see legal reference). P3.2* The product compliance/accompliance/au-doc for EU and https://www.lenovo.com/us/en/compliance/au-doc for UK P3.2* The product complies with the Eco design requirements for energy-related products, (see legal reference). P3.2* The product complies with the Eco design requirements for energy-related products, (see legal reference). P3.2* The product packaging P3.2* The product packaging P3.2* The product packaging P4.3* The product packaging P5.4* Product packaging components do not contain more than 0,01% lead, mercury, cadmium and hexavalent chromium by weight of these together. P5.2* The product packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) P5.3* The product packaging material is free f	P1.7*	REACH	Article 33 information about substances in articles is available at (add URL or mail contact):	\square		
symbol. Information on proper disposal is provided in user manual. (See legal reference) Image: Contemport of Content Contemport of Content Contemport of Contemport of Contemport C						
reference) Image: Conformity verification & Eco design (ErP) P3 Conformity verification & Eco design (ErP) P3.1* The product is CE-marked to show conformance with applicable legal requirements (see legal reference). The Declaration of Conformity can be requested at: https://www.lenovo.com/us/en/compliance/eu-doc for EU and https://www.lenovo.com/us/en/compliance/eu-doc for UK P3.2* The product complies with the Eco design requirements for energy-related products, (see legal reference). Required information is; Image: Conformity can be requested at: https://www.lenovo.com/us/en/compliance/uk-doc for UK P3.2* The product complies with the Eco design requirements for energy-related products, (see legal reference). Required information is; Image: Conformity can be requested at: https://www.lenovo.com/us/en/compliance/eco- declaration P5 Product packaging P P5.1* Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and hexavalent chromium by weight of these together. Image: Conformity lead and packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) Image: Conformity lead and packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). Comment: Legal reference has no maximum concentration values. P6 Treatment information	P2.1*			\boxtimes		
P3 Conformity verification & Eco design (ErP) P3.1* The product is CE-marked to show conformance with applicable legal requirements (see legal reference). The Declaration of Conformity can be requested at: https://www.lenovo.com/us/en/compliance/eu-doc for EU and https://www.lenovo.com/us/en/compliance/eu-doc for UK Image: Conformity can be requested at: P3.2* The product complies with the Eco design requirements for energy-related products, (see legal reference). Required information is; Image: Given in item P15 or added to this document, Image: Given in item P15 or added to this document, Image: Given in the P15 or added to this document, Image: Given in the P15 or added to this document, Image: Given in the P15 or added to this document, Image: Given in the P15 or added to the contain more than 0,01% lead, mercury, cadmium and Image: Given in the contain more than 0,01% lead, mercury, cadmium and Image: Given in the product packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and Image: Given Given Contain more than 0,01% lead, mercury, cadmium and Image: Given Given Contain more than 0,01% lead, mercury, cadmium and Image: Given Given Contain more than 0,01% lead, mercury, cadmium and Image: Given Given Contain more than 0,01% lead, mercury, cadmium and Image: Given Contain more than 0,01% lead, mercury, cadmium and Image: Given Given Contain more than 0,01% lead, mercury, cadmium and Image: Given Contain more than 0,01% lead, mercury, cadmium and Image: Given Given Contain more than 0,01% lead, mercury, cadmium and Image: Given Given Contain more than 0,01% lead, mercury, cadmium and Image: Given Given Contain more than 0,01% lead, mercury, cadmium and Image: Given Given Contain the Mo	P2.2*			I 🛛		
P3.1* The product is CE-marked to show conformance with applicable legal requirements (see legal reference). Image: Conformity can be requested at: https://www.lenovo.com/us/en/compliance/eu-doc for EU and https://www.lenovo.com/us/en/compliance/eu-doc for UK P3.2* The product complies with the Eco design requirements for energy-related products, (see legal reference). Image: Conformation is: Required information is: Image: Conformation is: Image: Conformation is: Image: Conformation is: P5 Product packaging Image: Conformation is: Image: Conformation is: Image: Conformation is: P5.1* Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and hexavalent chromium by weight of these together. Image: Conformation is: Image: Conformation is: P5.2* The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) Image: Conformation is: Image: Conformation is: P5.3* The product packaging materials free from ozone depleting substances as specified in the Montreal Protocol Image: Conformation is: Image: Conformation is: P6 Treatment information Content: Legal reference has no maximum concentration values. P6	P2.3*	Batterie	s and accumulators are readily removable. (See legal reference)	\boxtimes		
P3.1* The product is CE-marked to show conformance with applicable legal requirements (see legal reference). □ The Declaration of Conformity can be requested at: https://www.lenovo.com/us/en/compliance/eu-doc for EU and https://www.lenovo.com/us/en/compliance/eu-doc for UK P3.2* The product complies with the Eco design requirements for energy-related products, (see legal reference). □ □ Required information is; □ □ □ □ # available at: https://www.lenovo.com/us/en/compliance/eco- □ □ □ # P5 Product packaging □ <td< td=""><td>P3</td><td>Confor</td><td>nity verification & Eco design (ErP)</td><td></td><td></td><td></td></td<>	P3	Confor	nity verification & Eco design (ErP)			
P3.2* The product complies with the Eco design requirements for energy-related products, (see legal reference). □ Required information is; □ □ available at: https://www.lenovo.com/us/en/compliance/eco- declaration □ P5 Product packaging P5.1* Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and hexavalent chromium by weight of these together. P5.2* The product packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) P5.3* The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). P5.3* The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol P6 Treatment information	P3.1*	The Dec https://	laration of Conformity can be requested at:			
Required information is; given in item P15 or added to this document, Image: Complexity of the section of the sectin of the section of the section of the section of the s	P3.2*	The pro	duct complies with the Eco design requirements for energy-related products,	\boxtimes		
Ps Product packaging P5.1* Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and hexavalent chromium by weight of these together. P5.2* The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) in the product packaging material is free from ozone depleting substances as specified in the Montreal Protocol is elegal reference). P5.3* The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol is elegal reference). P6 Treatment information					_	
declaration P5 Product packaging P5.1* Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and		Require		\boxtimes		
P5 Product packaging P5.1* Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and knew avalent chromium by weight of these together. P5.2* The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) knew and (see legal reference). P5.3* The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). P5.3* The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). Comment: Legal reference has no maximum concentration values. P6						
P5.1* Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and hexavalent chromium by weight of these together. P5.2* The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) is see legal reference). P5.3* The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). P6 Treatment information	D =					
hexavalent chromium by weight of these together. P5.2* The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) Used (see legal reference). P5.3* The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). Comment: Legal reference has no maximum concentration values. P6 Treatment information						
P5.2* The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) Image: Comparison of the material of the materia	P5.1*	hexaval	ent chromium by weight of these together.			
(see legal reference). Comment: Legal reference has no maximum concentration values. P6 Treatment information		The pac used (se	kaging materials are marked with abbreviations and numbers indicating the nature of the material(e legal reference).			
P6 Treatment information	P5.3*	(see leg	al reference).	ol 🔀		
	DC					
						_

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Instruction 9007/3000/9007/9007/9007 Issue date * 2022/10/31 Product environmental attributes - Market requirements (See General NOTE GN below) - Environmental conscious design Require Product environmental attributes - Market requirements (See General NOTE GN below) Require Product environmental attributes - Market requirements (See General NOTE GN below) Require Product segme Disassembly, recycling Product Segme Disassembly, recycling P7.1 Parts that have to be treated separately are easily separable Require P7.3 Plastic parts > 100 g consist of one material or of easily separable materials. Product Segme Disassembly, recycling P7.4* Plastic parts > 25 g have material ordes according to ISO 11469 referring ISO 1043-4. Product Infetime P7.6* Labels are easily separable. (This requirement does not apply to safety/regulatory labels). Product Infetime P7.7* Upgrading can be done e.g. with processor, memory, cards or drives Product logen date and production for: 5 years P7.10 Service is available after end of production for: 5 years Material type: Class(Cr Free) P7.11* Product cover/housing material type (e.g. plastics, metal, aluminum): Material type: PC+ABS Material type: Class(Cr Free) P7.11	ovo	
- Environmental conscious design Require Item *=mandatory to fill in. Additional information regarding each item may be found under P14. Yes P7 Design, Disasembly, recycling Image: Second Sec		тн
Item *=mandatory to fill in. Additional information regarding each item may be found under P14. Yes P7 Design, Disassembly, recycling P7.1 P7.1 Parts that have to be treated separately are easily separable Image: Context State Stat		
P7. Design, Disassembly, recycling v P7.1* Parts that have to be treated separately are easily separable X P7.2* Plastic materials in covers/housing have no surface coating. X P7.3* Plastic parts > 100 g consist of one material or of easily separable materials. X P7.4* Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4. X P7.5 Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools. X P7.6* Labels are easily separable. (This requirement does not apply to safety/regulatory labels). X P7.7* Upgrading can be done e.g. with processor, memory, cards or drives X P7.8* Upgrading can be done using commonly available tools X P7.9 Spare parts are available after end of production for: 5 years X P7.10 Service is available after end of production for: 5 years Material and substance requirements P7.11* Product cover/housing material type (e.g. plastics, metal, aluminum): Material type: <i>PC+ABS</i> Material type: Class(Cr Free) P7.11* Insulation materials of internal electrical cables are PVC free. P P7.12 Insulation materials of internal electrical cables are PVC free. <t< td=""><td></td><td>met</td></t<>		met
P7.1* Parts that have to be treated separately are easily separable X P7.2* Plastic materials in covers/housing have no surface coating. X P7.3* Plastic parts > 100 g consist of one material or of easily separable materials. X P7.4* Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4. X P7.5 Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools. X P7.6* Labels are easily separable. (This requirement does not apply to safety/regulatory labels). X P7.6* Upgrading can be done e.g. with processor, memory, cards or drives X P7.7* Upgrading can be done using commonly available tools X P7.9 Spare parts are available after end of production for: 5 years X P7.10 Service is available after end of production for: 5 years X P7.11 Product cover/housing material type: (e.g. plastics, metal, aluminum): Material and substance requirements X P7.11 Insulation materials of internal electrical cables are PVC free. X P7.12 Insulation materials of internal electrical cables are PVC free. X P7.14 External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromin	No	n.a.
P7.2* Plastic materials in covers/housing have no surface coating. P7.3* Plastic parts > 100 g consist of one material or of easily separable materials. P7.4* Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4. P7.5 Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools. P7.6* Labels are easily separable. (This requirement does not apply to safety/regulatory labels). Product lifetime P7.7* Upgrading can be done e.g. with processor, memory, cards or drives P7.8 pare parts are available after end of production for: 5 years P7.10 Service is available after end of production for: 5 years P7.11* Product over/housing material type (e.g. plastics, metal, aluminum): Material type: PC+ABS Material type: PC+ABS Material type: Glass(Cr Free) P7.14 External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorina etributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorina in parts containing more than 25% post-consumer recycled content. P7.15 Printed circuit tooards, PCEs (without components) are low halogen: all (PCBs > 25 g) are low halogen as defined in IEC 61249-2-21. (See 1NOTE B2). P7.16 Flame retarded plasti		_
P7.3* Plastic parts > 100 g consist of one material or of easily separable materials. P7.4* Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4. P7.5 Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools. P7.6* Labels are easily separable. (This requirement does not apply to safety/regulatory labels). P7.7* Upgrading can be done e.g. with processor, memory, cards or drives P7.8* Upgrading can be done e.g. with processor, memory, cards or drives P7.9 Spare parts are available after end of production for: 5 years P7.10 Service is available after end of production for: 5 years Material and substance requirements P7.12 Insulation materials of external electrical cables are PVC free. P7.14 Insulation materials of internal electrical cables are PVC free. P7.14 External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content. P7.15 Printed circuit boards, PCBs (without components) are low halogen: all X PCBs > 25 g (are low halogen as defined in IEC 61249-2-21. (See 1NOTE B2)		
P7.4* Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4. P7.5 Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools. P7.6* Labels are easily separable. (This requirement does not apply to safety/regulatory labels). P7.6* Upgrading can be done e.g. with processor, memory, cards or drives P7.7* Upgrading can be done using commonly available tools P7.9 Spare parts are available after end of production for: 5 years P7.10 Service is available after end of production for: 5 years P7.11* Product cover/housing material type (e.g. plastics, metal, aluminum): Material type: PC+ABS Material type: Glass(Cr Free) P7.12 Insulation materials of external electrical cables are PVC free. □ P7.14 External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content. P7.15 Printed circuit boards, PCBs (without components) are low halogen: all ⊠ PCBs > 25 g (are low halogen as defined in IEC 61249-2.21. (See 1NOTE B2) P7.17 Alt 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components):		
P7.5 Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools. P7.6* Labels are easily separable. (This requirement does not apply to safety/regulatory labels). Product lifetime P7.7* Upgrading can be done e.g. with processor, memory, cards or drives P7.8* Upgrading can be done using commonly available tools P7.9 Spare parts are available after end of production for: 5 years P7.10 Service is available after end of production for: 5 years P7.11* Product cover/housing material type (e.g. plastics, metal, aluminum): Material type: PC+ABS Material type: PC+ABS Material type: Glass(Cr Free) P7.12 Insulation materials of external electrical cables are PVC free. P7.14 External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content. P7.15 Printed circuit boards, PCBS (without components) are low halogen: all PCBs > 25 g (without components) P7.16 Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking: P7.17 P7.18 Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: P	<u> </u>	
P7.6* Labels are easily separable. (This requirement does not apply to safety/regulatory labels). Product lifetime P7.7* Upgrading can be done e.g. with processor, memory, cards or drives P7.8* Upgrading can be done using commonly available tools P7.9 Spare parts are available after end of production for: 5 years P7.10 Service is available after end of production for: 5 years P7.11* Product cover/housing material type (e.g. plastics, metal, aluminum): Material type: PC+ABS Material type: Glass(Cr Free) P7.12 Insulation materials of external electrical cables are PVC free. P7.13 P7.14 External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content. P7.15 Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g] are low halogen as defined in IEC 61249-2-21. (See 1NOTE B2) P7.17 Alt 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components): Narking: P7.17 Alt 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components) > 25 g according ISO 1043-4: P7.18 Alt 1: Flame retarded	<u> </u>	
Product lifetime P7.7* Upgrading can be done e.g. with processor, memory, cards or drives P7.8* Upgrading can be done using commonly available tools P7.9 Spare parts are available after end of production for: 5 years P7.10 Service is available after end of production for: 5 years P7.11* Product cover/housing material type (e.g. plastics, metal, aluminum): Material type: PC+ABS Material type: PC+ABS Material type: Glass(Cr Free) P7.12 Insulation materials of external electrical cables are PVC free. P7.14 External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content. P7.15 Printed circuit boards, PCBs (without components) are low halogen: all ⊠ PCBs > 25 g _ are low halogen _ as defined in IEC 61249-2-21. (See 1NOTE B2) P7.17 Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components):	<u> </u>	
P7.7* Upgrading can be done e.g. with processor, memory, cards or drives X P7.8* Upgrading can be done using commonly available tools X P7.9 Spare parts are available after end of production for: 5 years X P7.10 Service is available after end of production for: 5 years X P7.11* Product cover/housing material type (e.g. plastics, metal, aluminum): Material type: <i>PC+ABS</i> Material type: <i>ABS</i> P7.12 Insulation materials of external electrical cables are PVC free. Image: Pretermination of the production for: 5 years P7.14 External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content. P7.15 Printed circuit boards, PCBs (without components) are low halogen: all X PCBs > 25 g are low halogen as defined in IEC 61249-2-21. (See 1NOTE B2) P7.17 Alt 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components): X Material ISD 1043-4: Material is printed circuit boards (without components) > 25 g according ISO 1043-4: X P7.18 Alt 1: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g		
P7.8* Upgrading can be done using commonly available tools P7.9 Spare parts are available after end of production for: 5 years P7.10 Service is available after end of production for: 5 years Material and substance requirements P7.11* Product cover/housing material type (e.g. plastics, metal, aluminum): Material type: <i>PC+ABS</i> Material type: <i>PC+ABS</i> Material type: <i>ABS</i> P7.12 Insulation materials of external electrical cables are PVC free. P7.13 Insulation materials of internal electrical cables are PVC free. P7.14 External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content. P7.15 Printed circuit boards, PCBs (without components) are low halogen: all ≥ PCBs > 25 g are low halogen		
P7.9 Spare parts are available after end of production for: 5 years P7.10 Service is available after end of production for: 5 years Material and substance requirements P7.11* Product cover/housing material type (e.g. plastics, metal, aluminum): Material type: PC+ABS Material type: PC+ABS Material type: ABS P7.12 Insulation materials of external electrical cables are PVC free. P7.13 Insulation materials of internal electrical cables are PVC free. P7.14 External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content. P7.15 Printed circuit boards, PCBs (without components) are low halogen: all ⊠ PCBs > 25 g are low halogen	╞	
P7.10 Service is available after end of production for: 5 years Material and substance requirements P7.11* Product cover/housing material type (e.g. plastics, metal, aluminum): Material type: PC+ABS Material type: ABS P7.12 Insulation materials of external electrical cables are PVC free. □ P7.13 Insulation materials of internal electrical cables are PVC free. □ P7.14 External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content. P7.15 Printed circuit boards, PCBs (without components) are low halogen: all ∑ PCBs > 25 g		
Material and substance requirements P7.11* Product cover/housing material type (e.g. plastics, metal, aluminum): Material type: PC+ABS Material type: ABS Material type: Glass(Cr Free) P7.12 Insulation materials of external electrical cables are PVC free.		
P7.11* Product cover/housing material type (e.g. plastics, metal, aluminum): Material type: PC+ABS Material type: ABS Material type: Glass(Cr Free) P7.12 Insulation materials of external electrical cables are PVC free.		
Material type: PC+ABS Material type: ABS Material type: Glass(Cr Free) P7.12 Insulation materials of external electrical cables are PVC free.		
P7.12 Insulation materials of external electrical cables are PVC free. P7.13 Insulation materials of internal electrical cables are PVC free. P7.14 External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content. P7.15 Printed circuit boards, PCBs (without components) are low halogen: all ≥ PCBs > 25 g are low halogen as defined in IEC 61249-2-21. (See 1NOTE B2) P7.16 Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking: P7.17 P7.17 Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components): NTBBPA (additive), TBBPA (reactive) (See NOTE B3), Other: , CAS #: P7.18 Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in concentrations above 0,1%: 1 Chemical name: , CAS #: Y See NOTE B4) 2. Chemical name:		
P7.14 External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content. P7.15 Printed circuit boards, PCBs (without components) are low halogen: all ≥ PCBs > 25 g are low halogen as defined in IEC 61249-2-21. (See 1NOTE B2) P7.16 Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking: P7.17 Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components): X TBBPA (additive), TBBPA (reactive) (See NOTE B3), Other: YT.18 Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in concentrations above 0,1%: Y 1. Chemical name: Y CAS #: Y Y Y Y	\boxtimes	
weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content. P7.15 Printed circuit boards, PCBs (without components) are low halogen: all ∑ PCBs > 25 gare low halogen as defined in IEC 61249-2-21. (See 1NOTE B2) P7.16 Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:		
 weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content. P7.15 Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low halogen as defined in IEC 61249-2-21. (See 1NOTE B2) P7.16 Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking: P7.17 Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components): TBBPA (additive), TBBPA (reactive) (See NOTE B3), Other: , CAS #: Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4: P7.18 Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in concentrations above 0,1%: 1. Chemical name: , CAS #: (See NOTE B4) 2. Chemical name: , CAS #: " 	Ē	
as defined in IEC 61249-2-21. (See 1NOTE B2) P7.16 Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking: P7.17 Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components): TBBPA (additive), TBBPA (reactive) (See NOTE B3), Other: , CAS #: Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4: P7.18 Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in concentrations above 0,1%: 1. Chemical name: , CAS #: (See NOTE B4) 2. Chemical name: , CAS #:]
Marking: Marking: P7.17 Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components): TBBPA (additive), TBBPA (reactive) (See NOTE B3), Other: , CAS #: Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4: P7.18 Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in concentrations above 0,1%: 1. Chemical name: , CAS #: (See NOTE B4) 2. Chemical name: , CAS #:	\boxtimes	
Image: Construction of the section		\square
Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g P7.18 Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in concentrations above 0,1%: Chemical name: CAS #: CAS #: CAS #:]
according ISO 1043-4: Image: Concentration above 0,1%: P7.18 Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in concentrations above 0,1%: 1. Chemical name: , CAS #: 2. Chemical name: , CAS #:		
concentrations above 0,1%: 1. Chemical name: , CAS #: 2. Chemical name: , CAS #:		
1. Chemical name: , CAS #: (See NOTE B4) 2. Chemical name: , CAS #: "		
2. Chemical name: , CAS #: "		\boxtimes
Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:		
P7.19 In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been	╞	
assigned the following Risk phrases; and Hazard statements:		
The source(s) for these classifications is/are found at (add URL(s)): , (See note B5)		
P7.20* Postconsumer recycled plastic material content is used in the product (See Note B6):		
 If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as a percentage of total plastic by weight) is 2.66%. or b) The weight of recycled material is 45.5 g. 		

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	90UT,90UU,90UV,90UW,90V2	Logo	Lenovo
Issue date *	2022/10/31		LEIIOVO
Product environm	nental attributes - Market requirements (continued)		Requirement met

Item

	Material and sub	stance requirements	(continued)			
P7.21*	Biobased plastic r	material content is used	I in the product (See No	OTE B7):		
	a) Of total plast total plastic b	ic parts' weight > 25 g,	es below shall be answe the biobased plastic m		ted as a percentage of	
	or b) The weight o	of the biobased plastic r	naterial is g.			
P7.22*	Light sources are		less than 0,1 mg/lamp.	um mercury content pe		\triangleleft
P8	Batteries				in the second	
P8.1*	Battery chemical of	composition: Li metal :	3V (coin type)			
P9	Energy consump	otion (See NOTE B8)				
P9.1			s or energy consumption	ons are reported:		
Energy mo	de *	Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Standard for energy [modes and test method *	
Peak (On-I	max)	W	W	W	Full load	
Category	<u>y D2</u>					
Short Idle Enabled	State - WOL	26.16 W	26.02 W	25.17 W	ENERGY STAR Computers V8 (P _{idle})	
Long Idle S Enabled	State - WOL	24.93 W	23.64 W	24.02 W	ENERGY STAR Computers V8 (P _{idle})	
Sleep (S3)	- WOL Enabled	1.58 W	1.48 W	1.66 W	ENERGY STAR Computers V8 (P _{sleep})	
Off (S5) - V	VOL Enabled	0.66 W	0.71 W	0.78 W	ENERGY STAR Computers V8 (P _{off})	
Off (S5) - V	VOL Disabled	0.66 W	0.71 W	0.78 W	Use for ErP	
EPS No-loa	ad	W	w	W	7	\triangleleft
	supply / charger plugged in the connected from the product.)					
PTEC * Typical Ene	ergy Consumption	W	W	W		\triangleleft
ETEC * Annual Ene	ergy Consumption	97.70 kWh/year	95.85 kWh/year	94.75 kWh/year	E _{TEC} = (8760/1000) x (P _{off} x 0.45 + P _{sleep} x 0.05 + P _{long_ldle} x 0.15+ P _{short Idle} x 0.35)	
		Poff: Off Mode(S	S5) - WOL Enabled; P _{sleep}	: Sleep Mode(S3) - WOL	Enabled; Pidle: Idle State - WOL Enabled	_
		• •	Efficiency Marking Pro	otocol) * :		\triangleleft
Display res	olution * : m	negapixels				\mathbf{X}
Default time	e to enter energy sa	ave mode: 25 minutes				
P9.2*	Information about	the energy save function	on is provided with the	product.		1
P9.3	Energy efficiency	class (monitors only):	-			Ā
P10	Emissions					
		- Declared according to	ISO 9296 (See NOTE	B9)		
P10.1		Mode description			it A-weighted sound power level, $L_{WA,c}$ (B))
	Idle *	* HDD:Idle		* 3.6		
	Operation '	* HDD: Operating		* 3.6		
			d pressure level (dB) L _p Am	25.6 (operator posit		
	Other mode	Declared A-weighted soun	d pressure level (dB) $L_{p{ m Am}}$	26.2 (operator posit	tion desktop – operating)	
	Measured accordi	ing to: 🔀 ISO 7779 🗌	ECMA-74 (only if not covered by	ECMA-74)		
,			, , ,	/		

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see <u>http://www.ecma-international.org/publications/standards/Ecma-370.htm</u>

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm Yes No

n.a.

Model nu	Imber *	90UT,90UU,90	I attributes - Market requirements (continued) Requirement met Yes No n.a. tic emissions ay meets the requirement for low frequency electromagnetic fields of the following voluntary Image: Content of						
Issue dat	te *	2022/10/31					Leno	VO.	
	environ	mental attribut	es - Market requirem	nents (continued)					met
Item							Yes	No	n.a.
		magnetic emissi							
P10.4	program	n(s):	•	requency electromagr	etic fields of the fol	lowing volunt	ary		
P12									
P12.1*	The dis	play meets the erg	gonomic requirements of	FISO 9241-307 for vis	ual display technolo	gies.			\boxtimes
P12.2*	The phy	sical input device	meets the requirements	of ISO 9995 and ISO	9241-410.				\square
P13	Packag	ing and docume	ntation						
P13.1*	Product Product Product	packaging mater packaging mater packaging mater	ial type(s): Solid EPE ial type(s): Solid EPE ial type(s): Cardboard	weight (kg): 0.190 weight (kg): 0.210 weight (kg): 1.352					
P13.2*							\boxtimes		
P13.3*				aging, specify the co	ntained percentage	e of minimum			
P13.4*	Specify		nd product documentatio	n (tick box):					
P13.5	Ùser an								
	Totally of	hlorine-free					\boxtimes		
	Elemen	tal chlorine-free					E E		
	Process	ed chlorine-free					H		
P14	Volunta	ry programs							
P14.1			quirements of the follow	ing voluntary program	(s):				
	-	Y STAR® el:	Criteria version: 8.0 Criteria version:	Date: Date:	Product Product	category:			
P15	Additio	nal information	(See NOTE B10)						
P 9	Energy	consumption of	specific configuration	may vary; description	on of the tested pr	oduct config	uration:		
	NOTE: the info supplie informa	Supplier makes ormation contain r's knowledge a ttion. The inform	no representations, gu ed in this document. A vailable at the time of c	arantees, assurance Il information provid completion, and supp approximate and pro	s or warranties wh ed by supplier in t blier shall have no	ether expres his documer obligation to	ss or implied, i nt is provided i o update such	based o	on
P 9	See En	ergy Star Qualifi	ed Notebooks & Tablet ov/index.cfm?fuseacti	Computers for the I		p&pgw_code	e=CO		

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	Legion T5 26IRB8	Logo
Model Number	90UT,90UU,90UV,90UW,90V2	
Issue Date	2022/10/31	Lenovo
Additional information		

P7.1.1	Product environmental attributes							
(d)	year of manufacture:				2022			
(e)	Etec value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics cards (dGfx) are disabled and if the system is tested with switchable graphics mode with UMA driving the display.							
(f)	Etec value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics cards (dGfx) are enable							
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)			
	Memory over base [GB]				28			
ients sting	Additional internal storage	(Yes / No)	(Yes / No)	(Yes / No)	Yes (Yes / No)			
capability adjustments applied during testing	Discrete television tuner	(Yes / No)	(Yes / No)	(Yes / No)	No (Yes / No)			
ability a	Discrete Audio Card	(Yes / No)	(Yes / No)	(Yes / No)	No (Yes / No)			
cap	Discrete graphics Card(s) [number / #]	#: (Yes / No)	#: (Yes / No)	#: (Yes / No)	Yes #: 1 (Yes / No)			
	Category of discrete graphics Card(s)				G7			
Test results	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)							
Test r	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled				122			
(g)	Idle state power demand (Watts);				21.71			
(h)	Sleep mode power demand (Watts);				1.24			
(i)	Sleep mode with WOL enabled power de	emand (Watts) (where	enabled);		1.24			
(j)	Off mode power demand (Watts);				0.77			
(k)	Off mode with WOL enabled power dema	and (Watts) (where en	abled);		0.77			
(I)	Internal power supply efficiency at 10 %, 10% 87.78% 20% 90.34% 50% 91.2	,		er (if applicable): PS-4	851-1			
(m)	External power supply efficiency (if applied	cable)*:						
	Average active efficiency:							
(0)	*internal note: show values for all available external po Minimum number of loading cycles that t		and (applies only to n	otebook computers):	N/A			
(p-1)	Measurement methodology used to dete Generalized Test Protocol for Calcu		iciency of Internal Ad					

Other: Additional i	nformation					
Other:						
. ,						
External/detachable Battery Bios Backup Battery						
Internal/built-in Battery		The battery[ies] in this product cannot be easily replaced by users themselves. ¹⁾				
		Battery[ies] <u>not</u> user replaceable	Battery[ies] user replaceable	n/a		
dditional	Notebook Batter					
		Test voltage in V and frequency in Hz: 23 Total harmonic distortion of the electricity suppl				
t	Test parameters for the electricity supply used for electrical test	neasurements: — test voltage in V and frequency in system, — information and documentation on the in- sting:	Hz, — total harmonic distortion of strumentation, set-up and circuits			
		Based on user manual				
x) (User information on I	now to enable the power management functionality:				
		Based on user manual				
Length of time before the display sleep mode is set to activate after user inactivity (in minutes): v) Information on the energy-saving potential of power management functionality:				10		
u) Length of time after a period of user inactivity in which the computer automatically reaches a power mode that has a lower power demand requirement than sleep mode (in minutes):				N/A		
, (condition which does	te condition before the computer automatically re- not exceed the applicable power demand requirement of the second	ents for sleep mode (in minutes):	25		
off mode: Based on user manual/Control Panel->Power Options-> Change Settings-> Restore default settings for this plan						
3) (3						
	EN 62623:2013 — Desktop and notebook computers — Measurement of energy consumption: 5.2. Test setup; 5.3.2. Measuring off mode.					
<i>)</i> 1			ement of energy consumption:			
r) [Description of how of	5.3.4. Measuring long idle mode. eep and/or off mode was selected or programmed:				
		5.3.2. Measuring off mode; 5.3.3. Measuring sleep mode;				
	EN 62623:2013	B — Desktop and notebook computers — Measur 5.2. Test setup;	ement of energy consumption:			
(q) (q)	Sequence of steps for	or achieving a stable condition with respect to power	demand:			
		and computer servers: ANNEX II Ecodesign requirements and time	etable:			
		GULATION (EU) No 617/2013 of 26 June 2013 im arliament and of the Council with regard to ecode				
		dology used to determine information mentioned in r Point P9.1 in the Product IT Eco Declaration:	naximum, idle, sleep, off mode			
	Measurement methodology used to determine information mentioned in points (o) – loading cycles batteries: N/A					
p-3) I						

Τŕ

- H μπαταρία[-ες] στο προϊόν αυτό δεν μπορούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες La/les batterie(s présente(s) dans ce produit ne peuvent être facilement remplacée(s) par les utilisateurs eux-mêmes. Korisnik ne može lako zamijeniti Bateriju sam u ovom proizvodu.

Ine battery[ies] in this product cannot be easily replaced by users themselves. Акумулаторната[ите] батерия[и] в този продукт не може да се замени[ят] лесно от самите потребители. Las baterías de este producto no pueden ser sustituídas fácilmente por los propios usuarios. Výměnu baterie/baterií v tomto výrobku by neměli provádět sami uživatelé.

Brugeren kan ikke uden videre udskifte batteriet/batterierne i dette produkt. Der Akku/die Akkus dieses Produkts kann/können nicht ohne weiteres vom Benutzer selbst ausgetauscht werden. Kasutajad ei saa selle toote akut/akusid ise hõlpsasti asendada.

La batteria/le batterie in questo prodotto non può/possono essere facilmente sostituita/e dall'utente. Lietotāji paši nevar nomainīt šā ražojuma akumulatoru(-us).

Lietotāji paši nevar nomainīt šā ražojuma akumulatoru(-us). Šio gaminio baterijos (bateriju) pats vartotojas negali lengvai pakeisti. A termék akkumulátorát/akkumulátorait a felhasználó nem tudja egyedül egyszerűen kicserélni. Il-batterija/batteriji f'dan il-prodott ma tistax/jistyħux tiġ/jiĝu sostilivita/i mill-utenti stess. Batteriet [ene] i dette produktet kan ikke lett erstattes av brukerne selv. De batterij(en) in dit product is (zijn) door de gebruiker niet gemakkelijk vervangbaar. Užytkownik nie može sam w łatwy sposób wymienić baterii w tym produkcie. A ou as baterias deste produt não podem ser facilmente substituídas pelos próprios utilizadores. Batéria (bateriile) din acest produs nu poate (pot) fi uşor înlocuită (înlocuite) de utilizatorii înşişi. Batéria(-je) v tomto výrobku nemôže vymieňař používateľ. Baterij/baterije v tem izdelku uporabniki sami ne morejo zlahka zamenjati. Tămân tuotteen akku [akut] el[Vät] ole helposti käyttäjän vaihdettavissa. Det är inte enkelt för kunden att själv byta ut batteriet/batterierma. Bu úründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.

Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.