



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Computer monitors

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Loge	0				
Company name *	Lenovo						
Contact information *	Lenovo Global Environmental Affairs		Lenovo				
e-mail address	Alvin L Carter		LCIIOVO				
	alcarter@lenovo.com		7,200,000				
Internet site *	https://www.lenovo.com/us/en/sustainability-resources/						
Additional information	The latest version of this document can be found at:						
	http://www.lenovo.com/ecodeclaration						

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	Monitor			
Commercial name *	Lenovo Legion Y27f-30			
Model number *	67.46			
Issue date *	2022/12/14			
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other			
Additional information				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

Model number *		67A6		Long	27.0		
Issue date *		2022/12/14		Lend			
Product	luct environmental attributes - Legal requirements				ment me	ŧ	
Item				Yes	No n.a	ı.	
P1		us substances and preparations					
P1.1*	Products do comply with current European RoHS Directive. (See legal reference and NOTE B1)						
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.						
P1.3*		do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),		\square		\exists	
	hydrobro trichloroe concentr	emofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach ethane, methyl bromide (see legal reference). Comment: Legal reference has no mation values.	aximum				
P1.4*	terpheny	do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych (PCT) in preparations (see legal reference).					
P1.5*		edo not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 cart ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	oon atoms in th	ie 🔀			
P1.6*	(see lega	h direct and prolonged skin contact do not release nickel in concentrations above 0 al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.	,5 μg/cm²/wee	k 🗌]	
P1.7*		Article 33 information about substances in articles is available at (add URL or mail	contact):			Π	
		vww.lenovo.com/us/en/Lenovo-REACH-SVHC-				J	
P2	Batterie						
P2.1*		educt contains a battery or an accumulator, the battery/accumulator is labeled with t Information on proper disposal is provided in user manual. (See legal reference)	he disposal]	
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal						
P2.3*	Batteries and accumulators are readily removable. (See legal reference)						
P3	Conformity verification & Eco design (ErP)						
P3.1*	* The product is CE-marked to show conformance with applicable legal requirements (see legal reference). The Declaration of Conformity can be requested at (add link or e-mail address): https://www.lenovo.com/us/en/compliance/eu-doc for EU and https://www.lenovo.com/us/en/compliance/uk-doc for UK						
P3.2*		duct complies with the Eco design requirements for energy-related products,				╗	
		al reference).				١,	
	Required	I information is; given in item P15 or added to this document,		\boxtimes]	
	available at (add URL):						
		www.lenovo.com/us/en/compliance/eco-declaration					
P5		packaging					
P5.1*	hexavale	ng and packaging components do not contain more than 0,01% lead, mercury ent chromium by weight of these together.					
P5.2*	used (se	kaging materials are marked with abbreviations and numbers indicating the nature α e legal reference).	`	, 🔼]	
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference).]]	
P6	Comment: Legal reference has no maximum concentration values. Treatment information						
		on for recyclers/treatment facilities is available (see legal reference).		\square		뤼	
1 0.1	mornali	on to rooy of or or the catherine received to available (See Tegal Felerice).					

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

woder number *		0/A0	Logo	Lend	21/0	
Issue date *		2022/12/14		Len		тн
	Product environmental attributes - Market requirements (See General NOTE GN below) - Environmental conscious design Item *=mandatory to fill in. Additional information regarding each item may be found under P14.			Requirer		net
Item		Yes	No	n.a.		
P7	Design Disasse	mbly, recycling				
P7.1*		at have to be treated separately are easily separable		\square	$\overline{}$	
P7.2*		naterials in covers/housing have no surface coating.				
P7.3*		arts > 100 g consist of one material or of easily separable materials.				
P7.4* Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.			Ħ	$\overline{\Box}$		
P7.5	•	arts are free from metal inlays or have inlays that can be removed with commonly a	vailable tools.		Ħ	
P7.6*		re easily separable. (This requirement does not apply to safety/regulatory labels).			Ħ	
	Product					
P7.7*	Upgradir	ng can be done e.g. with processor, memory, cards or drives				
P7.8*	Upgradir	ng can be done using commonly available tools				
P7.9	Spare pa	arts are available after end of production for: 7 years				
P7.10	Service i	s available after end of production for: 7 years				
	Material	and substance requirements				
P7.11*		cover/housing material type (e.g. plastics, metal, aluminum):				
D7.40			ıl type: Al			
P7.12		n materials of external electrical cables are PVC free.				Щ.
P7.13	Insulation materials of internal electrical cables are PVC free.					
P7.14	weight (plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bi 1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in 25% post-consumer recycled content.	retardants, and			
P7.15		circuit boards, PCBs (without components) are low halogen: all 🔀 PCBs > 25 g 🔲 ed in IEC 61249-2-21. (See 1NOTE B2)	are low halogen			
P7.16	Marking:					
P7.17		nemical specifications of flame retardants in printed circuit boards > 25 g (without co	mponents):			
	TBBF	PA (additive), TBBPA (reactive) (See NOTE B3), Other: , CAS #:		\boxtimes	Ш	Ш
		nemical specifications of flame retardants in printed circuit boards (without compone g ISO 1043-4:	ents) > 25 g			
P7.18		ame retarded plastic parts > 25 g contain the following flame retardant substance	s/preparations in			
	1. Chem 2. Chem	rations above 0,1%: ical name: , CAS #: (See NOTE B4) ical name: , CAS #: " ical name: , CAS #: "				
	Alt. 2: Cl	nemical specifications of flame retardants in plastic parts > 25 g according ISO 1043	3-4:		\boxtimes	
P7.19	In plastic	parts > 25 g, flame retardant substances/preparations above 0,1% are used which	have been			\boxtimes
	assigned	the following Risk phrases; and Hazard statements:		_		
	The source(s) for these classifications is/are found at (add URL(s)): , (See note B5)					_
P7.20*	Postcons	sumer recycled plastic material content is used in the product (See Note B6):		\boxtimes		
	a) Of t a po	at least one of the two alternatives below shall be answered; total plastic parts' weight > 25 g, the postconsumer recycled plastic material content ercentage of total plastic by weight) is 82.6%.(EPEAT Calculation)/85%(TCO Calculation) weight of recycled material is 974.61 g.				

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	67A6	Logo	Lonovo
Issue date *	2022/12/14		Lenovo
Product environr	nental attributes - Market requirements (continued)		Requirement met
Item			Yes No n.a.

	Material and substance requirements (continued)							
P7.21*	Biobased plastic material content is used in the product (See NOTE B7):							
	If YES; at least one of the two alternatives below shall be answered;							
	a) Of total plastic parts' weight > 25 g, the biobased plastic material content (calculated as a percentage of							
	total plastic by weight) is 0%.							
	b) The weight of the biobased plastic material is <i>0</i> g.							
P7.22*			less than 0,1 mg/lamp).	ΧП			
		specify: Number of la		num mercury content p	er lamp: mg			
P8	Batteries							
P8.1*	Battery chemical composition:							
P9		otion (See NOTE B8)						
P9.1			ls or energy consumpt					
Energy mo	de *	Power level at	Power level at	Power level at	Reference/Standard for energy			
Dook (On		100 V AC	115 V AC	230 V AC	modes and test method *			
Peak (On-	max)	21.62 W	21.51 VV	21.60 W	ENERGY STAR Program Requirements for Displays			
					Version 8.0			
Categor	V							
Sleep (S3)	- WOL Enabled	0.23 W	0.24 W	0.26 W	ENERGY STAR Program			
					Requirements for Displays Version 8.0(P _{sleep})			
Off (S5) - WOL Enabled		0.14 W	0.15 W	0.17 W	ENERGY STAR Program			
					Requirements for Displays Version 8.0(P _{off})			
					Version 6.0(Poff)			
PTEC *		W	W	W		\boxtimes		
Typical En	ergy Consumption	67 64 100/15/1007	67 22 14\0/16/16 22	67 70 1/\// // / / / / / / / / / / / / / / /	ENERGY STAR Drawson	_		
	ergy Consumption	67.61 kWh/year	67.33 kWh/year	67.70 kWh/year	ENERGY STAR Program Requirements for Displays	Ш		
Alliluai Elik	cigy consumption				Version 8.0			
			•					
External Po	ower Supply Efficie	ncy Level (Internationa	l Efficiency Marking Pr	otocol) *:		\boxtimes		
Display res	solution * : 1920 x	1080 megapixels	3					
Default tim	e to enter energy s	ave mode: 0.25 minute	es					
P9.2*	Information about	the energy save funct	ion is provided with the	product.	· × ·	$\overline{\Box}$		
P9.3	Energy efficiency	class (monitors only):	SDR-E, HDR-G			Ħ		
P10	Emissions							
	Noise emission -	 Declared according t 	o ISO 9296 (See NOTE	E B9)				
P10.1		Mode description		Statistical upper limit A-weighted sound power level, $L_{WA,c}$ (B)				
	Idle	*		*		\boxtimes		
Operation *		*		*				
	Other mode	Declared A-weighted sour	nd pressure level (dB) $L_{p m Ar}$	Am (operator position desktop – idle)				
Other mode			nd pressure level (dB) $L_{p m Ar}$	n (operator po	osition desktop – operating)			
	Measured accord	ing to: ISO 7779	ECMA-74	I				
		Other	(only if not covered by	v ECMA-74)				
	1		\ ,	, - " · · · · <mark>/</mark>				

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

Model nun	nber *	67A6				Logo	Long	\/O	
Issue date * 2022/12/14				Leno	VO.				
Product 6	environn	nental attributes	- Market requiremen	nts (continued	1)		Require	ment	met
Item			•	•	•		Yes	No	n.a.
	Electron	nagnetic emission	S						
P10.4	Compute program	. ,	requirement for low free	quency electroma	agnetic fields of the fol	lowing voluntary	у 🗌		
P12		mics for computing							
P12.1*	The disp	lay meets the ergor	nomic requirements of IS	SO 9241-307 for	visual display technolo	gies.	\boxtimes		
P12.2*	The phys	sical input device m	eets the requirements of	f ISO 9995 and I	SO 9241-410.				\boxtimes
P13		ng and documenta							
P13.1*	Product Product	packaging material packaging material	type(s): Corrugated Fib type(s): Corrugated Fib type(s): Moled Pulp w type(s): Plastic-LDPE	perboard veight (kg): 0.7	weight (kg): 1.13 weight (kg): 0.775 (kg): 0.07				
P13.2*	Product	plastic primary pack	aging is free from PVC.				\boxtimes		
P13.3*	consume	er recovered fiber co	ated fiberboard packag ontent: 90 %	0, 1	contained percentage	of minimum p	post-		
P13.4*									
P13.5									
	Totally chlorine-free								
	Element	al chlorine-free					Ħ		
	Processed chlorine-free								
P14	Volunta	ry programs							
P14.1			rements of the following	yvoluntary progra	am(s):				
	ENERG'	Y STAR®	Criteria version:	Date:	Product	category:			
	Eco-labe		Criteria version:	Date:		category:			
	Eco-labe	el:	Criteria version:	Date:	Product	category:			
P15		nal information (Se							
P9			ecific configuration m						
	NOTE: Supplier makes no representations, guarantees, assurances or warranties whether express or implied, regarding the information contained in this document. All information provided by supplier in this document is provided based on supplier's knowledge available at the time of completion, and supplier shall have no obligation to update such							on	
	information. The information provided here is approximate and provided for informational purposes only. See a Lenovo Account Representative for more information.						VO		
P9	See Ene	ergy Star Qualified ww.energystar.gov	Notebooks & Tablet Colorindex.cfm?fuseaction	omputers for th =find_a_produc	e latest information: ct.showProductGrou	p&pgw_code=	co		

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1